

**MONTHLY PROGRESS REPORT #128
FOR NOVEMBER 2007**

EPA REGION I ADMINISTRATIVE ORDERS SDWA 1-97-1019 and 1-2000-0014

**MASSACHUSETTS MILITARY RESERVATION
TRAINING RANGE AND IMPACT AREA**

The following summary of progress is for the period from November 1 to November 30, 2007. Scheduled actions are for the six-week period ending January 11, 2007.

1. SUMMARY OF REMEDIATION ACTIONS

The following is a description of Remediation Actions (RA) underway at Camp Edwards as of November 30, 2007. Remediation actions may include Rapid Response Actions (RRA). An RRA is an interim action that may be conducted prior to risk assessments or remedial investigations to address a known, ongoing threat of contamination to groundwater and/or soil.

Demo Area 1 Comprehensive Groundwater RA

The Demo Area 1 Comprehensive Groundwater RA consists of the removal and treatment of contaminated groundwater to control further migration of explosives and perchlorate. Extraction, treatment, and recharge (ETR) systems at Frank Perkins Road and Pew Road include extraction wells, ex-situ treatment processes to remove explosives and perchlorate from the groundwater, and injection wells to return treated water to the aquifer.

The Pew Road ETR continues operation at a flow rate of 103 gallons per minute (gpm). The Pew Road system was shut down on November 3, 2007 for 24 hours due to a storm, and shut down again on November 7, 2007 for 2 hours, due to an electrical power outage. As of November 30, 2007, approximately 163 million gallons of water have been treated and re-injected at the Pew Road ETR System.

The Frank Perkins Road ETR is operating at a flow rate of 808 gpm. An electrical power outage on November 7, 2007 caused the system to shut down for 6 hours. The new southern injection well was completed and tied into the system. As of November 30, 2007, approximately 386 million gallons of water had been treated and re-injected at the Frank Perkins Road ETR System. The RA system has treated 102 million gallons of the 386 million gallon total.

J-1 Range South Groundwater RRA

The J-1 Range South Groundwater RRA consists of removal and treatment of contaminated groundwater to control further migration of explosives. The ETR system includes a single extraction well, ex-situ treatment process to remove explosives from the groundwater, and an infiltration gallery to return treated water to the aquifer.

The ETR unit continues operation at a flow rate of 75 gpm. The system was shut down on November 3, 2007 and November 7, 2007 due to a storm and resulting electrical issues. As of November 30, 2007, approximately 5 million gallons of water have been treated and re-injected at the ETR System.

J-2 Range Groundwater RRA

The J-2 Range Groundwater RRA consists of removal and treatment of contaminated groundwater to control further migration of explosives and perchlorate. ETR systems include

single extraction wells, ex-situ treatment processes to remove explosives and perchlorate from the groundwater, and infiltration basins to return treated water to the aquifer.

The mobile ETR units continue operation at a flow rate of 250 gpm and the building ETR continues operation at a flow rate of 125 gpm. The J-2 treatment facility was shut down for 40 hours due to electrical issues from a storm on November 3, 2007. The J-2 modular treatment units were shut down for 18 hours due to electrical issues from the November 3, 2007 storm. As of November 30, 2007, approximately 159 million gallons of water have been treated and re-injected at the mobile ETR System and 79 million gallons of water have been treated and re-injected at the building ETR System.

J-3 Range Groundwater RRA

The J-3 Range Groundwater RRA consists of removal and treatment of contaminated groundwater to control further migration of explosives and perchlorate. ETR systems include single extraction wells, ex-situ treatment processes to remove explosives and perchlorate from the groundwater and use of the existing Fuel Spill-12 (FS-12) infiltration gallery to return treated water to the aquifer.

The ETR continues operation at a flow rate of 195 gpm. The system was shut down November 3, 2007 to November 9, 2007 due to electrical issues from a storm. The flow was increased from 175 gpm to 195 gpm when the system was re-started on November 9, 2007. As of November 30, 2007, approximately 130 million gallons of water have been treated and re-injected at the ETR System.

2. SUMMARY OF ACTIONS TAKEN

Drilling progress for the month of November is summarized in Table 1.

Table 1. Drilling progress as of November 30, 2007				
Boring Number	Purpose of Boring/Well	Total Depth (ft bgs)	Depth to Water Table (ft bgs)	Completed Well Screens (ft bgs)
No wells were installed during the month of November.				
ft bgs = ft below ground surface				

Samples collected during the reporting period are summarized in Table 2.

Groundwater samples were collected from recently installed wells at J-1 Range South. Long Term Groundwater Monitoring (LTGM) samples were collected from wells at Central Impact Area (CIA). Groundwater samples were collected in accordance with the Performance Monitoring and Evaluation Plan from J-2 Range. Process water samples were collected from the Frank Perkins Road ETR, the Pew Road ETR, the J-1 Range South ETR, and the J-2 Range ETR. Soil samples were collected at GP-6 and J-2 Range North for the Explosive Detection Dogs (EDD) Pilot Study Post-Survey Investigation. Soil samples were collected from a burial pit in J-2 Range. Surface water samples were collected near a public beach, a private beach, and near the spit at Snake Pond.

The following bullets summarize the BIP items for the month of November. The pre- and post-BIP sample collection dates are shown:

- J-3 Range:

November 14/15, 2007: One (1) 2.36 inch rocket at Grid J3E.

Pre- and post-BIP samples, summarized in Table 2, were collected in accordance with the sampling protocol.

J-2 Range Aerial Assessment continued at J-2 Loc #14 (including perimeter targets). Table 3 shows a grid summary sheet for aerial assessment for the J-2 Range Supplemental Geophysical Anomaly Investigation for the period ending November 30, 2007.

The following are the notes from the November 15, 2007 Technical Team meeting of the Impact Area Groundwater Study Program office at Camp Edwards.

Gun and Mortar

Detection Dog Update – Bill Gallagher

IAGWSP began digging locations identified by the detection dogs at GP-6 using a miniexcavator. Locations 8, 9, and 10 are still in progress.

The Draft EDD Pilot Study Findings Table was handed out. This table provides the EDD location; depth; date; detection type; round size; item description, weight, and quantity; disposition; and general target description at GP-6.

At Location 1, a MEC anomaly of one 5.56 mm cartridge case with propellant was located in the excavation. Also located was munitions debris and assorted RRD.

At Locations 3 and 4 the dogs apparently were keying in on expended artillery primer and artillery primer wrappers. These items were expended with no visible residue; there may be enough on the casings that the dogs keyed on them (smokeless powder could be in the primer). This could indicate how sensitive the dogs can be. The dogs apparently are detecting items that would have very little residual energetics.

One location at J-2 Range was completed. A 7.62 mm tracer round with the tracer material still in it was found at the area identified by the dogs.

All items are being saved. The tracer round will go to the CDC, and photographs will be taken.

Due to safety concerns, hand digs are being done at the J-2 Range Extension Area.

The project note is being followed as written until the work is completed, and the IAGWSP will provide updates as work progresses.

Southeast Ranges

Field Update – Dave Hill

Dave Hill (IAGWSP) noted that due to the storm, power at J-2 was lost from 03 November until 09 November and adjustments have been implemented; at J-1 South power was out for a couple of days; at J-2 North they continued operation; and power loss and communication loss was experienced at J-3.

At J-2 North a sample of MW-330 M2 on Gibbs Road came back as a false positive. The well was resampled and the results were non-detect. Jane Dolan (EPA) requested information from the chemist on the analysis of this sample.

IAGWSP noted that the modeling indicates that around 2010 low level detections will begin to be seen in this area at levels below the State standard of 2 parts per billion.

Darrin Smith (USACE) distributed handouts which included tables and figures that present the findings of the recent data gap fieldwork at the J-1, J-2, and J-3 Ranges. All data gap work was performed in consultation with the regulatory agencies via a series of project notes and meetings. The data gap fieldwork included intrusive investigation of the agreed-to EM-61 QC Grids Targets, Aerial Photo Assessment (APA) locations, and non-intrusive recon areas.

- J-1 Range Data Gap Fieldwork included intrusive investigation of approximately 107 areas based on the December 2006 EM-61 QC Survey of 32 grids. One burial pit (J39-BLP-001) and one burn pit (L1-BNP-001) were uncovered.

Investigation at numerous APA locations and areas of earlier detailed recons uncovered three burial pits and one trash pit. These data are included on the findings table.

- EM-Survey of APA Locations 43, 44, 53, 55, 59, and 63 and the former fenced area; follow-up intrusive investigation at three of those locations (44, 63, and former fenced area).
- EM-Survey of portions of grids M0 and M1 based on earlier non-intrusive recon, and follow-up intrusive investigations of associated areas.
- Intrusive investigations at two APA intrusive investigation-only areas (51 and 58).
- Detailed recon at one APA location (Location 21/Kettle Hole). Only four type B (6"-1') anomalies observed, thus no further action recommended.
- Investigation at three additional areas (Conex Box, Sky 6, J1-30).
- Detailed recon and follow-up intrusive investigation of E and F size anomalies in the area of grids G and H31-43.
- Intrusive investigation at areas of previous non-intrusive recons in grids I8 and I9, K4 and K5, L3 and L4, and M2-M4.

In summary, five burial pits, one burn pit, a trash pit, and a few non-burial related MEC items were uncovered during the investigations. Most of the locations investigated contained only MD and/or RRD.

- J-2 Range Data Gap Fieldwork included intrusive investigation of approximately 70 areas based on January 2007 EM-61 QC Survey of 45 grids. Two burial pits were uncovered (I12-BLP-001 and L19-BLP-001). Fieldwork also included EM-Survey and follow-up intrusive investigations at APA Location 14, where one burial pit (APA14-BLP-001) was uncovered; and intrusive investigation at APA Location 10.

In summary, three burial pits and few non-burial related MEC items were uncovered during the investigations. Most of the locations investigated contained only MD and/or RRD.

- J-3 Range Data Gap Fieldwork included the investigation of the two anomalies and a berm near the Melt-Pour Area and Greenway Road requested by EPA.

In summary, a few non-burial related MEC items were discovered near the areas investigated. Most of the items found were MD and/or RRD.

L Range Status

- The Air Force Research Lab (AFRL) will conduct a pilot test of vegetation clearance at L Range using a remote control brush hog. Work is tentatively scheduled to begin on December 3 or December 10. Mr. Hill will provide a copy of the ROA to EPA.

Pam Richardson (IAGWSP) is preparing the L Range neighborhood notice.

Small Arms Ranges

Juliet Range Soil Results – Paul Nixon

Paul Nixon provided figures for the Juliet Range explosives and metals data; and data tables which include nothing but detects. These two figures are drafts and will change. These tables include calculations of the relative standard deviation (RSD) for replicate samples as an indication of the repeatability of the sample results. The last three charts show the concentrations of 2,4-DNT and nitroglycerin at the firing line and nitroglycerine at the range floor.

Mr. Nixon discussed the level of nitroglycerin at the range floor and feels that the area should be subdivided and resampled.

EPA talked about the timeframe of this investigation and if it meets the requirements of the Mass Guard and suggests meeting with the Mass Guard to assess potential impacts to their construction schedule.

Len Pinaud (MassDEP) felt that it was previously agreed by everyone not to subdivide a decision unit. The concept is first the use of the range is determined, then a conceptual site model is developed, a sampling plan is designed including the size of the grids, samples are collected, and everyone buys into the cleanup based on the decision unit. Mr. Nixon pointed out that the IAGWSP feels that sampling should take an iterative approach when initial results indicate that something could be wrong with the conceptual site model. This is in keeping with EPA's "Triad" approach to site investigations and CRREL recommendations. The results of the resampling with smaller sample areas at the Tango range firing line are an example of successful re-sampling to refine a conceptual site model and better define areas of contamination.

Lynne Jennings (EPA) said that with respect to the subdividing issue with the range floor, EPA would be agreeable with doing one more round of subdividing; however, beyond that EPA believes there are diminishing returns that are not justified by the additional sampling costs. Mr. Nixon reviewed the second figure and the data tables. The data tables provide the detections and the RSD calculation percentage for replicates.

K-Range – Paul Nixon

Mr. Nixon suggests subdividing the larger range area, and not collecting replicates to the same extent as J-Range. EPA would like to further discuss the appropriate number of replicate samples with CRREL. Also, perchlorate has not been detected at J-Range and IAGWSP recommends that this analyte be dropped for K-Range.

IART Meeting for November 2007

There was no meeting of the Impact Area Groundwater Review Team (IART) for the month of November 2007. The next IART meeting is scheduled for December 4, 2007.

3. SUMMARY OF DATA RECEIVED

Table 4 (sorted by analyte) summarizes the detections, since 1997, that equaled or exceeded an EPA Maximum Contaminant Level (MCL), MassDEP MCL (MMCL) or Health Advisory (HA) for drinking water. Table 4 is updated on a monthly basis; discussions in the text are updated on the same schedule as Figures 1 through 8, which are discussed later in this section.

Table 5 summarizes first-time validated detections of explosives and perchlorate below the MCL/MMCL/HA for drinking water received from November 1, 2007 through November 30, 2007. First-time validated detections of VOCs, SVOCs, herbicides and pesticides are included and discussed quarterly in the March, June, September, and December Monthly Progress Reports. Metals, chloroform, and bis (2-ethylhexyl) phthalate (BEHP) are excluded from Table 5 for the following reasons: metals are a natural component of groundwater, particularly at levels below MCLs or HAs; detections of chloroform are pervasive throughout Cape Cod and are not likely the result of military training activities; and BEHP is believed to be largely an artifact of the investigation methods and introduced to the samples during collection or analysis.

Figures 1 through 8 depict the cumulative results of groundwater analyses for the period from the start of the Impact Area Groundwater Study (July 1997) to the present. Each figure depicts results for a different analyte class:

- Figure 1 shows the results of explosive analyses by EPA Method 8330. This figure is updated and included each month.
- Figure 2 shows the results of inorganic analyses (collectively referred to as "metals", though some analytes are not true metals) by methods E200.8, 300.0, 350.2M, 353M, 365.2, CYAN, IM40MB, IM40MBM, and IM40HG. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 3 shows the results of Volatile Organic Compound (VOC) analyses by methods OC21V, OC21VM, 504, 8021W, and SW8260 exclusive of chloroform detections. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 4 shows the chloroform results using the Volatile Organic Compound (VOC) analyses by method OC21V and OC21VM. This figure is updated and included semi-annually in the June and December Monthly Progress Reports.
- Figure 5 shows the results of Semi-Volatile Organic Compound (SVOC) analyses by methods OC21B and SW8270, exclusive of detections of BEHP. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 6 shows the BEHP results using the Semi-Volatile Organic Compound (SVOC) analyses by methods OC21B and SW8270. This figure is updated and included semi-annually in the June and December Monthly Progress Reports.
- Figure 7 shows the results of Pesticide (method OL21P) and Herbicide (method 8151) analyses. This figure is updated and included quarterly in the March, June, September, and December Monthly Progress Reports.
- Figure 8 shows the results of Perchlorate analysis by method E314.0. This figure is updated and included each month.

The concentrations from these analyses are depicted in Figures 1 through 7 compared to Maximum Contaminant Levels (MCLs) or Health Advisories (HAs) published by EPA for drinking water. For Figures 1 through 7, a red circle is used to depict a well where the concentration of one or more analytes was greater than or equal to the lowest MCL or HA for the analyte(s). A yellow circle is used to depict a well where the concentration of all analytes was less than the lowest MCL or HA. A green circle is used to depict a well where the given analytes were not detected in groundwater samples. For Figure 8, a red circle is used to depict a well where the concentration of perchlorate was greater than or equal to 24 ppb (EPA's Drinking Water Equivalent Level (DWEL) derived from the 2005 National Academy of Science (NAS) report). An orange circle is used to depict a well where the concentration of perchlorate is above 2 ppb (the Massachusetts MCL (MMCL)) and below 24 ppb. A yellow circle is used to depict a well where the concentration of perchlorate was less than 2 ppb. A green circle is used to depict a well where perchlorate was not detected in groundwater samples. For all figures, an open circle is used to depict a proposed well where the analytes in question for example, Explosives in Figure 1, have not yet been quantified. A black circle represents a well that has been sampled for analytes, but validated groundwater data is not yet available.

There are multiple labels listed for some wells in Figures 1 through 8, which indicate multiple well screens at different depths throughout the aquifer. The aquifer is approximately 200 to 300 feet thick in the study area. Well screens are positioned throughout this thickness based on various factors, including the results of groundwater profile samples, the geology, and projected locations of contaminants estimated by groundwater modeling. The screen labels are colored to indicate which of the depths had the chemical detected above drinking water standards. Generally, groundwater entering the top of the aquifer will move deeper into the aquifer as it moves radially outward from the top of the water table mound. Light blue dashed lines in Figures 1 through 8 depict water table contours. Groundwater generally moves perpendicular to these contours, starting at the center of the 70-foot contour (the top of the mound) and moving radially outward. The rate of vertical groundwater flow deeper into the aquifer slows as groundwater moves away from the mound.

The results presented in Figures 1 through 8 are cumulative, which provides a historical perspective on the data rather than a depiction of current conditions. Any detection at a well that equals or exceeds the MCL/DWEL/HAs results in the well having a red symbol, regardless of later detections at lower concentrations, or later non-detects. The difference between historical and current conditions varies according to the type of analytes. There are little or no differences between historical and current exceedances of drinking water criteria for Explosives, Perchlorate, VOCs, Pesticides, and Herbicides; the minor differences are mentioned in the following paragraphs. There are significant differences between historical and current exceedances of drinking water criteria for Metals and SVOCs, as described further below.

Figure 1: Explosives in Groundwater Compared to MCLs/HAs

For data validated in November 2007, no wells had first-time validated detections of explosives above the MCL/HAs. One well, 90MW0022, had a first-time validated detection of HMX below the MCL/HA of 400 ppb.

Exceedances of drinking water criteria for explosive compounds are indicated in seven general areas:

- Demo Area 1 (wells 19, 31, 34, 73, 76, 77, 114, 129, 139, 165, 210, and 211);
- Demo Area 2 (wells 16, 160, 259, 262, and 404);
- Former A Range (well 206);
- The Impact Area and CS-19 (wells 58MW0001, 58MW0002, 58MW0009E, 58MW0011D, 58MW0016B, 58MW0016C, 58MW0018B; and wells 1, 2, 23, 25, 37, 38, 40, 43, 85, 86, 87, 88, 89, 90, 91, 93, 95, 98, 99, 100, 101, 102, 105, 107, 111, 112, 113, 176, 178, 184, 201, 203, 204, 207, 209, 212, 223, 235, OW-1, OW-2, and OW-6);
- J Ranges and southeast of the J Ranges (wells 45, 58, 130, 132, 147, 153, 163, 164, 166, 171, 191, 193, 196, 198, 215, 218, 227, 232, 234, 247, 265, 289, 303, 306, 324, 326, 343, 360, 368, 369, 398, 477, 481, 485, 486, 487, and wells 90MW0022, 90MW0041, 90MW0054 and 90WT0013);
- Landfill Area 1 (wells 27MW0018A, 27MW0020A, and 27MW0020B); and
- Northwest Corner of Base Boundary (well 323).

Exceedances of drinking water criteria were measured for TNT at Demo Area 1 (wells 19S, 31S, 31M, and 31D) and Southeast of the Ranges (196S). Exceedances of the HA for RDX were noted at all of the locations listed above except at MW-45 and the LF-1 wells. Exceedances of drinking water criteria were measured for 2,6-dinitrotoluene (2,6-DNT) at MW-45S. Exceedances of drinking water criteria were measured for 1,3-dinitrobenzene at LF-1 wells 27MW0018A, 27MW0020A and 27MW0020B.

Demo Area 1 has a single well-defined source area and extent of contamination. The estimated extent of RDX exceeding the HA at Demo Area 1 based on the most recent groundwater measurements is indicated by a magenta concentration contour line on Figure 1 and Inset A.

Demo Area 2 has five groundwater exceedances of the RDX HA at MW-16S, MW-160S, MW-259, MW-262M1, and MW-404M2. The extent of the contamination is currently under investigation.

The Former A Range has exceedances of the RDX HA at MW-206M1. The S screen in this location is non-detect for all explosives.

The Impact Area has a plume defined by RDX concentrations above the HA of 2 ppb. The plume originates primarily along Turpentine Road and extends downgradient to the west-northwest. Another source of RDX in the Impact Area is CS-19. Portions of CS-19 are currently under investigation by the Air Force Center for Environmental Excellence (AFCEE) under the Superfund program. The extent of RDX has largely been defined in the Impact Area and the investigation phase of the project is nearing completion.

The J Ranges and downgradient areas have five groundwater plumes defined by concentrations of RDX above the HA of 2 ppb. The five plumes originate at the J-1 Range Interberm Area (northern plume in the vicinity of MW-58 and MW-265), the J-2 Range North plume (northern plume extending from MW-130), the J-2 Range East plume (eastern plume including MW-215), the J-3 Range Demolition Area (southern plume extending from MW-163 south to Snake Pond) and the L Range (in an area defined by MW-147 and MW-153 at Greenway Road). In addition, RDX detections at MW-398M2 suggest a possible plume at the south end of the J-1 Range. All the J ranges and the L Range are currently under investigation and the plumes will be updated and refined as new validated data is received.

The Northwest Corner of the base boundary has one validated detection of RDX in groundwater above the HA of 2 ppb at MW-323M2. The M1 screen in this location has a validated detection of RDX in groundwater below 2 ppb.

Figure 2: Metals in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for metals are scattered throughout the study area. Where two or more rounds of sampling data are available, the exceedances generally have not been replicated in consecutive sampling rounds. The exceedances have been measured for antimony, arsenic, cadmium, chromium, lead, molybdenum, sodium, thallium and zinc. Exceedances of the arsenic drinking water criteria were repeated at three (wells 58MW0010A, MW-7M1 and MW-45S) of the six locations with arsenic exceedances. At the remaining three locations (wells MW-3D, MW-52M2 and MW-152M1), arsenic exceedances were not repeated in subsequent results. Cadmium (well MW-52M3) and chromium (well MW-7M1) were each detected above drinking water criteria in a single sampling round in August-September 1999. Exceedances of the drinking water criteria for lead were repeated at two of four locations (wells ASP and MW-45S). At the remaining two locations (wells MW-2S and MW-7M1) lead exceedances were not repeated in subsequent results. Exceedances of the drinking water criteria for molybdenum were repeated at two of eight locations (wells MW-53M1 and MW-54S) with molybdenum exceedances. All of the molybdenum exceedances were observed in year 1998 and 1999 results. Exceedances of the drinking water criteria for sodium were repeated at 12 of the 21 locations with sodium exceedances (wells MW-2S, MW-21S, MW-46S, MW-57M3, MW-57M2, MW-57M1, MW-144S, MW-145S, MW-148S, MW-187D, ASP and SDW261160). Seven wells (MW-21S, MW-57M1, MW-57M3, MW-187D, BHW215083B, BHW215083D and ASP) had sodium exceedances in year 2004, 2005, and/or 2006 results. Zinc exceeded the HA in seven wells, all of which are constructed of galvanized (zinc-coated) steel.

There have been few exceedances of drinking water limits for antimony and thallium since the introduction of the ICP/GFAA and ICP/MS methods, discussed in the next paragraph. None of the 13 locations with antimony exceedances had repeated exceedances and only two exceedance (wells MW-38M2 and MW-73S) were measured since January 2003. Twelve of the 71 locations with thallium exceedances had repeated exceedances in subsequent sampling rounds (wells MW-7M1, MW-7M2, MW-19S, MW-45S, MW-47M2, MW-47M3, MW-52S, MW-52D, MW-54S, MW-54M1, MW-58S and MW-94M2). There have been no exceedances of thallium since January 2003.

Groundwater samples sent for metals analysis are analyzed for most metals by Inductively Coupled Plasma (ICP) in accordance with U.S. EPA Contract Laboratory Program Statement of Work ILM04.0. In May of 2001, the IAGWSP began analyzing for antimony and thallium using the GFAA (graphite furnace atomic adsorption) method in accordance with EPA Drinking Water Methods 204.2 (antimony) and 279.2 (thallium) in order to achieve lower detection limits for these metals. Both the ILM04.0 and GFAA methods are subject to false positive results at trace levels due to interferences. As a result, the IAGWSP changed to a new method to achieve lower detection limits for antimony and thallium in January of 2003. Groundwater samples are now analyzed for antimony and thallium by Inductively Coupled Plasma/Mass Spectroscopy (ICP/MS) in accordance with the EPA Method 6020. The ICP/MS Method 6020 has greater sensitivity and the added feature of selectivity for antimony and thallium. These additional methods achieve lower detection limits for these two metals and reduce the number of false positive results.

The distribution and lack of repeatability of the metals exceedances is not consistent with a contaminant source, nor do the detections appear to be correlated with the presence of explosives or other organic compounds. The IAGWSP evaluated inorganic background concentrations using the groundwater quality database of 1999, and submitted a draft report describing background groundwater quality in December 1999.

Figure 3: VOCs in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for VOCs are indicated in six general areas: Northeast Corner (well LRMW003), Impact Area boundary (MW-28S), CS-10 (wells 03MW0007A, 03MW0014A, and 03MW0020), LF-1 (well 27MW0017B), FS-12 (wells MW-45S, 90MW0003, and ECMWSNP02D), and in the J-1 Range (well MW-187D). CS-10, LF-1, and FS-12 are sites located near the southern extent of the Training Ranges that are currently under investigation by AFCEE under the Superfund program. Exceedances of drinking water criteria were measured for tetrachloroethylene (PCE) at CS-10, for vinyl chloride at LF-1, and for methylene chloride, toluene, 1,2-dichloroethane, and ethylene dibromide (EDB) at FS-12. These compounds are believed to be associated with the sites under investigation by AFCEE. Detections of benzene, tert-butyl methyl ether, and chloromethane at J-1 Range well MW-187D, chloromethane at Northeast Corner well LRMW003, and 1,2-dibromo-3-chloropropane at Impact Area boundary well MW-28S are currently under investigation.

Figure 4: Chloroform in Groundwater Compared to MCLs

Chloroform has been widely detected in groundwater across the Upper Cape as stated in a joint press release from USEPA, MassDEP, IRP, and the Joint Programs Office. The Cape Cod Commission (2001) in their review of public water supply wells for 1999 found greater than 75% contained chloroform with an average concentration of 4.7 ug/L. The IRP has concluded chloroform is not the result of Air Force activities. A detailed discussion of the presence of chloroform is provided in the Final Central Impact Area Groundwater Report (06/01). To date, the source of the chloroform in the Upper Cape groundwater has not been identified.

Figure 5: SVOCs in Groundwater Compared to MCLs/HAs

Exceedances of drinking water criteria for SVOCs are scattered throughout the study area. All exceedances of drinking water criteria for SVOCs were measured for bis (2-ethylhexyl) phthalate (BEHP), with the exception of two wells. MW-264M1 (J-3 Range) had a detection of benzo(a)pyrene at concentrations of more than twice the HA and MW-241M1 (L Range) had detections of naphthalene above the HA of 100 ppb. Detections of BEHP are presented separately in Figure 6 and discussed in the next paragraph.

Figure 6: BEHP in Groundwater Compared to MCLs

Exceedances of drinking water criteria for bis (2-ethylhexyl) phthalate (BEHP) are scattered throughout the study area. BEHP is believed to be largely an artifact of the investigation methods, introduced to the samples during collection or analysis. However, the potential that some of the detections of BEHP are the result of activities conducted at MMR has not been ruled out.

A detailed discussion of the presence of BEHP is provided in the Draft Completion of Work Report (7/98) and subsequent responses to comments. The theory that BEHP mostly occurs as an artifact, and is not really present in the aquifer, is supported by the results of subsequent

sampling rounds that show much lower levels of the chemical after additional precautions were taken to prevent cross-contamination during sample collection and analysis. Only four locations (out of 93) showed BEHP exceedances in consecutive sampling rounds: 28MW0106 (located near SD-5, a site under investigation by AFCCEE), 58MW0006E (located at CS-19), 90WT0013 (located at FS-12), and MW-146M1 (located at L Range). Subsequent sampling rounds at all these locations have had results below the MCL. Eleven wells (27MW0705, 27MW2061, C2-B, C6-C, C7-B, MW-47M2, MW-164M1, MW-168M1, MW-188M1, MW-196M1, and MW-198M1) had BEHP exceedances in the year 2002 and 2003 results. There have been no exceedances of BEHP in 2004, one exceedance of BEHP, at MW-356M1 (J-3 Range), in 2005, and one exceedance of BEHP, at MW-477M2 (J-1 Range), in 2007.

Figure 7: Herbicides and Pesticides in Groundwater Compared to MCLs/HAs

There has been one exceedance of drinking water criteria for pesticides, at well PPAWSMW-1. A contractor to the United States Air Force installed this monitoring well at the PAVE PAWS radar station in accordance with the Massachusetts Contingency Plan (MCP), in order to evaluate contamination from a fuel spill. The exceedance was for the pesticide dieldrin in a sample collected in June 1999. This well was sampled again in November 1999. The results of the November sample indicate no detectable pesticides although hydrocarbon interference was noted. It appears from the November sample that pesticides identified in the June sample were false positives. However, the June sample results cannot be changed when following the EPA functional guidelines for data validation. The text of the validation report for the June sample has been revised to include an explanation of the hydrocarbon interference and the potential for false positives.

There has been one exceedance of drinking water criteria for herbicides, at well MW-41M1 (Impact Area). This response well was installed downgradient of the Impact Area. The exceedance was for the herbicide pentachlorophenol in a sample collected in May 2000. There were no detections above the MCL of this compound in the three previous sampling rounds in 1999, nor in the subsequent sampling rounds in 2000, 2001, 2002, and 2003.

Figure 8: Perchlorate in Groundwater Compared to a 2 ppb Concentration

For data validated in November 2007, three wells, MW-209M2, MW-87M1, and MW-88M2, had first-time validated detections of perchlorate above the MMCL of 2 ppb. Two wells, MW-23M1 and MW-330M2, had a first-time validated detection of perchlorate below the MMCL of 2 ppb.

Sampling and analysis of groundwater for perchlorate was initiated at the end of the year 2000 as part of the IAGWSP. Cumulative exceedances of the 2 ppb concentration of perchlorate are indicated in seven general areas:

- Demo Area 1 (wells 19, 31, 32, 33, 34, 35, 36, 73, 75, 76, 77, 78, 114, 129, 139, 162, 165, 172, 210, 211, 225, 255, 258 and 341);
- Impact Area and CS-19 (wells 58MW0009C, 58MW0015; and wells 38, 87, 88, 89, 91, 93, 101, 209, and OW-1);
- J Ranges and southeast of the J Ranges (wells 93, 125, 127, 128, 130, 132, 142, 143, 158, 163, 166, 193, 197, 198, 215, 232, 234, 237, 243, 247, 250, 263, 265, 286, 289, 293, 295, 300, 302, 303, 305, 307, 310, 313, 319, 321, 324, 326, 329, 335, 339, 343, 346, 348, 366, 368, 370, 393, and wells 90PZ0211, 90MW0022 and 90MW0054, 90WT0013, J2EW3-MW-2-B, and RS003P);
- Landfill Area 1 (27MW0031B);

- CS-18 (well 16MW0001);
- Northwest Corner of Base Boundary (wells 4036009DC, 66, 270, 277, 278, 279, 283, 284, 287, 297, 301, 309, 323, and RSN0W3); and
- Western Boundary (wells 80, 233, and 267).

Demo Area 1 has a single well-defined source area and extent of contamination. The downgradient extent of the perchlorate plume has been determined with the installation of monitoring wells along the power line right-of-way east of Fredrickson Road.

The Impact Area has eight locations with exceedances of the 2 ppb concentration of perchlorate. The perchlorate plume extends from near the center of the Impact Area to the northwest, in the vicinity of Burgoyne Road.

Plumes have been identified in four areas in the J Ranges. The J-1 Interberm perchlorate plume has several perchlorate detections in downgradient locations MW-265, MW-286, MW-303, MW-326, MW-346, and MW-370. The J-3 Range Demolition perchlorate plume has detections in several wells immediately downgradient of the source area, which is centered at MW-198, and further downgradient centered near location 90MW0054. The J-2 Range North perchlorate plume has detections at source area locations MW-130 and MW-263, and downgradient locations MW-289, MW-293, MW-300, MW-302, MW-305, and MW-313. The J-2 East perchlorate plumes are in the process of delineation and include detections at MW-307, MW-310 and MW-368. There is a single perchlorate detection (well 90WT0013) at the L Range which exceeds the 2 ppb concentration.

The Northwest Corner has a perchlorate plume extending from Canal View Road at the base boundary to the Cape Cod Canal. This area is under investigation and the plume will be updated and refined as new data is received.

The LF-1 and CS-18 areas are under investigation by AFCEE in the Superfund Program.

The Western Boundary has three locations (wells 80, 233, and 267), which exceed the 2 ppb perchlorate MMCL.

4. DELIVERABLES SUBMITTED

Deliverables submitted during the reporting period include the following:

Response to Comments Letter on the Draft Remedial Investigation Work Plan for the Gun and Mortar Firing Positions at the Massachusetts Military Reservation, Cape Cod	11/02/2007
---	------------

Monthly Progress Report No. 127 for October 2007	11/09/2007
--	------------

5. SCHEDULED ACTIONS

Figure 9 provides a Gantt chart updated as of January 7, 2007, to reflect progress and proposed work. The January 2007 Revised Combined Schedule (RCS), included in this monthly report, is currently under review by the IAGWSP, EPA, and MassDEP. A revised and "up-to-date" RCS

will be published in the following monthly report. The following documents are scheduled to be submitted in December and early January:

- J-1 Range South Soil/Groundwater Final Remedial Investigation/Feasibility Study Report
- J-1 Range North Soil/Groundwater Final Remedial Investigation/Feasibility Study Report
- J-1 Range North Soil/Groundwater Draft Remedy Selection Plan
- Northwest Corner Soil/Groundwater Final Remedial Investigation/Feasibility Study Report
- Demolition Area 2 Soil/Groundwater Final Investigation Report
- Small Arms Range Soil/Groundwater Draft Investigation Report
- Ammunition Supply Point Soil/Groundwater Final No Further Action Decision Document

The following documents are being prepared or revised during December and early January:

- J-1 Range South Groundwater Draft Rapid Response Action Completion of Work Report
- J-1 Range South Soil/Groundwater Draft Remedy Selection Plan
- J-1 Range South Soil/Groundwater Draft Performance Monitoring Plan
- J-2 Range Soil Final Investigation Report
- J-3 Range Soil Final Investigation Addendum
- J-3 Range Groundwater Draft Interim Remedial Action & Close-Out Report
- L Range Soil/Groundwater Final Remedial Investigation/Feasibility Study Report
- Central Impact Area Soil/Groundwater Draft Feasibility Study
- Northwest Corner Soil/Groundwater Draft Remedy Selection Plan
- Western Boundary Soil/Groundwater Final Decision Document
- Demolition Area 2 Soil/Groundwater Draft Remedy Selection Plan
- Gun & Mortar Range Soil/Groundwater Draft Investigation Report
- Former K Range Soil/Groundwater Final Remedial Investigation Report
- Wide Area Source Assessment Soil/Groundwater Draft Investigation Report

TABLE 2
SAMPLING PROGRESS
10/10/2007 - 11/28/2007

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
ECC110807J3FLD01 (post)	SSJ3E002	J-3 RANGE	11/14/2007	CRATER GRID	0	0.25		
58MW0015A	58MW0015	CIA	11/27/2007	GROUNDWATER	161	170	36	45
J2EW1-MW 1-A	J2EW1-MW1	J-2 RANGE	10/16/2007	GROUNDWATER	140.8	150.82	40.12	50.12
J2EW1-MW1-B	J2EW1-MW1	J-2 RANGE	10/17/2007	GROUNDWATER	205.8	215.82	105.07	115.07
J2EW1-MW1-C	J2EW1-MW1	J-2 RANGE	10/16/2007	GROUNDWATER	240.8	250.8	130.7	140.7
J2EW1-MW1-C-FD	J2EW1-MW1	J-2 RANGE	10/16/2007	GROUNDWATER	240.8	250.8	130.7	140.7
J2EW2-MW1-A	J2EW2-MW1	J-2 RANGE	10/17/2007	GROUNDWATER	144	154	34.26	44.26
J2EW2-MW2-A	J2EW2-MW2	J-2 RANGE	10/16/2007	GROUNDWATER	144.5	154.45	34.41	44.41
J2EW2-MW2-B	J2EW2-MW2	J-2 RANGE	10/16/2007	GROUNDWATER	209.8	219.79	99.62	109.62
J2EW2-MW2-C	J2EW2-MW2	J-2 RANGE	10/17/2007	GROUNDWATER	248.8	258.81	138.39	148.39
J2EW2-MW3-A	J2EW2-MW3	J-2 RANGE	10/17/2007	GROUNDWATER	145.5	155.45	33.24	43.24
J2EW2-MW3-B	J2EW2-MW3	J-2 RANGE	10/12/2007	GROUNDWATER	211.7	221.65	99.18	109.18
J2EW2-MW3-C	J2EW2-MW3	J-2 RANGE	10/12/2007	GROUNDWATER	246	256	133.54	143.54
J2EW3-MW-2-B	J2EW3-MW-2	J-2 RANGE	10/12/2007	GROUNDWATER	216.2	226.16	96.81	106.81
J2EW3-MW-2-C	J2EW3-MW-2	J-2 RANGE	10/11/2007	GROUNDWATER	251.2	261.16	131.81	141.81
MW-02M1	MW-02	CIA	11/14/2007	GROUNDWATER	212	217	75	80
MW-02M2	MW-02	CIA	11/14/2007	GROUNDWATER	170	175	33	38
MW-108D	MW-108	CIA	11/9/2007	GROUNDWATER	317	327	153	163
MW-108M1	MW-108	CIA	11/9/2007	GROUNDWATER	297	307	133	143
MW-108M4	MW-108	CIA	11/9/2007	GROUNDWATER	240	250	76	86
MW-141M1	MW-141	CIA	11/15/2007	GROUNDWATER	190	200	62	72
MW-141M2	MW-141	CIA	11/15/2007	GROUNDWATER	162	172	34	44
MW-176M1	MW-176	CIA	11/7/2007	GROUNDWATER	270	280	158.55	168.55
MW-176M1_FD	MW-176	CIA	11/7/2007	GROUNDWATER	270	280	158.55	168.55
MW-178M1	MW-178	CIA	11/7/2007	GROUNDWATER	257	267	117	127
MW-179M1	MW-179	CIA	11/14/2007	GROUNDWATER	187	197	46.1	56.1
MW-183M1	MW-183	CIA	11/8/2007	GROUNDWATER	286	296	103.9	113.9
MW-183M2	MW-183	CIA	11/8/2007	GROUNDWATER	270	280	87.9	97.9
MW-184M1	MW-184	CIA	11/26/2007	GROUNDWATER	186	196	58.2	68.2
MW-184M2	MW-184	CIA	11/26/2007	GROUNDWATER	126	136	0	10
MW-204M1	MW-204	CIA	11/16/2007	GROUNDWATER	141	151	81	91
MW-204M2	MW-204	CIA	11/16/2007	GROUNDWATER	76	86	17.2	27.2
MW-207M1	MW-207	CIA	11/9/2007	GROUNDWATER	254	264	100.52	110.52
MW-212M1	MW-212	CIA	11/8/2007	GROUNDWATER	333	343	125.6	135.6
MW-212M1_FD	MW-212	CIA	11/8/2007	GROUNDWATER	333	343	125.6	135.6
MW-235M1	MW-235	CIA	11/26/2007	GROUNDWATER	154	164	25.3	35.3
MW-249M2	MW-249	CIA	11/13/2007	GROUNDWATER	174	184	32.9	42.9
MW-25S	MW-25	CIA	11/28/2007	GROUNDWATER	108	118	0	10
MW-289M1	MW-289	J-2 RANGE	10/10/2007	GROUNDWATER	305	315	203	213

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
 Groundwater methods may include: Volatiles, Semivolatiles, Explosives,
 Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry**

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
10/10/2007 - 11/28/2007

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
MW-289M2	MW-289	J-2 RANGE	10/11/2007	GROUNDWATER	162	172	59.7	69.7
MW-289S	MW-289	J-2 RANGE	10/11/2007	GROUNDWATER	105	115	2.7	12.7
MW-296M2	MW-296	J-2 RANGE	10/18/2007	GROUNDWATER	215	225	95.05	105.05
MW-300M2	MW-300	J-2 RANGE	10/10/2007	GROUNDWATER	197.2	207.23	94.38	104.38
MW-331M1	MW-331	J-2 RANGE	10/18/2007	GROUNDWATER	235	245	121	131
MW-331M2	MW-331	J-2 RANGE	10/18/2007	GROUNDWATER	195	205	81	91
MW-340M1	MW-340	J-2 RANGE	10/18/2007	GROUNDWATER	255.9	265.85	110	120
MW-340M2	MW-340	J-2 RANGE	10/18/2007	GROUNDWATER	215.8	225.08	70	80
MW-340M2-FD	MW-340	J-2 RANGE	10/18/2007	GROUNDWATER	215.8	225.08	70	80
MW-381M2	MW-381	J-2 RANGE	10/11/2007	GROUNDWATER	196.4	206.39	81.39	91.39
MW-381M2-FD	MW-381	J-2 RANGE	10/11/2007	GROUNDWATER	196.4	206.39	81.39	91.39
MW-42M2	MW-42	CIA	11/13/2007	GROUNDWATER	186	196	118	128
MW-42M3	MW-42	CIA	11/13/2007	GROUNDWATER	166	176	98	108
MW-482M1-	MW-482	J1SOUTH	11/6/2007	GROUNDWATER	214.3	224.26	131.46	141.46
MW-482M2-	MW-482	J1SOUTH	11/6/2007	GROUNDWATER	172.6	182.64	89.84	99.84
MW-482M3-	MW-482	J1SOUTH	11/6/2007	GROUNDWATER	98.18	108.18	15.38	25.38
MW-483M1-	MW-483	J1SOUTH	11/15/2007	GROUNDWATER	139.5	149.52	42.82	52.82
MW-50M2	MW-50	CIA	11/8/2007	GROUNDWATER	177	187	59	69
MW-91M1	MW-91	CIA	11/19/2007	GROUNDWATER	170	180	45	55
MW-93M1	MW-93	CIA	11/28/2007	GROUNDWATER	185	195	56	66
MW-96M2	MW-96	CIA	11/16/2007	GROUNDWATER	134	144	24	34
GP6EDD01_A	SSGP6D001	GP6	10/31/2007	MULTIPOINT COM	0	1		
GP6EDD01_B	SSGP6D001	GP6	10/31/2007	MULTIPOINT COM	1	2		
GP6EDD02_A	SSGP6D002	GP6	11/1/2007	MULTIPOINT COM	0	1		
GP6EDD02_B	SSGP6D002	GP6	11/1/2007	MULTIPOINT COM	1	2		
GP6EDD03_A	SSGP6D003	GP6	11/1/2007	MULTIPOINT COM	0	1		
GP6EDD04_A	SSGP6D004	GP6	11/6/2007	MULTIPOINT COM	0	1		
GP6EDD04_B	SSGP6D004	GP6	11/6/2007	MULTIPOINT COM	1	2		
GP6EDD05_A	SSGP6D005	GP6	11/7/2007	MULTIPOINT COM	0	1		
GP6EDD05_B	SSGP6D005	GP6	11/7/2007	MULTIPOINT COM	1	2		
GP6EDD06_A	SSGP6D006	GP6	11/8/2007	MULTIPOINT COM	0	1		
GP6EDD06_B	SSGP6D006	GP6	11/8/2007	MULTIPOINT COM	1	2		
GP6EDD07_A	SSGP6D007	GP6	11/9/2007	MULTIPOINT COM	0	1		
GP6EDD07_B	SSGP6D007	GP6	11/9/2007	MULTIPOINT COM	1	2		
GP6EDD07_BR1	SSGP6D007	GP6	11/9/2007	MULTIPOINT COM	1	2		
GP6EDD07_BR2	SSGP6D007	GP6	11/9/2007	MULTIPOINT COM	1	2		
GP6EDD08_A	SSGP6D008	GP6	11/20/2007	MULTIPOINT COM	0	1		
GP6EDD08_AR1	SSGP6D008	GP6	11/20/2007	MULTIPOINT COM	0	1		
GP6EDD08_AR2	SSGP6D008	GP6	11/20/2007	MULTIPOINT COM	0	1		

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
 Groundwater methods may include: Volatiles, Semivolatiles, Explosives,
 Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry**

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
10/10/2007 - 11/28/2007

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
GP6EDD08_B	SSGP6D008	GP6	11/20/2007	MULTIPOINT COM	1	2		
GP6EDD09_A	SSGP6D009	GP6	11/21/2007	MULTIPOINT COM	0	1		
GP6EDD09_B	SSGP6D009	GP6	11/21/2007	MULTIPOINT COM	1	2		
GP6EDD10_A	SSGP6D010	GP6	11/20/2007	MULTIPOINT COM	0	1		
GP6EDD10_B	SSGP6D010	GP6	11/20/2007	MULTIPOINT COM	1	2		
GP6EDD11_A	SSGP6D011	GP6	11/8/2007	MULTIPOINT COM	0	1		
GP6EDD11_B	SSGP6D011	GP6	11/8/2007	MULTIPOINT COM	1	2		
GP6EDD12_A	SSGP6D012	GP6	11/7/2007	MULTIPOINT COM	0	1		
GP6EDD12_B	SSGP6D012	GP6	11/7/2007	MULTIPOINT COM	1	2		
J2NEDD017_A	SSJ2ND017	J2NORTH	11/27/2007	MULTIPOINT COM	0	1		
J2NEDD017_AR1	SSJ2ND017	J2NORTH	11/27/2007	MULTIPOINT COM	0	1		
J2NEDD017_AR2	SSJ2ND017	J2NORTH	11/27/2007	MULTIPOINT COM	0	1		
J2NEDD017_B	SSJ2ND017	J2NORTH	11/27/2007	MULTIPOINT COM	1	2		
J2NEDD017_BR1	SSJ2ND017	J2NORTH	11/27/2007	MULTIPOINT COM	1	2		
J2NEDD017_BR2	SSJ2ND017	J2NORTH	11/27/2007	MULTIPOINT COM	1	2		
J2NEDD018_A	SSJ2ND018	J2NORTH	11/15/2007	MULTIPOINT COM	0	1		
J2NEDD018_B	SSJ2ND018	J2NORTH	11/15/2007	MULTIPOINT COM	1	2		
J2NEDD020_A	SSJ2ND020	J2NORTH	11/27/2007	MULTIPOINT COM	0	1		
J2NEDD020_B	SSJ2ND020	J2NORTH	11/27/2007	MULTIPOINT COM	1	2		
J2NEDD021_A	SSJ2ND021	J2NORTH	11/16/2007	MULTIPOINT COM	0	1		
J2NEDD021_B	SSJ2ND021	J2NORTH	11/16/2007	MULTIPOINT COM	1	2		
J2NEDD023_A	SSJ2ND023	J2NORTH	11/20/2007	MULTIPOINT COM	0	1		
J2NEDD023_B	SSJ2ND023	J2NORTH	11/20/2007	MULTIPOINT COM	1	2		
J2NEDD025_A	SSJ2ND025	J2NORTH	11/28/2007	MULTIPOINT COM	0	1		
J2NEDD025_B	SSJ2ND025	J2NORTH	11/28/2007	MULTIPOINT COM	1	2		
J2NEDD037_A	SSJ2ND037	J2NORTH	11/20/2007	MULTIPOINT COM	0	1		
J2NEDD037_B	SSJ2ND037	J2NORTH	11/20/2007	MULTIPOINT COM	1	2		
FPR-2-EFF	FPR-2-EFF		10/10/2007	PROCESS WATE	0	0		
FPR-2-GAC-MID1A	FPR-2-GAC-MID1A		10/10/2007	PROCESS WATE	0	0		
FPR-2-GAC-MID1B	FPR-2-GAC-MID1B		10/10/2007	PROCESS WATE	0	0		
FPR-2-INF	FPR-2-INF		10/10/2007	PROCESS WATE	0	0		
FPR-2-IX-MID-A	FPR-2-IX-MID-A		10/10/2007	PROCESS WATE	0	0		
FPR-2-IX-MID-B	FPR-2-IX-MID-B		10/10/2007	PROCESS WATE	0	0		
J1SEFF_WEEK4	J1S-EFF	J1SOUTH	11/7/2007	PROCESS WATE	0	0		
J1SINF_WEEK4	J1S-INF	J1SOUTH	11/7/2007	PROCESS WATE	0	0		
J1SINF_WEEK4FD	J1S-INF	J1SOUTH	11/7/2007	PROCESS WATE	0	0		
J1SMID_WEEK4	J1S-MID	J1SOUTH	11/7/2007	PROCESS WATE	0	0		
PR-EFF	PR-EFF		10/10/2007	PROCESS WATE	0	0		
PR-INF	PR-INF		10/10/2007	PROCESS WATE	0	0		

**Profiling methods may include: Volatiles, Explosives, and Perchlorate
 Groundwater methods may include: Volatiles, Semivolatiles, Explosives,
 Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry**

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

TABLE 2
SAMPLING PROGRESS
10/10/2007 - 11/28/2007

SAMPLE_ID	GIS_LOCID	AOC	LOGDATE	SAMP_TYPE	SBD	SED	BWTS	BWTE
PR-MID-1	PR-MID-1		10/10/2007	PROCESS WATE	0	0		
PR-MID-2	PR-MID-2		10/10/2007	PROCESS WATE	0	0		
ECC110807J3FLD01 (pre)	SSJ3E002	J-3 RANGE	11/14/2007	SOIL GRAB	0	0.25		
J2L14BLP001_A	SSJ2LOC14001	J-2 RANGE	11/5/2007	SOIL GRID	2.5	2.75		
J2L14BLP001_B	SSJ2LOC14001	J-2 RANGE	11/5/2007	SOIL GRID	2.5	2.75		
J2L14BLP001_C	SSJ2LOC14001	J2RANGE	11/5/2007	SOIL GRID	5	5.25		
LKSNK0005	LKSNK0005	SNAKE POND	11/7/2007	SURFACE WATE	0	0.25		
LKSNK0006	LKSNK0006	SNAKE POND	11/7/2007	SURFACE WATE	0	0.25		
LKSNK0007	LKSNK0007	SNAKE POND	11/7/2007	SURFACE WATE	0	0.25		

Profiling methods may include: Volatiles, Explosives, and Perchlorate
Groundwater methods may include: Volatiles, Semivolatiles, Explosives, Pesticides, Herbicides, Metals, Perchlorate, and Wet Chemistry

Other Sample Types methods are variable

SBD = Sample Begin Depth, measured in feet bgs

SED = Sample End Depth, measured in feet bgs

BWTS = Depth below water table, start depth, measured in feet

BWTE = Depth below water table, end depth, measured in feet

AOC = Area of Concern

CIA = Central Impact Area

Table 3
J-2 Range Aerial Assessment Target Summary Table (WE 02 Nov 07)

Grid/Location	Date Updated	Number of Excavations	Items	MEC CDC	MEC	BIP	MD (lbs)	RRD (lbs)
J2 Loc #10	9/21/2007	1	Various MD fragments				5	
			Assorted RRD					2
J2 Loc #14 (incl perimeter targets)	11/2/2007	1	20mm Projectiles (unknown filler, presumed live fuze)	12				
			30mm Projectiles (unknown filler, presumed live fuze)	4				
			Pin Flares (presumed pyrotechnic)	15				
			Fuze Parts w/ dets, M51 (presumed live)	56				
			Fuze w/ dets, M51 (presumed live)	3				
			M57 PD Fuze (presumed live)	1				
			Unknown Fuze Parts w/dets (presumed live)	7				
			Unknown Rocket Motor (presumed propellant)	1				
			40mm Fragmentation Ball (unknown filler)	5				
			35mm SubCal LAW Rocket (unknown filler, presumed live fuze)	1				
			40mm Grenades (unknown filler)	2				
			105mm Cartridge Case with Propellant Grains (presumed M1 propellant)-	1				
			Various MD fragments				2047	
			Assorted RRD					8153
Total		2			108	0	2052	8155

MEC = Munitions and Explosives of Concern

CDC = Controlled Detonation Chamber

BIP = Blown in Place

MD = Munitions Debris

RRD = Range Related Debris

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-28	W28SSA	10/12/2005	OTHER	OC21VM	1,2-DIBROMO-3-CHLOROPROPANE	0.2	J	UG/L	0	10	0.2
ECMWSNP02	ECMWSNP02D	9/13/1999	J-3 RANGE; FS-12	504	1,2-DIBROMOETHANE (ETHYLENE DI)	0.11		UG/L	75.08	80.08	0.05
90MW0003	WF03MA	10/7/1999	L RANGE; FS-12	OC21V	1,2-DICHLOROETHANE	5		UG/L	52.11	57.11	5
27MW0018A	CHPI00006-A010	4/23/2003	LF-1	SW8330	1,3-DINITROBENZENE	1.7		UG/L			1
27MW0020A	CHPI10007-A010	4/23/2003	LF-1	SW8330	1,3-DINITROBENZENE	1		UG/L			1
27MW0020B	CHPI00008-A010	4/23/2003	LF-1	SW8330	1,3-DINITROBENZENE	1.1		UG/L			1
MW-19	W19SSA	3/5/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	10	J	UG/L	0	10	2
MW-19	W19S2A	7/20/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	16		UG/L	0	10	2
MW-19	W19S2D	7/20/1998	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	16		UG/L	0	10	2
MW-19	W19SSA	2/12/1999	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	7.2	J	UG/L	0	10	2
MW-19	W19SSA	9/10/1999	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2.6	J	UG/L	0	10	2
MW-19	W19SSA	5/12/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.7	J	UG/L	0	10	2
MW-19	W19SSA	5/23/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	0	10	2
MW-19	W19SSA	8/8/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2	J	UG/L	0	10	2
MW-19	W19SSA	12/8/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	2.3	J	UG/L	0	10	2
MW-19	W19SSA	8/24/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	2.4		UG/L	0	10	2
MW-19	W19SSA	12/27/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	2.2	J	UG/L	0	10	2
MW-196	W196SSA	2/7/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	12		UG/L	0	5	2
MW-196	W196SSA	7/12/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	10		UG/L	0	5	2
MW-196	W196SSA	10/24/2002	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	9.3		UG/L	0	5	2
MW-196	W196SSA	8/12/2003	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	5.5		UG/L	0	5	2
MW-196	W196SSA	11/7/2003	J-3 RANGE	8330NX	2,4,6-TRINITROTOLUENE	12		UG/L	0	5	2
MW-196	W196SSA	2/10/2004	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	14		UG/L	0	5	2
MW-196	W196SSA	10/28/2004	J-3 RANGE	8330NX	2,4,6-TRINITROTOLUENE	29		UG/L	0	5	2
MW-196	W196SSA	6/16/2005	J-3 RANGE	8330N	2,4,6-TRINITROTOLUENE	17		UG/L	0	5	2
MW-196	W196SSA	11/17/2005	J-3 RANGE	8330NX	2,4,6-TRINITROTOLUENE	14		UG/L	0	5	2
MW-31	W31SSA	5/15/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.3		UG/L	13	18	2
MW-31	W31SSA	8/9/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9	J	UG/L	13	18	2
MW-31	W31SSA	12/8/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2	J	UG/L	13	18	2
MW-31	W31SSA	5/2/2001	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2		UG/L	13	18	2
MW-31	W31SSA	8/24/2001	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.4		UG/L	13	18	2
MW-31	W31SSA	1/4/2002	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.9		UG/L	13	18	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-31	W31SSA	5/29/2002	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.5		UG/L	13	18	2
MW-31	W31SSA	8/7/2002	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.9		UG/L	13	18	2
MW-31	W31SSA	11/15/2002	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.5		UG/L	13	18	2
MW-31	W31SSA	3/28/2003	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	5.2		UG/L	13	18	2
MW-31	W31SSA	9/27/2003	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2J		UG/L	13	18	2
MW-31	W31SSD	9/27/2003	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2J		UG/L	13	18	2
MW-31	W31SSA	2/28/2004	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.7		UG/L	13	18	2
MW-31	W31SSA	5/11/2004	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	6.2		UG/L	13	18	2
MW-31	W31SSA	10/27/2004	DEMO 1	8330NX	2,4,6-TRINITROTOLUENE	6.3		UG/L	13	18	2
MW-31	W31SSA	4/30/2005	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.9		UG/L	13	18	2
MW-31	MW-31S-	4/13/2006	DEMO 1	SW8330	2,4,6-TRINITROTOLUENE	4.8		UG/L	13	18	2
MW-31	MW-31S	4/26/2007	DEMO 1	SW8330	2,4,6-TRINITROTOLUENE	2.84		UG/L	13	18	2
MW-31	W31MMA	5/23/2001	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	5.2		UG/L	28	38	2
MW-31	W31DDA	8/9/2000	DEMO 1	8330N	2,4,6-TRINITROTOLUENE	3.9J		UG/L	48	53	2
MW-45	W45SSA	8/23/2001	L RANGE; FS-12	8330N	2,6-DINITROTOLUENE	8.3J		UG/L	0	10	5
MW-1	W01SSA	9/7/1999	CIA	IM40MB	ANTIMONY	6.7J		UG/L	0	10	6
MW-187	W187DDX	1/23/2002	J-1 RANGE	IM40MB	ANTIMONY	6J		UG/L	199.5	209.5	6
MW-3	W03DDL	3/6/1998	CIA	IM40MB	ANTIMONY	13.8J		UG/L	219	224	6
MW-34	W34M2A	8/16/1999	DEMO 1	IM40MB	ANTIMONY	6.6J		UG/L	53	63	6
MW-35	W35SSA	8/19/1999	DEMO 1	IM40MB	ANTIMONY	6.9J		UG/L	0	10	6
MW-35	W35SSD	8/19/1999	DEMO 1	IM40MB	ANTIMONY	13.8J		UG/L	0	10	6
MW-36	W36SSA	8/17/1999	DEMO 1	IM40MB	ANTIMONY	6.7J		UG/L	0	10	6
MW-38	W38SSA	8/18/1999	CIA	IM40MB	ANTIMONY	7.4		UG/L	0	10	6
MW-38	W38M3A	8/18/1999	CIA	IM40MB	ANTIMONY	6.6J		UG/L	52	62	6
MW-38	W38M2A	10/14/2005	CIA	6020SB	ANTIMONY	12.4J		UG/L	69	79	6
MW-38	W38DDA	8/17/1999	CIA	IM40MB	ANTIMONY	6.9J		UG/L	124	134	6
MW-39	W39M1A	8/18/1999	CIA	IM40MB	ANTIMONY	7.5		UG/L	84	94	6
MW-50	W50M1A	5/15/2000	CIA	IM40MB	ANTIMONY	9.5		UG/L	89	99	6
MW-73	MW-73S	4/30/2007	DEMO 1	SW6010B	ANTIMONY	21.3J		UG/L	0	10	6
PPAWSMW-3	PPAWSMW-3	8/12/1999	OTHER	IM40MB	ANTIMONY	6J		UG/L	0	10	6
58MW0010A	WC10XA	1/18/1999	CS-19	IM40MB	ARSENIC	15.3		UG/L	140	145	10
58MW0010A	WC10XL	1/18/1999	CS-19	IM40MB	ARSENIC	15.6		UG/L	140	145	10

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
58MW0010A	WC10XA	9/29/1999	CS-19	IM40MB	ARSENIC	14.8		UG/L	140	145	10
58MW0010A	58MW0010A-	3/6/2000	CS-19	C200.7	ARSENIC	12.4		UG/L	140	145	10
MW-152	W152M1A	10/16/2001	J-3 RANGE; OTHER	IM40MB	ARSENIC	10.9		UG/L	144	154	10
MW-3	W03DDA	5/18/2001	CIA	IM40MB	ARSENIC	14.7		UG/L	219	224	10
MW-45	W45SSA	11/16/1999	L RANGE; FS-12	IM40MB	ARSENIC	13.8		UG/L	0	10	10
MW-45	W45SSA	5/29/2000	L RANGE; FS-12	IM40MB	ARSENIC	18.2		UG/L	0	10	10
MW-45	W45SSA	8/31/2000	L RANGE; FS-12	IM40MB	ARSENIC	13.1	J	UG/L	0	10	10
MW-45	W45SSA	12/27/2000	L RANGE; FS-12	IM40MB	ARSENIC	13.7		UG/L	0	10	10
MW-45	W45SSA	8/23/2001	L RANGE; FS-12	IM40MB	ARSENIC	19		UG/L	0	10	10
MW-45	W45SSA	12/14/2001	L RANGE; FS-12	IM40MB	ARSENIC	19.8		UG/L	0	10	10
MW-45	W45SSA	6/9/2003	L RANGE; FS-12	IM40MB	ARSENIC	32.9		UG/L	0	10	10
MW-45	W45SSL	6/9/2003	L RANGE; FS-12	IM40MB	ARSENIC	23.9		UG/L	0	10	10
MW-45	W45SSA	7/28/2003	L RANGE; FS-12	IM40MB	ARSENIC	40.1		UG/L	0	10	10
MW-45	W45SSA	1/21/2004	L RANGE; FS-12	IM40MB	ARSENIC	27.2		UG/L	0	10	10
MW-45	W45SSA	6/30/2004	L RANGE; FS-12	IM40MBMB	ARSENIC	27.8		UG/L	0	10	10
MW-45	W45SSA	9/29/2004	L RANGE; FS-12	IM40MBMB	ARSENIC	28.5		UG/L	0	10	10
MW-45	W45SSA	1/6/2005	L RANGE; FS-12	IM40MBMB	ARSENIC	31.1		UG/L	0	10	10
MW-45	W45SSX	1/6/2005	L RANGE; FS-12	IM40MBMB	ARSENIC	29		UG/L	0	10	10
MW-45	W45SSA	6/6/2005	L RANGE; FS-12	IM40MBMB	ARSENIC	23.1		UG/L	0	10	10
MW-45	W45SSA	9/15/2005	L RANGE; FS-12	IM40MB	ARSENIC	16.5		UG/L	0	10	10
MW-45	W45SSD	9/15/2005	L RANGE; FS-12	IM40MB	ARSENIC	18.4		UG/L	0	10	10
MW-45	W45SSA	2/6/2006	L RANGE; FS-12	IM40MBMB	ARSENIC	20.1		UG/L	0	10	10
MW-52	W52M2A	5/23/2000	OTHER	IM40MB	ARSENIC	11.3		UG/L	74	84	10
MW-7	W07MMA	1/23/1998	CIA	IM40MB	ARSENIC	10.7		UG/L	135	140	10
MW-7	W07MML	1/23/1998	CIA	IM40MB	ARSENIC	11.7		UG/L	135	140	10
MW-7	W07MMA	2/23/1999	CIA	IM40MB	ARSENIC	13.6		UG/L	135	140	10
MW-7	W07MML	2/23/1999	CIA	IM40MB	ARSENIC	14.7		UG/L	135	140	10
MW-7	W07M1A	9/7/1999	CIA	IM40MB	ARSENIC	52.8		UG/L	135	140	10
MW-7	W07M1D	9/7/1999	CIA	IM40MB	ARSENIC	30.7		UG/L	135	140	10
MW-7	W07M1L	9/7/1999	CIA	IM40MB	ARSENIC	21.1		UG/L	135	140	10
MW-7	W07M1X	9/7/1999	CIA	IM40MB	ARSENIC	22.1		UG/L	135	140	10
MW-7	W07M1A	5/23/2000	CIA	IM40MB	ARSENIC	13.6		UG/L	135	140	10

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-7	W07M1A-FL	5/23/2000	CIA	IM40MB	ARSENIC	15.5		UG/L	135	140	10
MW-7	W07M1A	12/1/2000	CIA	IM40MB	ARSENIC	19		UG/L	135	140	10
MW-7	W07M1A	5/24/2001	CIA	IM40MB	ARSENIC	19.4		UG/L	135	140	10
MW-7	W07M1L	5/24/2001	CIA	IM40MB	ARSENIC	17.2		UG/L	135	140	10
MW-7	W07M1A	7/30/2001	CIA	IM40MB	ARSENIC	18		UG/L	135	140	10
MW-7	W07M1L	7/30/2001	CIA	IM40MB	ARSENIC	15		UG/L	135	140	10
MW-7	W07M1A	12/1/2001	CIA	IM40MB	ARSENIC	21.9		UG/L	135	140	10
MW-7	W07M1A	5/15/2002	CIA	IM40MB	ARSENIC	16.7		UG/L	135	140	10
MW-7	W07M1D	5/15/2002	CIA	IM40MB	ARSENIC	17.9		UG/L	135	140	10
MW-7	W07M1A	8/8/2002	CIA	IM40MB	ARSENIC	18.2		UG/L	135	140	10
MW-7	W07M1A	11/22/2002	CIA	IM40MB	ARSENIC	21.3		UG/L	135	140	10
MW-7	W07M1X	11/22/2002	CIA	IM40MB	ARSENIC	17		UG/L	135	140	10
MW-7	W07M1A	7/7/2003	CIA	IM40MB	ARSENIC	22.2		UG/L	135	140	10
MW-7	W07M1A	9/21/2004	CIA	IM40MBM	ARSENIC	12.4		UG/L	135	140	10
MW-7	W07M1A	8/29/2005	CIA	IM40MBM	ARSENIC	14 J		UG/L	135	140	10
MW-187	W187DDA	1/23/2002	J-1 RANGE	VPHMA	BENZENE	760 J		UG/L	199.5	209.5	5
MW-187	W187DDA	1/23/2002	J-1 RANGE	OC21V	BENZENE	1000		UG/L	199.5	209.5	5
MW-187	W187DDA	2/11/2002	J-1 RANGE	VPHMA	BENZENE	1300		UG/L	199.5	209.5	5
MW-187	W187DDA	2/11/2002	J-1 RANGE	OC21V	BENZENE	1300		UG/L	199.5	209.5	5
MW-187	W187DDA	7/11/2002	J-1 RANGE	OC21V	BENZENE	530 J		UG/L	199.5	209.5	5
MW-187	W187DDA	10/17/2002	J-1 RANGE	OC21V	BENZENE	340		UG/L	199.5	209.5	5
MW-187	W187DDA	7/7/2003	J-1 RANGE	OC21V	BENZENE	150		UG/L	199.5	209.5	5
MW-187	W187DDA	11/21/2003	J-1 RANGE	OC21V	BENZENE	140		UG/L	199.5	209.5	5
MW-187	W187DDA	3/5/2004	J-1 RANGE	OC21VM	BENZENE	120		UG/L	199.5	209.5	5
MW-187	W187DDA	7/13/2004	J-1 RANGE	OC21VM	BENZENE	120		UG/L	199.5	209.5	5
MW-187	W187DDA	9/1/2004	J-1 RANGE	OC21VM	BENZENE	110		UG/L	199.5	209.5	5
MW-187	W187DDA	2/1/2005	J-1 RANGE	OC21VM	BENZENE	91		UG/L	199.5	209.5	5
MW-187	W187DDA	5/24/2005	J-1 RANGE	OC21VM	BENZENE	67		UG/L	199.5	209.5	5
MW-187	W187DDA	9/16/2005	J-1 RANGE	OC21VM	BENZENE	64		UG/L	199.5	209.5	5
MW-187	W187DDD	9/16/2005	J-1 RANGE	OC21VM	BENZENE	64		UG/L	199.5	209.5	5
MW-187	W187DDA	1/26/2006	J-1 RANGE	OC21VM	BENZENE	52		UG/L	199.5	209.5	5
MW-187	W187DDA	11/1/2006	J-1 RANGE	OC21VM	BENZENE	53		UG/L	199.5	209.5	5

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-187	MW-187D-	4/19/2007	J-1 RANGE	SW8260B	BENZENE	42		UG/L	199.5	209.5	5
MW-264	W264M1A	12/9/2003	J-3 RANGE	SW8270	BENZO(A)PYRENE	0.5	J	UG/L	160.94	170.94	0.2
03MW0122A	WS122A	9/30/1999	CS-10	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	12		UG/L	1	11	6
11MW0003	WF143A	2/25/1998	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L			6
11MW0003	WF143A	9/30/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L			6
15MW0004	15MW0004	4/9/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	0	10	6
15MW0008	15MW0008D	4/12/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	25	J	UG/L	0	10	6
27MW0705	27MW0705	1/8/2002	LF-1;GUN & MORTAR	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	7.5	J	UG/L	0	10	6
27MW2061	27MW2061	1/9/2002	LF-1;GUN & MORTAR	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	12	J	UG/L	0	10	6
28MW0106	WL28XA	2/19/1998	LF-1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18	J	UG/L	0	10	6
28MW0106	WL28XA	3/23/1999	LF-1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	26		UG/L	0	10	6
58MW0002	WC2XXA	2/26/1998	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	36		UG/L	0	5	6
58MW0005E	WC5EXA	9/27/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	0	10	6
58MW0006E	WC6EXA	10/3/1997	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	59		UG/L	0	10	6
58MW0006E	WC6EXD	10/3/1997	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	57		UG/L	0	10	6
58MW0006E	WC6EXA	1/29/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	0	10	6
58MW0007C	WC7CXA	9/28/1999	CS-19	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	24	29	6
58MW0010A	58MW0010A-01	4/16/1997	CS-19	CSVOL	bis(2-ETHYLHEXYL) PHTHALATE	7.3	J	UG/L	140	145	6
90MW0054	WF12XA	10/4/1999	J-3 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13	J	UG/L	91.83	96.83	6
90WT0003	WF03XA	9/30/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	58		UG/L	0	10	6
90WT0005	WF05XA	1/13/1998	FS-12	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	47		UG/L	0	10	6
90WT0013	WF13XA	1/16/1998	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	34		UG/L	0	10	6
90WT0013	WF13XA	1/14/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	0	10	6
97-1	W9701A	11/19/1997	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	54	J	UG/L	62	72	6
97-1	W9701D	11/19/1997	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28	J	UG/L	62	72	6
97-2	W9702A	11/20/1997	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	53	63	6
97-3	W9703A	11/21/1997	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	73	J	UG/L	36	46	6
97-5	W9705A	11/20/1997	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	15		UG/L	76	86	6
BHW215083	WG083A	11/26/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	16.95	26.95	6
C2-B	C-2I	3/7/2002	OTHER	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	39.31	79.31	6
C6-C	C-6D	3/12/2002	OTHER	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	7.1		UG/L	100.04	140.04	6
C7-B	C-7I	3/8/2002	J-2 RANGE	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	93.89	133.89	6

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
C7-B	C-7ID	3/8/2002	J-2 RANGE	SVOC_FW	BIS(2-ETHYLHEXYL) PHTHALATE	17		UG/L	93.89	133.89	6
LRWS1-4	WL14XA	10/6/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	78	J	UG/L	107	117	6
LRWS2-3	WL23XA	11/21/1997	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	20	J	UG/L	68	83	6
LRWS2-6	WL26XA	10/20/1997	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	21		UG/L	75	90	6
LRWS2-6	WL26XA	10/4/1999	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9	J	UG/L	75	90	6
LRWS4-1	WL41XA	11/24/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	100		UG/L	66	91	6
LRWS5-1	WL51XA	11/25/1997	PHASE 2b	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	66	91	6
MW-10	W10SSA	9/16/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	39		UG/L	0	10	6
MW-11	W11SSA	11/6/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	33	J	UG/L	0	10	6
MW-11	W11SSD	11/6/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	23	J	UG/L	0	10	6
MW-12	W12SSA	11/6/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28		UG/L	0	10	6
MW-14	W14SSA	11/4/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	0	10	6
MW-142	W142M2A	1/29/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	100	110	6
MW-142	W142M1A	1/29/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	20		UG/L	185	195	6
MW-146	W146M1A	2/23/2001	L RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.4		UG/L	75	80	6
MW-146	W146M1A	6/19/2001	L RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.2		UG/L	75	80	6
MW-157	W157DDA	5/3/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.1		UG/L	199	209	6
MW-158	W158M2A	10/15/2001	J-2 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	34	J	UG/L	37	47	6
MW-16	W16SSA	11/17/1997	DEMO 2	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	28		UG/L	0	10	6
MW-16	W16DDA	11/17/1997	DEMO 2	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	43		UG/L	223	228	6
MW-164	W164M1A	9/5/2002	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	8.6		UG/L	119	129	6
MW-168	W168M2A	6/5/2001	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	116	126	6
MW-168	W168M1A	6/4/2001	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.7		UG/L	174	184	6
MW-168	W168M1A	6/6/2003	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.8	J	UG/L	174	184	6
MW-17	W17SSD	11/10/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	120	J	UG/L	0	10	6
MW-17	W17DDA	11/11/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	42		UG/L	196	206	6
MW-18	W18SSA	10/10/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	36		UG/L	0	10	6
MW-18	W18DDA	9/10/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	222	232	6
MW-188	W188M1A	1/30/2002	J-1 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.4		UG/L	41.1	51.1	6
MW-19	W19DDA	3/4/1998	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	254	259	6
MW-196	W196M1A	2/6/2002	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	10	J	UG/L	12	17	6
MW-198	W198M1A	10/31/2002	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	127.8	132.8	6

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-2	W02M2A	1/20/1998	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	33	38	6
MW-2	W02M1A	1/21/1998	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10	J	UG/L	75	80	6
MW-2	W02DDA	2/2/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	218	223	6
MW-20	W20SSA	11/7/1997	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	280		UG/L	0	10	6
MW-21	W21M2A	4/1/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	58	68	6
MW-22	W22SSA	11/24/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	96		UG/L	0	10	6
MW-22	W22SSA	9/20/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18		UG/L	0	10	6
MW-23	W23SSA	10/27/1997	PHASE 2b	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	0	10	6
MW-23	W23M3A	11/13/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	34	39	6
MW-23	W23M3D	11/13/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	13		UG/L	34	39	6
MW-24	W24SSA	11/14/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	0	10	6
MW-27	W27SSA	9/17/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9		UG/L	0	10	6
MW-28	W28SSA	11/3/1997	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11		UG/L	0	10	6
MW-28	W28SSA	9/17/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	150	J	UG/L	0	10	6
MW-28	W28M1A	1/12/2001	J-3 RANGE	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.7		UG/L	173	183	6
MW-29	W29SSA	11/3/1997	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	0	10	6
MW-29	W29SSA	9/17/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	20		UG/L	0	10	6
MW-356	MW-356M1-FD	6/17/2005	J-3 RANGE	SW8270C	BIS(2-ETHYLHEXYL) PHTHALATE	37	J	UG/L	82.4	92.4	6
MW-36	W36M2A	8/17/1999	DEMO 1	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	54	64	6
MW-38	W38M3A	5/6/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	15		UG/L	52	62	6
MW-4	W04SSA	11/4/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	30		UG/L	0	10	6
MW-41	W41M2A	11/12/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	67	77	6
MW-43	W43M1A	5/26/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6		UG/L	90	100	6
MW-44	W44M1A	9/20/1999	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	53	63	6
MW-45	W45M1A	5/24/1999	L RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	37		UG/L	98	108	6
MW-46	W46M1A	11/1/1999	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	6	J	UG/L	103	113	6
MW-46	W46DDA	11/2/1999	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14	J	UG/L	136	146	6
MW-47	W47M2D	2/5/2003	WESTERN BOUNDARY	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	9.6	J	UG/L	38	48	6
MW-47	W47M1A	8/24/1999	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	75	85	6
MW-47	W47DDA	8/24/1999	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	16		UG/L	100	110	6
MW-477	MW-477M2-	1/8/2007	J-1 RANGE	SW8270C	BIS(2-ETHYLHEXYL) PHTHALATE	14		UG/L	26.1	36.1	6
MW-49	W49SSA	3/1/2000	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	290		UG/L	0	10	6

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-5	W05DDA	2/13/1998	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	9	J	UG/L	223	228	6
MW-52	W52M3A	8/27/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7	J	UG/L	59	64	6
MW-53	W53M1A	8/30/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	31		UG/L	99	109	6
MW-53	W53DDA	2/18/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	18		UG/L	158	168	6
MW-55	W55DDA	5/13/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	8		UG/L	119	129	6
MW-55	W55DDA	7/31/2001	OTHER	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	6.4		UG/L	119	129	6
MW-57	W57SSA	12/21/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	3300	J	UG/L	0	10	6
MW-57	W57M2A	6/30/2000	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	7		UG/L	62	72	6
MW-57	W57DDA	12/13/1999	J-2 RANGE	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	95		UG/L	127	137	6
MW-7	W07SSA	10/31/1997	CIA	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	0	10	6
MW-70	W70M1A	10/27/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	10		UG/L	129	139	6
MW-82	W82DDA	8/22/2001	WESTERN BOUNDARY	SW8270	BIS(2-ETHYLHEXYL) PHTHALATE	24		UG/L	97	107	6
MW-84	W84DDA	3/3/2000	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	30		UG/L	153	163	6
RW-1	WRW1XA	2/18/1998	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	59		UG/L	0	9	6
RW-1	WRW1XD	10/6/1999	OTHER	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	11	J	UG/L	0	9	6
XX95-14	W9514A	9/28/1999	WESTERN BOUNDARY	OC21B	BIS(2-ETHYLHEXYL) PHTHALATE	22		UG/L	90	100	6
MW-52	W52M3L	8/27/1999	OTHER	IM40MB	CADMIUM	12.2		UG/L	59	64	5
LRMW0003	LRMW0003-A	5/17/2004	OTHER	OC21VM	CHLOROMETHANE	33	J	UG/L	69.68	94.68	30
MW-187	W187DDA	1/23/2002	J-1 RANGE	OC21V	CHLOROMETHANE	75	J	UG/L	199.5	209.5	30
MW-187	W187DDA	2/11/2002	J-1 RANGE	OC21V	CHLOROMETHANE	47	J	UG/L	199.5	209.5	30
MW-7	W07M1A	9/7/1999	CIA	IM40MB	CHROMIUM, TOTAL	114		UG/L	135	140	100
PPAWSMW-1	PPAWSMW-1	6/22/1999	OTHER	OL21P	DIELDRIN	3		UG/L	0	10	0.5
58MW0001	58MW001-01	11/7/1996	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	0	5	2
58MW0001	58MW001-	2/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1	J	UG/L	0	5	2
58MW0001	58MW001-FD	2/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3	J	UG/L	0	5	2
58MW0001	58MW0001	5/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	0	5	2
58MW0001	58MW0001	8/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	0	5	2
58MW0001	58MW0001-D	8/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	5	2
58MW0001	58MW0001	1/11/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	0	5	2
58MW0001	58MW0001	5/31/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	5	2
58MW0001	58MW0001-A	9/13/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	5	2
58MW0001	58MW0001-A	12/6/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	0	5	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
58MW0001	58MW0001-A	8/8/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	5	2
58MW0001	58MW0001-A	11/18/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	0	5	2
58MW0001	58MW0001-A	6/22/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.7		UG/L	0	5	2
58MW0001	58MW0001-A	11/4/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.5	J	UG/L	0	5	2
58MW0001	58MW0001-A	4/26/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.8		UG/L	0	5	2
58MW0001	58MW0001-A	9/24/2005	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	0	5	2
58MW0002	58MW002-01	11/7/1996	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	0	5	2
58MW0002	WC2XXA	2/26/1998	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	0	5	2
58MW0002	WC2XXA	1/14/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	0	5	2
58MW0002	WC2XXA	10/8/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.8		UG/L	0	5	2
58MW0002	58MW0002-	3/22/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	5	2
58MW0002	58MW0002	5/23/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	5	2
58MW0002	58MW0002	9/19/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	0	5	2
58MW0002	58MW0002	12/14/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	0	5	2
58MW0002	58MW0002	5/31/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	0	5	2
58MW0002	58MW0002-A	9/11/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	5	2
58MW0002	58MW0002-A	12/5/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	5	2
58MW0002	58MW0002-A	10/10/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	0	5	2
58MW0002	58MW0002-A	3/2/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21		UG/L	0	5	2
58MW0002	58MW0002-A	4/28/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	0	5	2
58MW0002	58MW0002-A	11/4/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14	J	UG/L	0	5	2
58MW0002	58MW0002-A	4/25/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	5	2
58MW0002	58MW0002-A	8/5/2005	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	5	2
58MW0002	58MW0002-A	12/19/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	0	5	2
58MW0009E	58MW0009E-05	4/16/1997	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	6.5	11.5	2
58MW0009E	WC9EXA	10/2/1997	CS-19	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	6.5	11.5	2
58MW0009E	WC9EXA	1/26/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	6.5	11.5	2
58MW0009E	WC9EXA	9/28/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	6.5	11.5	2
58MW0009E	WC9EXD	9/28/1999	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-	3/6/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	6.5	11.5	2
58MW0009E	58MW0009E	5/23/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	6.5	11.5	2
58MW0009E	58MW0009E	8/29/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	6.5	11.5	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
58MW0009E	58MW0009E	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	6.5	11.5	2
58MW0009E	58MW0009E	6/3/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	8/26/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	12/9/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	7/3/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-D	7/3/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	11/18/2003	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	3/5/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.6		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-D	3/5/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.8		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	5/5/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.1		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	8/24/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-D	8/24/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	2/18/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	5/19/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	11/1/2005	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5	2
58MW0009E	58MW0009E-A	1/11/2006	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	6.5	11.5	2
58MW0011D	58MW0011D-	3/22/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	49.5	54.5	2
58MW0011D	58MW0011D	5/24/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.3		UG/L	49.5	54.5	2
58MW0011D	58MW0011D	9/26/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	49.5	54.5	2
58MW0011D	58MW0011D	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	49.5	54.5	2
58MW0011D	58MW0011D	6/3/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	49.5	54.5	2
58MW0011D	58MW0011D-A	8/27/2002	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	49.5	54.5	2
58MW0011D	58MW0011D-A	12/9/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	49.5	54.5	2
58MW0011D	58MW0011D-A	6/9/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	49.5	54.5	2
58MW0011D	58MW0011D	5/11/2007	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	49.5	54.5	2
58MW0016	58MW0016C-	3/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	0	10	2
58MW0016	58MW0016C	8/30/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	0	10	2
58MW0016	58MW0016C	12/11/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	10	2
58MW0016	58MW0016C	6/4/2002	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10	2
58MW0016	58MW0016C-A	11/24/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10	2
58MW0016	58MW0016C-D	11/24/2003	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	0	10	2
58MW0016	58MW0016C-A	4/30/2004	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	10	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
58MW0016	58MW0016C-A	11/5/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	0	10	2
58MW0016	58MW0016C-D	11/5/2004	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	0	10	2
58MW0016	58MW0016C-A	4/26/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	0	10	2
58MW0016	58MW0016C-D	4/26/2005	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	0	10	2
58MW0016	58MW0016C-A	9/2/2005	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	0	10	2
58MW0016	58MW0016C-A	1/24/2006	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	0	10	2
58MW0016	58MW0016B-	3/21/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	28.5	38.5	2
58MW0016	58MW0016B	8/30/2001	CS-19	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	28.5	38.5	2
58MW0018	58MW0018B-	3/20/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	34.55	44.55	2
58MW0018	58MW0018B	12/13/2001	CS-19	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	34.55	44.55	2
90MW0022	WF22XA	1/26/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	72.79	77.79	2
90MW0022	WF22XA	2/16/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	72.79	77.79	2
90MW0022	WF22XA	9/30/1999	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	72.79	77.79	2
90MW0041	90MW0041-D	1/13/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	31.5	36.5	2
90MW0054	90MW0054	12/8/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	91.83	96.83	2
90MW0054	90MW0054	4/20/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	91.83	96.83	2
90MW0054	90MW0054-A	9/12/2002	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	91.83	96.83	2
90MW0054	90MW0054-A	12/30/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	91.83	96.83	2
90MW0054	90MW0054-A	5/1/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	91.83	96.83	2
90MW0054	90MW0054-A	10/4/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	91.83	96.83	2
90MW0054	90MW0054-D	10/4/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	91.83	96.83	2
90MW0054	90MW0054-A	2/18/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	91.83	96.83	2
90MW0054	90MW0054-A	5/17/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	91.83	96.83	2
90WT0013	WF13XA	1/16/1998	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2	J	UG/L	0	10	2
MW-1	71MW0001M2-	3/14/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L			2
MW-1	W01SSA	9/30/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	0	10	2
MW-1	W01SSD	9/30/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	10	2
MW-1	W01SSA	2/22/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	0	10	2
MW-1	W01SSA	9/7/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	0	10	2
MW-1	W01SSA	5/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1	J	UG/L	0	10	2
MW-1	W01SSA	7/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8	J	UG/L	0	10	2
MW-1	W01SSA	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	0	10	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-1	W01SSA	12/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1	J	UG/L	0	10	2
MW-1	W01SSD	12/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	0	10	2
MW-1	W01SSA	8/16/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	0	10	2
MW-1	W01SSA	1/10/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2	J	UG/L	0	10	2
MW-1	W01SSA	5/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	0	10	2
MW-1	W01SSA	11/14/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	0	10	2
MW-1	W01SSA	2/25/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	0	10	2
MW-1	W01SSA	9/6/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	0	10	2
MW-1	W01SSA	12/14/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	0	10	2
MW-1	W01SSA	5/1/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	0	10	2
MW-1	W01MMA	9/29/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	44	49	2
MW-1	W01M2A	3/1/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	44	49	2
MW-1	W01M2A	5/10/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	44	49	2
MW-1	W01M2A	7/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4	J	UG/L	44	49	2
MW-1	W01M2A	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.1		UG/L	44	49	2
MW-1	W01M2D	11/18/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	44	49	2
MW-1	W01M2A	5/1/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.8		UG/L	44	49	2
MW-1	W01M2A	8/15/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	44	49	2
MW-1	W01M2A	11/30/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.9		UG/L	44	49	2
MW-1	W01M2A	5/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	44	49	2
MW-1	W01M2A	1/15/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	44	49	2
MW-1	W01M2A	5/13/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	44	49	2
MW-1	W01M2A	11/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4		UG/L	44	49	2
MW-1	W01M2A	2/25/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	44	49	2
MW-1	W01M2A	9/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	44	49	2
MW-1	W01M2A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5	J	UG/L	44	49	2
MW-1	W01M2A	4/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	44	49	2
MW-1	W01M2A	9/6/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	44	49	2
MW-1	W01M2D	9/6/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	44	49	2
MW-1	W01M2A	12/14/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.5		UG/L	44	49	2
MW-1	W01M2D	12/14/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	44	49	2
MW-1	W01M2A	10/3/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	44	49	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-100	W100M1A	6/6/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	45	55	2
MW-100	W100M1D	6/6/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	45	55	2
MW-100	W100M1A	10/2/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	45	55	2
MW-100	W100M1A	1/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	45	55	2
MW-100	W100M1A	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	45	55	2
MW-100	W100M1D	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	45	55	2
MW-100	W100M1A	11/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	45	55	2
MW-100	W100M1A	5/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	45	55	2
MW-100	W100M1A	9/24/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	45	55	2
MW-100	W100M1A	1/11/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	45	55	2
MW-100	W100M1A	5/20/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	45	55	2
MW-100	W100M1D	5/20/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	45	55	2
MW-100	W100M1A	8/22/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	45	55	2
MW-100	W100M1A	1/23/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	45	55	2
MW-101	W101M1A	6/6/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	27	37	2
MW-101	W101M1A	10/23/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	27	37	2
MW-101	W101M1A	11/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	27	37	2
MW-101	W101M1A	5/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	27	37	2
MW-101	W101M1A	9/19/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	27	37	2
MW-101	W101M1A	11/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	27	37	2
MW-101	W101M1A	2/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	27	37	2
MW-101	W101M1D	2/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	27	37	2
MW-101	W101M1A	5/5/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	27	37	2
MW-101	W101M1A	9/24/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	27	37	2
MW-101	W101M1A	11/18/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	27	37	2
MW-101	W101M1A	1/19/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	27	37	2
MW-101	W101M1A	11/15/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	27	37	2
MW-101	MW-101M1	6/12/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	27	37	2
MW-102	W102M2A	10/26/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	93	103	2
MW-105	W105M1A	6/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	78	88	2
MW-105	W105M1A	11/7/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	78	88	2
MW-105	W105M1A	1/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	78	88	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-105	W105M1A	10/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	78	88	2
MW-105	W105M1A	11/26/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	78	88	2
MW-105	W105M1A	5/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	78	88	2
MW-105	W105M1A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	78	88	2
MW-105	W105M1A	5/2/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	78	88	2
MW-105	W105M1A	8/2/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	78	88	2
MW-105	W105M1A	1/23/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	78	88	2
MW-105	W105M1A	5/2/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	78	88	2
MW-105	W105M1A	10/17/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	78	88	2
MW-107	W107M2A	6/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	5	15	2
MW-107	W107M2A	11/7/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	5	15	2
MW-107	W107M2A	10/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	5	15	2
MW-107	W107M2A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	5	15	2
MW-107	W107M2D	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	5	15	2
MW-107	W107M2A	9/12/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	5	15	2
MW-107	W107M2A	11/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	5	15	2
MW-107	W107M2A	4/9/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	5	15	2
MW-107	W107M2A	3/2/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	5	15	2
MW-107	W107M2A	4/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	5	15	2
MW-107	W107M2A	4/27/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	5	15	2
MW-107	W107M2D	4/27/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	5	15	2
MW-107	W107M2A	9/12/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	5	15	2
MW-107	W107M2A	4/24/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	5	15	2
MW-107	MW-107M2	5/31/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	5	15	2
MW-107	MW-107M2	5/31/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	5	15	2
MW-111	W111M3A	10/10/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	33	43	2
MW-112	W112M2A	4/25/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	26	36	2
MW-112	W112M2A	10/30/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36	2
MW-112	W112M2A	2/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	26	36	2
MW-112	W112M2A	11/9/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	26	36	2
MW-112	W112M2A	3/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	26	36	2
MW-112	W112M2A	8/29/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-112	W112M2A	4/19/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	26	36	2
MW-112	MW-112M2	5/4/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	26	36	2
MW-113	W113M2A	9/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	48	58	2
MW-113	W113M2A	1/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	48	58	2
MW-113	W113M2A	4/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	48	58	2
MW-113	W113M2A	12/3/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	48	58	2
MW-113	W113M2A	5/9/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	48	58	2
MW-113	W113M2A	9/17/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	48	58	2
MW-113	W113M2A	11/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	48	58	2
MW-113	W113M2A	4/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	48	58	2
MW-113	W113M2D	4/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	48	58	2
MW-113	W113M2A	11/18/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.6		UG/L	48	58	2
MW-113	W113M2A	2/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.6		UG/L	48	58	2
MW-113	W113M2D	2/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	48	58	2
MW-113	W113M2A	4/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.5		UG/L	48	58	2
MW-113	W113M2A	8/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	48	58	2
MW-113	W113M2A	11/5/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	48	58	2
MW-113	W113M2A	3/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.6		UG/L	48	58	2
MW-113	W113M2A	8/8/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.8	J	UG/L	48	58	2
MW-113	W113M2A	11/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.8		UG/L	48	58	2
MW-113	W113M2A	5/2/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	48	58	2
MW-113	W113M2A	10/17/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	48	58	2
MW-113	MW-113M2	5/4/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	48	58	2
MW-113	MW-113M2_FD	5/4/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	48	58	2
MW-113	MW-113M2	10/17/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	48	58	2
MW-114	W114M2A	10/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	39	49	2
MW-114	W114M2D	10/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	39	49	2
MW-114	W114M2A	3/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120	J	UG/L	39	49	2
MW-114	W114M2A	6/19/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	39	49	2
MW-114	W114M2A	1/7/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	170		UG/L	39	49	2
MW-114	W114M2A	5/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	190		UG/L	39	49	2
MW-114	W114M2A	8/9/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	39	49	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-114	W114M2A	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	39	49	2
MW-114	W114M2A	5/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	200		UG/L	39	49	2
MW-114	W114M2A	10/1/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	39	49	2
MW-114	W114M2A	2/9/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	39	49	2
MW-114	W114M2A	4/19/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	180		UG/L	39	49	2
MW-114	W114M2A	7/30/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	39	49	2
MW-114	W114M2A	4/13/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	39	49	2
MW-114	MW-114M2-	4/18/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	240		UG/L	39	49	2
MW-114	MW-114M2-	4/18/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220	J	UG/L	39	49	2
MW-114	MW-114M2	4/19/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	86.5		UG/L	39	49	2
MW-114	W114M1A	3/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2J		UG/L	96	106	2
MW-114	W114M1A	12/21/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	96	106	2
MW-114	W114M1A	6/21/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	96	106	2
MW-114	W114M1A	8/9/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	96	106	2
MW-114	MW-114M1	4/19/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.02		UG/L	96	106	2
MW-129	W129M2A	12/21/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	46	56	2
MW-129	W129M2A	6/27/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.6		UG/L	46	56	2
MW-129	W129M2D	6/27/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	46	56	2
MW-129	W129M2A	7/10/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	46	56	2
MW-129	W129M2A	8/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	46	56	2
MW-129	W129M2A	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13J		UG/L	46	56	2
MW-129	W129M2D	11/13/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56	2
MW-129	W129M2A	3/24/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56	2
MW-129	W129M2A	10/2/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	46	56	2
MW-129	W129M2A	2/10/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	46	56	2
MW-129	W129M2A	4/7/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	46	56	2
MW-129	W129M2A	8/6/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	46	56	2
MW-129	W129M2A	4/5/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	46	56	2
MW-129	MW-129M2-	4/19/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	46	56	2
MW-129	MW-129M2	4/19/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.27		UG/L	46	56	2
MW-129	W129M1A	2/10/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	66	76	2
MW-129	W129M1A	4/7/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	66	76	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-129	MW-129M1	4/18/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.79	J	UG/L	66	76	2
MW-130	W130SSA	5/31/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	0	10	2
MW-130	W130SSA	11/5/2005	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	0	10	2
MW-130	W130SSA	2/1/2006	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	0	10	2
MW-130	W130SSD	2/1/2006	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	0	10	2
MW-132	W132SSA	11/9/2000	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5	J	UG/L	0	10	2
MW-132	W132SSA	2/16/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4	J	UG/L	0	10	2
MW-132	W132SSA	12/12/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	0	10	2
MW-139	MW-139M2	1/2/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	70	80	2
MW-139	MW-139M2	4/18/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.53		UG/L	70	80	2
MW-147	W147M2A	2/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	77	87	2
MW-147	W147M2A	10/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	77	87	2
MW-147	W147M2A	4/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	77	87	2
MW-147	W147M2D	4/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	77	87	2
MW-147	W147M1A	2/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	94	104	2
MW-147	W147M1A	6/19/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	94	104	2
MW-147	W147M1A	4/29/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	94	104	2
MW-147	W147M1A	9/5/2002	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	94	104	2
MW-153	W153M1A	3/23/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	108	118	2
MW-153	W153M1A	7/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.8		UG/L	108	118	2
MW-153	W153M1A	10/24/2001	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.8		UG/L	108	118	2
MW-153	W153M1A	4/26/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.7	J	UG/L	108	118	2
MW-153	W153M1A	9/30/2002	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	108	118	2
MW-153	W153M1A	12/2/2002	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	108	118	2
MW-153	W153M1A	6/24/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	108	118	2
MW-153	W153M1A	10/30/2003	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	108	118	2
MW-153	W153M1A	12/19/2003	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	108	118	2
MW-153	W153M1A	6/14/2004	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	108	118	2
MW-153	W153M1A	9/23/2004	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	108	118	2
MW-153	W153M1A	12/3/2004	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	108	118	2
MW-153	W153M1A	5/24/2005	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	108	118	2
MW-153	W153M1A	9/7/2005	L RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2	J	UG/L	108	118	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-153	W153M1A	11/29/2005	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7	J	UG/L	108	118	2
MW-153	W153M1D	11/29/2005	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9	J	UG/L	108	118	2
MW-153	W153M1A	6/13/2006	L RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	108	118	2
MW-153	MW-153M1-	4/30/2007	L RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	108	118	2
MW-16	W16SSA	10/3/2003	DEMO 2	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	0	10	2
MW-160	W160SSA	1/23/2002	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	5	15	2
MW-163	W163SSA	6/14/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	0	10	2
MW-163	W163SSA	10/10/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	0	10	2
MW-163	W163SSA	2/5/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	0	10	2
MW-163	W163SSA	3/7/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	0	10	2
MW-163	W163SSA	7/2/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	10	2
MW-163	W163SSA	1/8/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	10	2
MW-163	W163SSA	3/27/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6	J	UG/L	0	10	2
MW-163	W163SSA	11/4/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	0	10	2
MW-163	W163SSA	2/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	0	10	2
MW-163	W163SSA	10/1/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7	J	UG/L	0	10	2
MW-163	W163SSA	3/10/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	33		UG/L	0	10	2
MW-163	W163SSA	6/8/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	0	10	2
MW-163	W163SSA	11/9/2005	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	0	10	2
MW-163	W163SSA	3/13/2006	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	10	2
MW-164	W164M2A	5/25/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	49	59	2
MW-164	W164M2A	8/21/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	49	59	2
MW-164	W164M2A	1/17/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	49	59	2
MW-164	W164M2A	6/20/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.1		UG/L	49	59	2
MW-164	W164M2A	9/5/2002	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	49	59	2
MW-164	W164M2D	9/5/2002	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	49	59	2
MW-164	W164M2A	1/8/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8	J	UG/L	49	59	2
MW-164	W164M2A	6/6/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	49	59	2
MW-164	W164M2A	5/25/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	49	59	2
MW-164	W164M2A	9/22/2005	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	49	59	2
MW-164	W164M2A	12/21/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	49	59	2
MW-164	W164M2A	3/14/2006	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5	J	UG/L	49	59	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-164	MW-164M2-	4/19/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	49	59	2
MW-165	W165M2A	5/8/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	60		UG/L	46	56	2
MW-165	W165M2A	8/16/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50		UG/L	46	56	2
MW-165	W165M2A	1/7/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27	J	UG/L	46	56	2
MW-165	W165M2A	4/18/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	46	56	2
MW-165	W165M2A	8/10/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	23		UG/L	46	56	2
MW-165	W165M2A	11/26/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	46	56	2
MW-165	W165M2A	3/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	35		UG/L	46	56	2
MW-165	W165M2A	9/11/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	46	56	2
MW-165	W165M2D	9/11/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	46	56	2
MW-165	W165M2A	3/1/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56	2
MW-165	W165M2D	3/1/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	46	56	2
MW-165	W165M2A	4/9/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	46	56	2
MW-165	W165M2A	8/6/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	46	56	2
MW-165	W165M2A	12/7/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	130		UG/L	46	56	2
MW-165	W165M2A	4/14/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	23		UG/L	46	56	2
MW-166	W166M3A	6/1/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	19	29	2
MW-166	W166M3A	10/4/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	19	29	2
MW-166	W166M3A	1/17/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	19	29	2
MW-166	W166M3A	7/2/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	19	29	2
MW-166	W166M3A	8/13/2005	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	19	29	2
MW-166	W166M3A	12/20/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	19	29	2
MW-166	W166M3A	3/23/2006	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	19	29	2
MW-166	W166M1A	5/31/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	112	117	2
MW-166	W166M1A	10/4/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	112	117	2
MW-166	W166M1A	1/16/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	112	117	2
MW-166	W166M1A	7/1/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	112	117	2
MW-166	W166M1A	11/11/2003	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	112	117	2
MW-166	W166M1A	2/20/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	112	117	2
MW-166	W166M1A	6/29/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	112	117	2
MW-166	W166M1A	9/30/2004	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	112	117	2
MW-166	W166M1A	1/5/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	112	117	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-166	W166M1A	6/9/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	112	117	2
MW-166	W166M1A	8/13/2005	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	112	117	2
MW-171	W171M2A	5/31/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	83	88	2
MW-171	W171M2A	12/21/2001	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	83	88	2
MW-176	W176M1A	10/8/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	158.55	168.55	2
MW-176	W176M1A	1/9/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	158.55	168.55	2
MW-176	W176M1A	7/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	158.55	168.55	2
MW-176	W176M1A	8/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	158.55	168.55	2
MW-176	W176M1D	8/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	158.55	168.55	2
MW-176	W176M1A	11/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.1		UG/L	158.55	168.55	2
MW-176	W176M1A	4/4/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	158.55	168.55	2
MW-176	W176M1A	9/29/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8	J	UG/L	158.55	168.55	2
MW-176	W176M1A	12/29/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.2		UG/L	158.55	168.55	2
MW-176	W176M1A	4/17/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4		UG/L	158.55	168.55	2
MW-176	W176M1A	10/30/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.8		UG/L	158.55	168.55	2
MW-176	MW-176M1	5/16/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	158.55	168.55	2
MW-178	W178M1A	10/31/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	117	127	2
MW-178	W178M1A	3/8/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6	J	UG/L	117	127	2
MW-178	W178M1A	7/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	117	127	2
MW-178	W178M1A	1/13/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	117	127	2
MW-178	W178M1A	6/10/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	117	127	2
MW-178	W178M1A	11/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	117	127	2
MW-178	W178M1A	12/24/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	117	127	2
MW-178	W178M1A	5/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	117	127	2
MW-178	W178M1D	5/19/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	117	127	2
MW-178	W178M1A	8/12/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	117	127	2
MW-178	W178M1A	12/29/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	117	127	2
MW-178	W178M1A	5/2/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	117	127	2
MW-178	W178M1A	9/6/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	117	127	2
MW-178	W178M1A	12/8/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	117	127	2
MW-178	W178M1A	4/13/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	117	127	2
MW-178	W178M1A	10/19/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	117	127	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-178	MW-178M1	5/16/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	117	127	2
MW-184	W184M1A	1/24/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	23		UG/L	58.2	68.2	2
MW-184	W184M1A	6/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2	2
MW-184	W184M1A	9/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2	2
MW-184	W184M1D	9/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2	2
MW-184	W184M1A	5/21/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2	2
MW-184	W184M1D	5/21/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	58.2	68.2	2
MW-184	W184M1A	10/30/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	22		UG/L	58.2	68.2	2
MW-184	W184M1A	2/9/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21		UG/L	58.2	68.2	2
MW-184	W184M1A	5/18/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	58.2	68.2	2
MW-184	W184M1A	8/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	58.2	68.2	2
MW-184	W184M1A	2/9/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	58.2	68.2	2
MW-184	W184M1A	5/12/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	58.2	68.2	2
MW-184	W184M1A	11/1/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	58.2	68.2	2
MW-184	W184M1A	1/23/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	58.2	68.2	2
MW-184	W184M1D	1/23/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	58.2	68.2	2
MW-184	W184M1A	4/26/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	58.2	68.2	2
MW-184	W184M1D	4/26/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	58.2	68.2	2
MW-184	W184M1A	11/29/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	58.2	68.2	2
MW-184	MW-184M1	5/11/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.7		UG/L	58.2	68.2	2
MW-184	MW-184M1	5/11/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.2		UG/L	58.2	68.2	2
MW-19	W19SSA	3/5/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	190		UG/L	0	10	2
MW-19	W19S2A	7/20/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	260		UG/L	0	10	2
MW-19	W19S2D	7/20/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	260		UG/L	0	10	2
MW-19	W19SSA	2/12/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	250		UG/L	0	10	2
MW-19	W19SSA	9/10/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	240		UG/L	0	10	2
MW-19	W19SSA	5/12/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150J		UG/L	0	10	2
MW-19	W19SSA	5/23/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	0	10	2
MW-19	W19SSA	8/8/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	290		UG/L	0	10	2
MW-19	W19SSA	12/8/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	200		UG/L	0	10	2
MW-19	W19SSA	6/18/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	200		UG/L	0	10	2
MW-19	W19SSD	6/18/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	0	10	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-19	W19SSA	8/24/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	0	10	2
MW-19	W19SSA	12/27/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	0	10	2
MW-19	W19SSA	5/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	0	10	2
MW-19	W19SSA	8/7/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	99		UG/L	0	10	2
MW-19	W19SSA	9/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	80		UG/L	0	10	2
MW-19	W19SSA	2/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	65		UG/L	0	10	2
MW-19	W19SSA	6/1/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	73		UG/L	0	10	2
MW-19	W19SSA	8/8/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	0	10	2
MW-19	MW-19S-	2/8/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.8		UG/L	0	10	2
MW-19	MW-19S-	4/12/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	0	10	2
MW-19	MW-19S	1/3/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	34		UG/L	0	10	2
MW-19	MW-19S	4/30/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24.7		UG/L	0	10	2
MW-191	W191M2A	1/25/2002	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1 J		UG/L	8.4	18.4	2
MW-193	W193SSA	3/8/2006	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3 J		UG/L	0	5	2
MW-196	W196SSA	7/12/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6 J		UG/L	0	5	2
MW-196	W196SSA	10/24/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4 J		UG/L	0	5	2
MW-196	W196SSA	8/12/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6 J		UG/L	0	5	2
MW-198	W198M4A	2/21/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	48.4	53.4	2
MW-198	W198M4A	7/19/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	48.4	53.4	2
MW-198	W198M4A	11/1/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	48.4	53.4	2
MW-198	W198M4A	12/5/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	48.4	53.4	2
MW-198	W198M4A	11/5/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	48.4	53.4	2
MW-198	W198M4A	2/5/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	48.4	53.4	2
MW-198	W198M4A	5/26/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7		UG/L	48.4	53.4	2
MW-198	W198M3A	2/15/2002	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	78.5	83.5	2
MW-198	W198M3A	7/22/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	78.5	83.5	2
MW-198	W198M3A	11/6/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	78.5	83.5	2
MW-198	W198M3A	12/5/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	78.5	83.5	2
MW-198	W198M3A	6/4/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	78.5	83.5	2
MW-198	W198M3A	11/5/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	78.5	83.5	2
MW-198	W198M3D	11/5/2003	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	78.5	83.5	2
MW-198	W198M3A	2/5/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	78.5	83.5	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-198	W198M3A	5/27/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	78.5	83.5	2
MW-198	W198M3A	3/15/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	78.5	83.5	2
MW-198	W198M3A	6/14/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2	J	UG/L	78.5	83.5	2
MW-198	W198M3A	10/20/2005	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.4		UG/L	78.5	83.5	2
MW-198	W198M2A	2/5/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	98.4	103.4	2
MW-198	W198M2A	5/27/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	98.4	103.4	2
MW-198	W198M2A	3/15/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	98.4	103.4	2
MW-198	MW-198M2	9/25/2007	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11.2		UG/L	98.4	103.4	2
MW-2	W02M2A	1/20/1998	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	33	38	2
MW-2	W02M2A	2/3/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	33	38	2
MW-2	W02M2A	9/3/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	33	38	2
MW-2	W02M2A	5/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3	J	UG/L	33	38	2
MW-2	W02M2A	8/2/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	33	38	2
MW-2	W02M2A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	33	38	2
MW-2	W02M2A	5/3/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	33	38	2
MW-2	W02M2A	8/21/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	33	38	2
MW-2	W02M2A	11/19/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	33	38	2
MW-2	W02M2A	5/1/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4	J	UG/L	33	38	2
MW-2	W02M2A	9/16/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	33	38	2
MW-2	W02M2A	1/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	33	38	2
MW-2	W02M2D	1/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	33	38	2
MW-2	W02M2A	7/18/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	33	38	2
MW-2	W02M2A	11/19/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	33	38	2
MW-2	W02M2A	2/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5	J	UG/L	33	38	2
MW-2	W02M2A	4/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	33	38	2
MW-2	W02M2A	10/13/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8	J	UG/L	33	38	2
MW-2	W02M2A	11/9/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	33	38	2
MW-2	W02M2A	12/14/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	33	38	2
MW-2	W02M2A	4/24/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	33	38	2
MW-2	W02M2A	10/25/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	33	38	2
MW-2	W02M1A	8/2/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	75	80	2
MW-201	W201M2A	3/13/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1	J	UG/L	86.9	96.9	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-201	W201M2A	7/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	86.9	96.9	2
MW-201	W201M2A	11/8/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	86.9	96.9	2
MW-201	W201M2D	11/8/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	86.9	96.9	2
MW-201	W201M2A	6/3/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	86.9	96.9	2
MW-201	W201M2D	6/3/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	86.9	96.9	2
MW-201	W201M2A	9/2/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	86.9	96.9	2
MW-201	W201M2A	1/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	86.9	96.9	2
MW-201	W201M2A	7/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	86.9	96.9	2
MW-201	W201M2A	8/10/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	86.9	96.9	2
MW-201	W201M2A	11/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	86.9	96.9	2
MW-201	W201M2A	5/9/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	86.9	96.9	2
MW-201	W201M2A	9/8/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	86.9	96.9	2
MW-201	W201M2D	9/8/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	86.9	96.9	2
MW-201	W201M2A	12/20/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	86.9	96.9	2
MW-201	W201M2A	4/18/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	86.9	96.9	2
MW-201	W201M2A	10/19/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	86.9	96.9	2
MW-201	MW-201M2	5/15/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	86.9	96.9	2
MW-201	MW-201M2	10/25/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	86.9	96.9	2
MW-203	MW-203M2	5/8/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L			2
MW-203	MW-203M2	10/18/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L			2
MW-203	W203M2A	2/26/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	32.58	42.58	2
MW-203	W203M2A	1/14/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	32.58	42.58	2
MW-204	W204M2A	7/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6		UG/L	17.2	27.2	2
MW-204	W204M2A	10/31/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.4		UG/L	17.2	27.2	2
MW-204	W204M1A	4/10/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	81	91	2
MW-204	W204M1A	7/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.3		UG/L	81	91	2
MW-204	W204M1D	7/29/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	81	91	2
MW-204	W204M1A	10/31/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	81	91	2
MW-204	W204M1A	6/26/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	81	91	2
MW-204	W204M1A	9/2/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.5		UG/L	81	91	2
MW-204	W204M1A	1/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7		UG/L	81	91	2
MW-204	W204M1A	4/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	81	91	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-204	W204M1A	9/7/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.8		UG/L	81	91	2
MW-204	W204M1A	12/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9	J	UG/L	81	91	2
MW-204	W204M1A	5/2/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	81	91	2
MW-204	W204M1A	8/18/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.1		UG/L	81	91	2
MW-204	W204M1A	11/30/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	81	91	2
MW-204	W204M1A	10/30/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	81	91	2
MW-204	MW-204M1	5/7/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	81	91	2
MW-206	W206M1A	7/18/2002	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	19.57	29.57	2
MW-206	W206M1A	10/15/2002	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	19.57	29.57	2
MW-206	W206M1A	2/5/2003	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	19.57	29.57	2
MW-206	W206M1A	2/3/2004	FORMER A	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	19.57	29.57	2
MW-206	W206M1A	3/9/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	19.57	29.57	2
MW-206	W206M1A	5/19/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	19.57	29.57	2
MW-206	W206M1D	5/19/2004	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	19.57	29.57	2
MW-206	W206M1A	9/29/2004	FORMER A	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	19.57	29.57	2
MW-206	W206M1A	2/28/2005	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	19.57	29.57	2
MW-206	W206M1A	5/24/2005	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	19.57	29.57	2
MW-206	W206M1A	10/5/2005	FORMER A	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	19.57	29.57	2
MW-206	W206M1D	10/5/2005	FORMER A	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	19.57	29.57	2
MW-206	W206M1A	1/9/2006	FORMER A	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	19.57	29.57	2
MW-207	W207M2A	8/18/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	79.33	89.33	2
MW-207	W207M1A	4/16/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52	2
MW-207	W207M1A	7/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52	2
MW-207	W207M1D	7/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52	2
MW-207	W207M1A	10/18/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	100.52	110.52	2
MW-207	W207M1A	6/5/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	100.52	110.52	2
MW-207	W207M1A	10/15/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	100.52	110.52	2
MW-207	W207M1A	2/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	100.52	110.52	2
MW-207	W207M1A	5/3/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	100.52	110.52	2
MW-207	W207M1A	8/13/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	100.52	110.52	2
MW-207	W207M1A	12/14/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	100.52	110.52	2
MW-207	W207M1A	5/9/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	100.52	110.52	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-207	W207M1A	8/16/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.6		UG/L	100.52	110.52	2
MW-207	W207M1A	12/5/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	100.52	110.52	2
MW-207	W207M1A	4/17/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9		UG/L	100.52	110.52	2
MW-207	W207M1A	10/16/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	100.52	110.52	2
MW-209	W209M1A	4/30/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	121	131	2
MW-209	W209M1A	7/26/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	121	131	2
MW-209	W209M1A	10/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	121	131	2
MW-209	W209M1A	6/12/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	121	131	2
MW-209	W209M1A	10/29/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	121	131	2
MW-209	W209M1A	2/13/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	121	131	2
MW-209	W209M1A	5/3/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	121	131	2
MW-209	W209M1A	9/29/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	121	131	2
MW-209	W209M1A	12/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.3	J	UG/L	121	131	2
MW-209	W209M1A	5/9/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6		UG/L	121	131	2
MW-209	W209M1A	11/8/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	121	131	2
MW-209	W209M1A	2/14/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	121	131	2
MW-209	W209M1A	4/17/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	121	131	2
MW-209	W209M1A	10/16/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	121	131	2
MW-209	MW-209M1	5/15/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	121	131	2
MW-209	MW-209M1	10/25/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	121	131	2
MW-210	W210M2A	5/20/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	54.69	64.69	2
MW-210	W210M2D	5/20/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	54.69	64.69	2
MW-210	W210M2A	8/5/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.9		UG/L	54.69	64.69	2
MW-210	W210M2A	12/6/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	54.69	64.69	2
MW-210	MW-210M2-	2/7/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	54.69	64.69	2
MW-210	MW-210M2-	4/17/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21		UG/L	54.69	64.69	2
MW-210	MW-210M2-	4/17/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21	J	UG/L	54.69	64.69	2
MW-210	MW-210M2	12/28/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	62		UG/L	54.69	64.69	2
MW-210	MW-210M2	12/28/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	60		UG/L	54.69	64.69	2
MW-210	MW-210M2	4/17/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	53.4		UG/L	54.69	64.69	2
MW-211	W211M1A	12/6/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	55	65	2
MW-211	W211M1A	4/5/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	55	65	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-211	W211M1A	8/8/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	55	65	2
MW-211	W211M1D	8/8/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	55	65	2
MW-211	MW-211M1-	2/7/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	55	65	2
MW-211	MW-211M1-	4/10/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	55	65	2
MW-211	MW-211M1	12/27/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	55	65	2
MW-211	MW-211M1	4/9/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.45		UG/L	55	65	2
MW-212	MW-212M1	5/24/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	125.6	135.6	2
MW-215	W215M2A	8/1/2002	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	98.9	108.9	2
MW-215	W215M2A	10/28/2002	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	98.9	108.9	2
MW-215	W215M2A	3/3/2003	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	98.9	108.9	2
MW-215	W215M2A	7/6/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	98.9	108.9	2
MW-215	W215M2D	7/6/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	98.9	108.9	2
MW-215	W215M2A	9/9/2004	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	98.9	108.9	2
MW-215	W215M2D	9/9/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	98.9	108.9	2
MW-215	W215M2A	2/9/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	98.9	108.9	2
MW-215	W215M2A	6/16/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	98.9	108.9	2
MW-215	W215M2A	8/30/2005	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	98.9	108.9	2
MW-215	W215M2A	12/13/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	98.9	108.9	2
MW-215	W215M2A	3/28/2006	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	98.9	108.9	2
MW-215	MW-215M2-	4/10/2007	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	98.9	108.9	2
MW-218	W218M2A	3/12/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	93	98	2
MW-218	W218M2A	2/2/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	93	98	2
MW-218	W218M2A	3/15/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	93	98	2
MW-218	W218M2A	5/6/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	93	98	2
MW-223	W223M2A	11/5/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	93.31	103.31	2
MW-223	W223M2A	2/28/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8	J	UG/L	93.31	103.31	2
MW-223	W223M2A	1/30/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	93.31	103.31	2
MW-223	W223M2A	3/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	93.31	103.31	2
MW-223	W223M2D	3/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	93.31	103.31	2
MW-223	W223M2A	3/29/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	93.31	103.31	2
MW-223	W223M2A	10/24/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	93.31	103.31	2
MW-223	W223M2A	1/11/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	93.31	103.31	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-223	W223M2D	1/11/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	93.31	103.31	2
MW-223	W223M2A	10/18/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	93.31	103.31	2
MW-223	MW-223M2	5/14/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	93.31	103.31	2
MW-227	W227M2A	8/6/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	56.38	66.38	2
MW-227	W227M2A	11/4/2002	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9	J	UG/L	56.38	66.38	2
MW-227	W227M2A	2/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9		UG/L	56.38	66.38	2
MW-227	W227M2A	2/3/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.2		UG/L	56.38	66.38	2
MW-227	W227M2A	3/16/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	56.38	66.38	2
MW-227	W227M2A	5/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4		UG/L	56.38	66.38	2
MW-227	W227M2A	9/21/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.9		UG/L	56.38	66.38	2
MW-227	W227M2A	11/18/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9		UG/L	56.38	66.38	2
MW-227	W227M2A	6/6/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5	J	UG/L	56.38	66.38	2
MW-227	W227M2A	8/1/2005	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.6		UG/L	56.38	66.38	2
MW-227	W227M2A	11/29/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	56.38	66.38	2
MW-227	W227M2D	11/29/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	56.38	66.38	2
MW-227	MW-227M2	9/13/2007	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	37.6	J	UG/L	56.38	66.38	2
MW-227	W227M1A	2/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	76.38	86.38	2
MW-227	W227M1D	2/10/2003	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	76.38	86.38	2
MW-227	W227M1A	2/3/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	76.38	86.38	2
MW-227	W227M1A	3/16/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7	J	UG/L	76.38	86.38	2
MW-227	W227M1A	5/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	76.38	86.38	2
MW-227	W227M1A	9/21/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	76.38	86.38	2
MW-227	W227M1A	11/18/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	76.38	86.38	2
MW-227	W227M1A	6/6/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2	J	UG/L	76.38	86.38	2
MW-227	W227M1A	8/1/2005	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1	J	UG/L	76.38	86.38	2
MW-227	W227M1A	11/29/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6	J	UG/L	76.38	86.38	2
MW-23	W23M1A	11/7/1997	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	103	113	2
MW-23	W23M1A	3/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	103	113	2
MW-23	W23M1D	3/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	103	113	2
MW-23	W23M1A	9/13/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	103	113	2
MW-23	W23M1A	5/12/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6	J	UG/L	103	113	2
MW-23	W23M1A	8/8/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.3		UG/L	103	113	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-23	W23M1A	12/4/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	103	113	2
MW-23	W23M1D	12/4/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	103	113	2
MW-23	W23M1A	4/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	103	113	2
MW-23	W23M1A	7/30/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	103	113	2
MW-23	W23M1A	12/6/2001	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	103	113	2
MW-23	W23M1A	5/9/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	103	113	2
MW-23	W23M1D	5/9/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	103	113	2
MW-23	W23M1A	8/15/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	103	113	2
MW-23	W23M1A	1/30/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	103	113	2
MW-23	W23M1A	4/7/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	103	113	2
MW-23	W23M1A	10/7/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	103	113	2
MW-23	W23M1A	2/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	103	113	2
MW-23	W23M1A	7/9/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	103	113	2
MW-23	W23M1A	8/30/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	103	113	2
MW-23	W23M1A	1/4/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4	J	UG/L	103	113	2
MW-23	W23M1A	5/11/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	103	113	2
MW-23	W23M1D	5/11/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	103	113	2
MW-23	W23M1A	8/1/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	103	113	2
MW-23	W23M1A	12/6/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	103	113	2
MW-23	W23M1D	12/6/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	103	113	2
MW-23	W23M1A	4/24/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	103	113	2
MW-23	W23M1A	10/31/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	103	113	2
MW-23	MW-23M1	5/15/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	103	113	2
MW-23	MW-23M1-RD	5/15/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.49	J	UG/L	103	113	2
MW-23	MW-23M1	10/25/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	103	113	2
MW-232	W232M1A	5/31/2006	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	34.94	39.94	2
MW-232	MW-232M1	3/8/2007	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.66		UG/L	34.94	39.94	2
MW-234	W234M1A	5/12/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	25.3	35.3	2
MW-234	W234M1D	5/12/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	25.3	35.3	2
MW-234	W234M1A	8/2/2004	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	25.3	35.3	2
MW-234	W234M1A	10/19/2004	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	25.3	35.3	2
MW-234	W234M1A	5/16/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	25.3	35.3	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-234	W234M1A	11/7/2005	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	25.3	35.3	2
MW-234	W234M1A	1/30/2006	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	25.3	35.3	2
MW-234	W234M1A	9/13/2006	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	25.3	35.3	2
MW-234	MW-234M1	10/2/2007	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	25.3	35.3	2
MW-235	W235M1A	10/7/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.1		UG/L	25.3	35.3	2
MW-235	W235M1D	10/7/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	25.3	35.3	2
MW-235	W235M1A	3/4/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11	J	UG/L	25.3	35.3	2
MW-235	W235M1A	6/27/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.5		UG/L	25.3	35.3	2
MW-235	W235M1A	4/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27		UG/L	25.3	35.3	2
MW-235	W235M1A	5/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	30		UG/L	25.3	35.3	2
MW-235	W235M1A	10/18/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	40		UG/L	25.3	35.3	2
MW-235	W235M1A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	34		UG/L	25.3	35.3	2
MW-235	W235M1A	5/4/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	38		UG/L	25.3	35.3	2
MW-235	W235M1A	9/29/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	44		UG/L	25.3	35.3	2
MW-235	W235M1A	1/23/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	42		UG/L	25.3	35.3	2
MW-235	W235M1A	5/1/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	45		UG/L	25.3	35.3	2
MW-235	W235M1A	10/25/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	25.3	35.3	2
MW-235	MW-235M1	5/11/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	37		UG/L	25.3	35.3	2
MW-235	MW-235M1	5/11/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	36		UG/L	25.3	35.3	2
MW-247	W247M3A	11/19/2005	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	72.8	82.8	2
MW-247	W247M3A	1/16/2006	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	72.8	82.8	2
MW-247	W247M2A	4/22/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	102.78	112.78	2
MW-247	W247M2A	5/13/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	102.78	112.78	2
MW-247	W247M2A	10/12/2004	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	102.78	112.78	2
MW-247	W247M2A	12/2/2004	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	102.78	112.78	2
MW-247	W247M2A	11/11/2005	J-3 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	102.78	112.78	2
MW-247	W247M2A	1/16/2006	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	102.78	112.78	2
MW-25	W25SSA	10/16/1997	CIA	8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	0	10	2
MW-25	W25SSA	3/17/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	0	10	2
MW-259	W259M1A	1/14/2005	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	7.62	17.62	2
MW-262	W262M1A	8/12/2003	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	7.02	17.02	2
MW-262	W262M1D	8/12/2003	DEMO 2	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	7.02	17.02	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-265	W265M3A	5/16/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	72.44	82.44	2
MW-265	W265M3A	8/31/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	72.44	82.44	2
MW-265	W265M2A	5/15/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	97.6	107.6	2
MW-265	W265M2A	12/1/2003	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	97.6	107.6	2
MW-265	W265M2A	3/3/2004	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	97.6	107.6	2
MW-265	W265M2A	9/27/2004	J-1 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	97.6	107.6	2
MW-265	W265M2A	2/16/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	97.6	107.6	2
MW-265	W265M2A	5/16/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	97.6	107.6	2
MW-265	W265M2A	8/31/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	97.6	107.6	2
MW-265	W265M2A	1/26/2006	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	97.6	107.6	2
MW-265	W265M2A	3/21/2006	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	97.6	107.6	2
MW-289	MW-289M2-	9/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	59.7	69.7	2
MW-289	MW-289M2-FD	9/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	59.7	69.7	2
MW-289	MW-289M2-	3/31/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	59.7	69.7	2
MW-289	MW-289M2-	7/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	59.7	69.7	2
MW-289	MW-289M2-FD	7/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	59.7	69.7	2
MW-289	W289M2A	2/17/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	59.7	69.7	2
MW-289	W289M2A	5/31/2005	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	59.7	69.7	2
MW-289	W289M2A	8/22/2005	J-2 RANGE	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	59.7	69.7	2
MW-289	W289M2A	2/3/2006	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	59.7	69.7	2
MW-289	W289M2A	9/20/2006	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	59.7	69.7	2
MW-289	MW-289M1-	9/18/2003	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	203	213	2
MW-289	MW-289M1-	7/29/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	203	213	2
MW-303	MW-303M3-	3/25/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	27	37	2
MW-303	MW-303M2-	3/30/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	32		UG/L	122	132	2
MW-303	MW-303M2-	8/12/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	122	132	2
MW-303	MW-303M2-	12/15/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	122	132	2
MW-303	W303M2A	6/7/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27		UG/L	122	132	2
MW-303	W303M2A	8/30/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	122	132	2
MW-303	W303M2A	12/2/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	122	132	2
MW-303	W303M2A	3/15/2006	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	22		UG/L	122	132	2
MW-303	W303M2A	10/30/2006	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	15		UG/L	122	132	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-303	MW-303M2-	4/19/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	122	132	2
MW-303	MW-303M2-FD	4/19/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	122	132	2
MW-303	MW-303M2-	10/5/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	122	132	2
MW-303	MW-303M2-FD	10/5/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	122	132	2
MW-306	MW-306M2-	4/1/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	41	51	2
MW-306	MW-306M2-	8/13/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	41	51	2
MW-306	MW-306M2-FD	8/13/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	41	51	2
MW-306	MW-306M2-	12/14/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	41	51	2
MW-306	W306M2A	6/16/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	41	51	2
MW-306	MW-306M1-	4/1/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	61	71	2
MW-306	MW-306M1-	12/14/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	61	71	2
MW-306	W306M1A	6/15/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	61	71	2
MW-306	W306M1A	10/25/2005	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3	J	UG/L	61	71	2
MW-306	W306M1A	1/26/2006	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	61	71	2
MW-306	W306M1A	3/20/2006	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	61	71	2
MW-306	MW-306M1-	4/19/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	61	71	2
MW-31	W31SSA	7/15/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	64		UG/L	13	18	2
MW-31	W31SSA	2/1/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	210		UG/L	13	18	2
MW-31	W31SSA	9/15/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50		UG/L	13	18	2
MW-31	W31SSA	5/15/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	110		UG/L	13	18	2
MW-31	W31SSA	8/9/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	13	18	2
MW-31	W31SSA	12/8/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	13	18	2
MW-31	W31SSA	5/2/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	81		UG/L	13	18	2
MW-31	W31SSA	8/24/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	88		UG/L	13	18	2
MW-31	W31SSA	1/4/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	13	18	2
MW-31	W31SSA	5/29/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	130		UG/L	13	18	2
MW-31	W31SSA	8/7/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	85		UG/L	13	18	2
MW-31	W31SSA	11/15/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	13	18	2
MW-31	W31SSA	3/28/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	86		UG/L	13	18	2
MW-31	W31SSA	9/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	63		UG/L	13	18	2
MW-31	W31SSD	9/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	62		UG/L	13	18	2
MW-31	W31SSA	2/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	21		UG/L	13	18	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-31	W31SSA	5/11/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	72		UG/L	13	18	2
MW-31	W31SSA	10/27/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13	J	UG/L	13	18	2
MW-31	W31SSA	4/30/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	61		UG/L	13	18	2
MW-31	MW-31S-	4/13/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27	J	UG/L	13	18	2
MW-31	MW-31S-	4/13/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	13	18	2
MW-31	MW-31S	4/26/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.3		UG/L	13	18	2
MW-31	W31MMA	7/15/1998	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	280		UG/L	28	38	2
MW-31	W31MMA	2/2/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	370		UG/L	28	38	2
MW-31	W31MMA	9/15/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	28	38	2
MW-31	W31M1A	5/15/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	28	38	2
MW-31	W31M1A	8/9/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	28	38	2
MW-31	W31MMA	5/23/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	70		UG/L	28	38	2
MW-31	W31MMA	4/22/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4		UG/L	28	38	2
MW-31	W31MMD	4/22/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.2		UG/L	28	38	2
MW-31	W31MMA	8/7/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.8		UG/L	28	38	2
MW-31	W31MMA	11/15/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	28	38	2
MW-31	W31MMA	3/27/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.1		UG/L	28	38	2
MW-31	W31MMA	5/11/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	28	38	2
MW-31	W31MMA	10/27/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50	J	UG/L	28	38	2
MW-31	W31MMA	4/30/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	28	38	2
MW-31	MW-31M-	4/13/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	28	38	2
MW-31	MW-31M-	4/13/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27	J	UG/L	28	38	2
MW-31	MW-31M	4/26/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	25.9		UG/L	28	38	2
MW-31	W31DDA	8/9/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150		UG/L	48	53	2
MW-323	W323M2A	4/19/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	46.05	56.05	2
MW-323	W323M2A	7/27/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	46.05	56.05	2
MW-323	W323M2D	7/27/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6		UG/L	46.05	56.05	2
MW-323	W323M2A	10/8/2004	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.6		UG/L	46.05	56.05	2
MW-323	W323M2A	6/15/2005	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.5		UG/L	46.05	56.05	2
MW-323	W323M2A	7/20/2005	NW CORNER	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	46.05	56.05	2
MW-323	W323M2A	12/7/2005	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.6		UG/L	46.05	56.05	2
MW-323	W323M2A	4/12/2006	NW CORNER	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	46.05	56.05	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-323	MW-323M2-	4/23/2007	NW CORNER	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	46.05	56.05	2
MW-323	MW-323M2-FD	4/23/2007	NW CORNER	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.1		UG/L	46.05	56.05	2
MW-324	MW-324M2-	7/7/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	82	92	2
MW-324	MW-324M2-	10/20/2004	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	82	92	2
MW-326	MW-326M3-	4/18/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	44	54	2
MW-326	MW-326M2-	6/30/2004	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	75	85	2
MW-34	W34M2A	2/19/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	53	63	2
MW-34	W34M2A	5/18/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	53	63	2
MW-34	W34M2A	8/10/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	53	63	2
MW-34	W34M2A	11/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	53	63	2
MW-34	W34M2A	11/12/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	53	63	2
MW-34	W34M2A	5/14/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	53	63	2
MW-34	W34M2A	8/5/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	53	63	2
MW-34	W34M2A	12/8/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	53	63	2
MW-34	W34M2A	6/22/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	53	63	2
MW-34	MW-34M2-	2/8/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	53	63	2
MW-34	MW-34M2-	4/18/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	53	63	2
MW-34	MW-34M2	1/2/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	53	63	2
MW-34	W34M1A	5/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	73	83	2
MW-34	W34M1A	8/11/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	73	83	2
MW-34	W34M1A	11/17/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	73	83	2
MW-34	W34M1A	3/24/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.3		UG/L	73	83	2
MW-34	W34M1A	11/12/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	73	83	2
MW-34	W34M1A	3/5/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	73	83	2
MW-34	W34M1A	5/14/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	73	83	2
MW-34	W34M1A	8/5/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	73	83	2
MW-34	W34M1A	4/21/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7		UG/L	73	83	2
MW-34	MW-34M1-	4/18/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.6		UG/L	73	83	2
MW-343	MW-343M2-	11/22/2004	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	74	84	2
MW-343	MW-343M2-FD	11/22/2004	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	74	84	2
MW-343	MW-343M2-	3/23/2005	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	34		UG/L	74	84	2
MW-343	MW-343M2-	7/18/2005	J-3 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	35		UG/L	74	84	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-343	W343M2A	1/10/2006	J-3 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	74	84	2
MW-360	MW-360M2-	7/25/2005	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	5	15	2
MW-368	MW-368M2-	6/30/2005	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.5		UG/L	99.5	109.5	2
MW-368	MW-368M2-FD	6/30/2005	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	99.5	109.5	2
MW-368	MW-368M2-	10/28/2005	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	99.5	109.5	2
MW-368	MW-368M2-FD	10/28/2005	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	99.5	109.5	2
MW-368	MW-368M2-	2/24/2006	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	99.5	109.5	2
MW-368	W368M2A	3/28/2006	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	99.5	109.5	2
MW-368	W368M2A	10/10/2006	J-2 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	99.5	109.5	2
MW-368	MW-368M2-	4/12/2007	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	99.5	109.5	2
MW-368	MW-368M2-FD	4/12/2007	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	99.5	109.5	2
MW-368	MW-368M2-	9/26/2007	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	99.5	109.5	2
MW-368	MW-368M2-FD	9/26/2007	J-2 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	99.5	109.5	2
MW-369	W369M1A	11/7/2006	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	137.87	147.87	2
MW-369	MW-369M1-	4/17/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	137.87	147.87	2
MW-369	MW-369M1-	10/2/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	137.87	147.87	2
MW-37	71MW0037M2-	3/16/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L			2
MW-37	71MW0037M2-FD	3/16/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L			2
MW-37	W37M3A	3/1/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	11	21	2
MW-37	W37M3A	1/17/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	11	21	2
MW-37	W37M2A	9/29/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	26	36	2
MW-37	W37M2A	12/29/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	26	36	2
MW-37	W37M2A	3/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	26	36	2
MW-37	W37M2A	8/31/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8	J	UG/L	26	36	2
MW-37	W37M2A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	26	36	2
MW-37	W37M2D	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	26	36	2
MW-37	W37M2A	6/11/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	26	36	2
MW-37	W37M2D	6/11/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	26	36	2
MW-37	W37M2A	8/13/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6	J	UG/L	26	36	2
MW-37	W37M2A	1/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	26	36	2
MW-37	W37M2A	4/10/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	26	36	2
MW-37	W37M2A	10/1/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	26	36	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-37	W37M2A	3/1/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36	2
MW-37	W37M2A	12/21/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	26	36	2
MW-37	W37M2A	5/2/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36	2
MW-37	W37M2A	11/16/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	26	36	2
MW-38	71MW0038M3-	3/10/2000	CS-19	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L			2
MW-38	W38M4A	11/5/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	14	24	2
MW-38	W38M4A	2/18/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	14	24	2
MW-38	W38M4A	5/13/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	14	24	2
MW-38	MW-38M4	5/11/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	14	24	2
MW-38	W38M3A	5/6/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	52	62	2
MW-38	W38M3A	8/18/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	52	62	2
MW-38	W38M3A	11/10/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	52	62	2
MW-38	W38M3A	5/16/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9	J	UG/L	52	62	2
MW-38	W38M3A	8/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	52	62	2
MW-38	W38M3A	11/20/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	52	62	2
MW-38	W38M3A	4/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3	J	UG/L	52	62	2
MW-38	W38M3A	8/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	52	62	2
MW-38	W38M3A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	52	62	2
MW-38	W38M3D	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2J		UG/L	52	62	2
MW-398	MW-398M2-	10/19/2005	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	40.63	50.63	2
MW-398	MW-398M2-FD	10/19/2005	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	40.63	50.63	2
MW-398	MW-398M2-	2/16/2006	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	130		UG/L	40.63	50.63	2
MW-398	MW-398M2-FD	2/16/2006	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	120		UG/L	40.63	50.63	2
MW-398	MW-398M2-	6/16/2006	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	100		UG/L	40.63	50.63	2
MW-398	MW-398M2	2/1/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	34		UG/L	40.63	50.63	2
MW-398	MW-398M2-	8/9/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	40.63	50.63	2
MW-398	MW-398M2-FD	8/9/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	40.63	50.63	2
MW-40	W40M1A	9/21/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	13	23	2
MW-40	W40M1D	9/21/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	13	23	2
MW-40	W40M1A	12/30/1999	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3J		UG/L	13	23	2
MW-40	W40M1A	4/14/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2J		UG/L	13	23	2
MW-40	W40M1A	9/1/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	13	23	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-40	W40M1A	11/27/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	13	23	2
MW-40	W40M1A	6/2/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	13	23	2
MW-40	W40M1A	8/16/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	13	23	2
MW-40	W40M1A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	13	23	2
MW-404	MW-404M2-	12/22/2005	DEMO 2	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	16	26	2
MW-404	MW-404M2-FD	12/22/2005	DEMO 2	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	16	26	2
MW-404	MW-404M2-	4/20/2006	DEMO 2	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	16	26	2
MW-404	MW-404M2-	8/16/2006	DEMO 2	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.7		UG/L	16	26	2
MW-404	MW-404M2_D2	4/3/2007	DEMO 2	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.8		UG/L	16	26	2
MW-404	MW-404M2_D2-F	4/3/2007	DEMO 2	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	16	26	2
MW-43	W43M2A	4/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	67	77	2
MW-43	W43M2A	9/21/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	67	77	2
MW-43	W43M2A	3/8/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	67	77	2
MW-43	W43M2D	3/8/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	67	77	2
MW-43	W43M2A	5/11/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	67	77	2
MW-43	W43M2A	5/4/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.3		UG/L	67	77	2
MW-43	W43M2A	11/1/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	67	77	2
MW-43	MW-43M2	10/23/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	67	77	2
MW-477	MW-477M2-	1/8/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.3		UG/L	26.1	36.1	2
MW-477	MW-477M2-	5/10/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	26.1	36.1	2
MW-481	MW-481M2-	2/27/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	63.5	73.5	2
MW-481	MW-481M2-FD	2/27/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	63.5	73.5	2
MW-481	MW-481M2-	6/28/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	22		UG/L	63.5	73.5	2
MW-481	MW-481M2-FD	6/28/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	22		UG/L	63.5	73.5	2
MW-481	MW-481M2-	10/26/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	63.5	73.5	2
MW-481	MW-481M2-FD	10/26/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	63.5	73.5	2
MW-485	MW-485M1-	4/18/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	4.7	14.7	2
MW-485	MW-485M1-	8/13/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	4.7	14.7	2
MW-486	MW-486M1-	4/18/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.4		UG/L	70.7	80.7	2
MW-486	MW-486M1-	8/14/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	70.7	80.7	2
MW-486	MW-486M1-FD	8/14/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.9		UG/L	70.7	80.7	2
MW-487	MW-487M2-	4/18/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.1		UG/L	68.89	78.89	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-487	MW-487M2-FD	4/18/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.2		UG/L	68.89	78.89	2
MW-487	MW-487M2-	8/15/2007	J-1 RANGE	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	68.89	78.89	2
MW-58	W58SSA	11/23/1999	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7	J	UG/L	0	10	2
MW-58	W58SSA	2/15/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	0	10	2
MW-58	W58SSA	5/11/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.4	J	UG/L	0	10	2
MW-58	W58SSA	9/5/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	0	10	2
MW-58	W58SSA	12/20/2000	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	0	10	2
MW-58	W58SSA	6/14/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	0	10	2
MW-58	W58SSA	8/22/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	0	10	2
MW-58	W58SSA	12/12/2001	J-1 RANGE	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	0	10	2
MW-73	W73SSA	7/9/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	50	J	UG/L	0	10	2
MW-73	W73SSA	9/16/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	63		UG/L	0	10	2
MW-73	W73SSA	11/2/1999	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	57		UG/L	0	10	2
MW-73	W73SSA	6/2/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	44		UG/L	0	10	2
MW-73	W73SSA	9/5/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	0	10	2
MW-73	W73SSA	11/14/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	0	10	2
MW-73	W73SSD	11/14/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	0	10	2
MW-73	W73SSA	6/14/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	22		UG/L	0	10	2
MW-73	W73SSA	1/11/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	79		UG/L	0	10	2
MW-73	W73SSA	8/20/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	34	J	UG/L	0	10	2
MW-73	W73SSA	9/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10	2
MW-73	W73SSA	2/28/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	0	10	2
MW-73	W73SSA	6/1/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	10	2
MW-73	W73SSA	8/8/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.3		UG/L	0	10	2
MW-73	MW-73S-	2/8/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	10	2
MW-73	MW-73S-	4/12/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.7		UG/L	0	10	2
MW-73	MW-73S-FD	4/12/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.7		UG/L	0	10	2
MW-73	MW-73S	1/3/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.7		UG/L	0	10	2
MW-73	MW-73S	4/30/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	0	10	2
MW-73	MW-73S-D	4/30/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.64		UG/L	0	10	2
MW-76	W76SSA	1/20/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	18	28	2
MW-76	W76SSA	5/2/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.5	J	UG/L	18	28	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-76	W76SSA	8/1/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	18	28	2
MW-76	W76SSA	5/7/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	18	28	2
MW-76	W76SSA	8/10/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	18	28	2
MW-76	W76SSA	12/28/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9	J	UG/L	18	28	2
MW-76	W76SSA	4/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	25		UG/L	18	28	2
MW-76	W76SSA	8/20/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31	J	UG/L	18	28	2
MW-76	W76SSA	11/18/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	18	28	2
MW-76	W76SSA	9/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	18	28	2
MW-76	W76SSA	2/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	18	28	2
MW-76	W76SSA	4/21/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	18	28	2
MW-76	W76SSA	8/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	18	28	2
MW-76	W76SSA	4/13/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9	J	UG/L	18	28	2
MW-76	MW-76S-	4/19/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	18	28	2
MW-76	MW-76S	4/23/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.88		UG/L	18	28	2
MW-76	W76M2A	1/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	38	48	2
MW-76	W76M2D	1/24/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	38	48	2
MW-76	W76M2A	5/2/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	37	J	UG/L	38	48	2
MW-76	W76M2A	8/2/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	31		UG/L	38	48	2
MW-76	W76M2A	12/7/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	46		UG/L	38	48	2
MW-76	W76M2A	5/7/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	56		UG/L	38	48	2
MW-76	W76M2A	8/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	51		UG/L	38	48	2
MW-76	W76M2D	8/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	48		UG/L	38	48	2
MW-76	W76M2A	1/7/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	92		UG/L	38	48	2
MW-76	W76M2A	4/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	130		UG/L	38	48	2
MW-76	W76M2A	8/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160	J	UG/L	38	48	2
MW-76	W76M2A	11/20/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	38	48	2
MW-76	W76M2A	3/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	38	48	2
MW-76	W76M2D	3/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	220		UG/L	38	48	2
MW-76	W76M2A	12/3/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150		UG/L	38	48	2
MW-76	W76M2A	2/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	38	48	2
MW-76	W76M2A	4/22/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	160		UG/L	38	48	2
MW-76	W76M2A	8/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	140		UG/L	38	48	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-76	W76M2A	4/13/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	62	J	UG/L	38	48	2
MW-76	MW-76M2-	4/19/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	38	48	2
MW-76	MW-76M2	4/23/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	22.6		UG/L	38	48	2
MW-76	W76M1A	12/7/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	58	68	2
MW-76	W76M1A	5/7/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	28		UG/L	58	68	2
MW-76	W76M1A	8/13/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	90		UG/L	58	68	2
MW-76	W76M1A	12/28/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	110		UG/L	58	68	2
MW-76	W76M1A	4/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	79		UG/L	58	68	2
MW-76	W76M1A	8/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14	J	UG/L	58	68	2
MW-76	W76M1A	11/18/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	58	68	2
MW-76	W76M1A	3/25/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	110		UG/L	58	68	2
MW-76	W76M1A	9/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	170		UG/L	58	68	2
MW-76	W76M1A	2/24/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	51		UG/L	58	68	2
MW-76	W76M1A	4/21/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	38		UG/L	58	68	2
MW-76	W76M1A	8/11/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	59		UG/L	58	68	2
MW-76	W76M1A	4/14/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	58	68	2
MW-76	MW-76M1	4/20/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.9		UG/L	58	68	2
MW-77	W77M2A	1/25/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	150		UG/L	38	48	2
MW-77	W77M2A	5/2/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	100	J	UG/L	38	48	2
MW-77	W77M2A	8/1/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	97	J	UG/L	38	48	2
MW-77	W77M2A	12/7/2000	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	93		UG/L	38	48	2
MW-77	W77M2A	5/10/2001	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	39		UG/L	38	48	2
MW-77	W77M2A	8/10/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	38	48	2
MW-77	W77M2A	12/26/2001	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	26		UG/L	38	48	2
MW-77	W77M2A	4/24/2002	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	38	48	2
MW-77	W77M2A	8/7/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	38	48	2
MW-77	W77M2A	11/19/2002	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	38	48	2
MW-77	W77M2A	3/26/2003	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	38	48	2
MW-77	W77M2A	9/27/2003	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	38	48	2
MW-77	W77M2A	2/12/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	38	48	2
MW-77	W77M2A	4/5/2004	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	38	48	2
MW-77	W77M2A	7/28/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	38	48	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-77	W77M2D	7/28/2004	DEMO 1	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	38	48	2
MW-77	W77M2A	4/20/2005	DEMO 1	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	48		UG/L	38	48	2
MW-77	MW-77M2-	4/20/2006	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	94		UG/L	38	48	2
MW-77	MW-77M2	4/23/2007	DEMO 1	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	37.4		UG/L	38	48	2
MW-85	W85M1A	5/22/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	29		UG/L	22	32	2
MW-85	W85M1A	2/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	22	32	2
MW-85	W85M1A	6/16/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	27		UG/L	22	32	2
MW-85	W85M1A	9/26/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	22	32	2
MW-85	W85M1A	12/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	19		UG/L	22	32	2
MW-85	W85M1A	5/22/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	22	32	2
MW-85	W85M1A	9/12/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	22	32	2
MW-85	W85M1A	4/1/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8		UG/L	22	32	2
MW-85	W85M1A	3/2/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	22	32	2
MW-85	W85M1D	3/2/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	22	32	2
MW-86	W86SSA	4/28/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5	J	UG/L	1	11	2
MW-86	W86SSA	8/16/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.7	J	UG/L	1	11	2
MW-86	W86SSA	7/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	1	11	2
MW-86	W86SSA	9/29/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	1	11	2
MW-86	W86SSA	12/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	1	11	2
MW-86	W86SSA	3/31/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	1	11	2
MW-86	W86M2A	9/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	16	26	2
MW-86	W86M2A	11/30/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26	2
MW-86	W86M2A	5/16/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	16	26	2
MW-87	W87M1A	4/28/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5	J	UG/L	62	72	2
MW-87	W87M1A	9/14/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	62	72	2
MW-87	W87M1A	1/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	62	72	2
MW-87	W87M1A	9/27/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	62	72	2
MW-87	W87M1A	12/3/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	62	72	2
MW-87	W87M1A	5/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	62	72	2
MW-87	W87M1A	10/4/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	62	72	2
MW-87	W87M1A	1/15/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	62	72	2
MW-87	W87M1A	4/7/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	62	72	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-87	W87M1A	10/17/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	62	72	2
MW-87	W87M1A	8/18/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	62	72	2
MW-87	W87M1A	5/3/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1	J	UG/L	62	72	2
MW-87	W87M1A	10/28/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	62	72	2
MW-88	W88M2A	5/24/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7		UG/L	72	82	2
MW-88	W88M2A	9/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.7		UG/L	72	82	2
MW-88	W88M2A	1/10/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	72	82	2
MW-88	W88M2A	9/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.4		UG/L	72	82	2
MW-88	W88M2A	12/4/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.5		UG/L	72	82	2
MW-88	W88M2A	5/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	72	82	2
MW-88	W88M2A	10/4/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	72	82	2
MW-88	W88M2A	1/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	72	82	2
MW-88	W88M2A	4/2/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	72	82	2
MW-88	W88M2A	10/16/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	72	82	2
MW-88	W88M2A	1/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	72	82	2
MW-88	W88M2A	4/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	72	82	2
MW-88	W88M2D	4/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.7		UG/L	72	82	2
MW-88	W88M2A	8/20/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	72	82	2
MW-88	W88M2A	12/29/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	72	82	2
MW-88	W88M2D	12/29/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4		UG/L	72	82	2
MW-88	W88M2A	4/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	72	82	2
MW-88	W88M2A	9/20/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2	J	UG/L	72	82	2
MW-88	W88M2A	12/6/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.1		UG/L	72	82	2
MW-88	W88M2A	10/16/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	72	82	2
MW-88	MW-88M2	10/19/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	72	82	2
MW-88	MW-88M2_FD	10/19/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.8		UG/L	72	82	2
MW-89	W89M2A	5/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	72	82	2
MW-89	W89M2A	9/21/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.3		UG/L	72	82	2
MW-89	W89M2A	1/11/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	7.5		UG/L	72	82	2
MW-89	W89M2A	10/3/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	72	82	2
MW-89	W89M2D	10/3/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	72	82	2
MW-89	W89M2A	12/3/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	72	82	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-89	W89M2A	5/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	72	82	2
MW-89	W89M2A	10/4/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	72	82	2
MW-89	W89M2A	1/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	72	82	2
MW-89	W89M2A	4/17/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	72	82	2
MW-89	W89M2A	10/10/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	72	82	2
MW-89	W89M2A	1/23/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.8		UG/L	72	82	2
MW-89	W89M2A	4/27/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	72	82	2
MW-89	W89M2A	10/5/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.2		UG/L	72	82	2
MW-89	W89M2A	11/22/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9		UG/L	72	82	2
MW-89	W89M2A	3/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	72	82	2
MW-89	W89M2A	9/13/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13J		UG/L	72	82	2
MW-89	W89M2A	12/20/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	72	82	2
MW-89	W89M2A	4/18/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	72	82	2
MW-89	W89M2D	4/18/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	72	82	2
MW-89	W89M2A	11/2/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	72	82	2
MW-89	MW-89M2	10/23/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	72	82	2
MW-89	W89M1A	9/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	92	102	2
MW-89	W89M1A	12/4/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	92	102	2
MW-89	W89M1A	5/17/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	92	102	2
MW-89	W89M1A	10/10/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	92	102	2
MW-89	W89M1A	12/20/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	92	102	2
MW-90	W90SSA	5/19/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.4J		UG/L	0	10	2
MW-90	W90SSA	1/23/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	0	10	2
MW-90	W90M1A	10/11/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	27	37	2
MW-91	W91SSA	5/19/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10	2
MW-91	W91SSA	11/7/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	10	2
MW-91	W91SSA	1/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10	2
MW-91	W91SSA	10/9/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	0	10	2
MW-91	W91SSA	12/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	20		UG/L	0	10	2
MW-91	W91SSA	5/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	0	10	2
MW-91	W91SSA	1/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	17		UG/L	0	10	2
MW-91	W91SSA	5/21/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-91	W91SSA	11/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	0	10	2
MW-91	W91SSA	2/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13		UG/L	0	10	2
MW-91	W91SSA	5/5/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	0	10	2
MW-91	W91SSA	9/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10	2
MW-91	W91SSA	11/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	0	10	2
MW-91	W91SSA	4/29/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	0	10	2
MW-91	W91SSA	11/15/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16J		UG/L	0	10	2
MW-91	W91SSA	1/24/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	0	10	2
MW-91	W91SSA	4/19/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	24		UG/L	0	10	2
MW-91	W91M1A	5/22/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	18		UG/L	45	55	2
MW-91	W91M1A	11/7/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	45	55	2
MW-91	W91M1D	11/7/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	11		UG/L	45	55	2
MW-91	W91M1A	1/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	45	55	2
MW-91	W91M1A	10/3/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	13J		UG/L	45	55	2
MW-91	W91M1A	11/29/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10J		UG/L	45	55	2
MW-91	W91M1A	5/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	45	55	2
MW-91	W91M1D	5/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	45	55	2
MW-91	W91M1A	9/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	45	55	2
MW-91	W91M1A	1/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	45	55	2
MW-91	W91M1A	5/19/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	45	55	2
MW-91	W91M1A	11/14/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	45	55	2
MW-91	W91M1A	2/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6		UG/L	45	55	2
MW-91	W91M1D	2/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	45	55	2
MW-91	W91M1A	5/5/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.6		UG/L	45	55	2
MW-91	W91M1A	9/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	45	55	2
MW-91	W91M1A	11/10/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	45	55	2
MW-91	W91M1A	4/29/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	45	55	2
MW-91	W91M1A	11/10/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	45	55	2
MW-91	W91M1A	1/24/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	45	55	2
MW-91	W91M1D	1/24/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	45	55	2
MW-91	W91M1A	4/19/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.7		UG/L	45	55	2
MW-91	W91M1A	11/15/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	45	55	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-93	W93M2A	5/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	16	26	2
MW-93	W93M2A	11/7/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	16	26	2
MW-93	W93M2A	1/20/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1	J	UG/L	16	26	2
MW-93	W93M2A	10/3/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	9.9		UG/L	16	26	2
MW-93	W93M2A	11/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	12		UG/L	16	26	2
MW-93	W93M2A	5/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.7		UG/L	16	26	2
MW-93	W93M2A	9/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5	J	UG/L	16	26	2
MW-93	W93M2A	2/3/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26	2
MW-93	W93M2D	2/3/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26	2
MW-93	W93M2A	3/28/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	16	26	2
MW-93	W93M2A	10/23/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	16	26	2
MW-93	W93M2A	4/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	16	26	2
MW-93	W93M2A	9/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	16	26	2
MW-93	W93M2A	11/12/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.7		UG/L	16	26	2
MW-93	W93M2A	4/28/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.9		UG/L	16	26	2
MW-93	W93M2A	1/19/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	16	26	2
MW-93	W93M2D	1/19/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2		UG/L	16	26	2
MW-93	W93M1A	5/26/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2	J	UG/L	56	66	2
MW-93	W93M1A	11/7/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	56	66	2
MW-93	W93M1A	1/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4	J	UG/L	56	66	2
MW-93	W93M1D	1/22/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	56	66	2
MW-93	W93M1A	10/3/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	56	66	2
MW-93	W93M1A	11/28/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.8		UG/L	56	66	2
MW-93	W93M1A	5/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.6		UG/L	56	66	2
MW-93	W93M1A	9/24/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	56	66	2
MW-93	W93M1A	2/3/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.7		UG/L	56	66	2
MW-93	W93M1A	3/31/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.8		UG/L	56	66	2
MW-93	W93M1A	10/22/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	56	66	2
MW-93	W93M1A	2/9/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	56	66	2
MW-93	W93M1A	7/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.6		UG/L	56	66	2
MW-93	W93M1D	7/15/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.5		UG/L	56	66	2
MW-95	W95M1A	5/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	78	88	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-95	W95M1A	10/1/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	78	88	2
MW-95	W95M1A	12/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	78	88	2
MW-95	W95M1A	5/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.1		UG/L	78	88	2
MW-95	W95M1D	5/20/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.2		UG/L	78	88	2
MW-95	W95M1A	9/27/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.4		UG/L	78	88	2
MW-95	W95M1A	2/4/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.1		UG/L	78	88	2
MW-95	W95M1A	4/11/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	78	88	2
MW-95	W95M1D	4/11/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	78	88	2
MW-95	W95M1A	10/15/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	78	88	2
MW-95	W95M1A	2/20/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	78	88	2
MW-95	W95M1A	4/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.5		UG/L	78	88	2
MW-95	W95M1A	8/27/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.1		UG/L	78	88	2
MW-95	W95M1A	12/30/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.2		UG/L	78	88	2
MW-95	W95M1A	5/5/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5.3		UG/L	78	88	2
MW-95	W95M1A	8/31/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	78	88	2
MW-95	W95M1A	12/6/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	78	88	2
MW-95	W95M1D	12/6/2005	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.9		UG/L	78	88	2
MW-95	W95M1A	4/18/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.5		UG/L	78	88	2
MW-95	W95M1A	10/17/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	78	88	2
MW-95	MW-95M1	10/23/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	78	88	2
MW-98	W98M1A	5/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.1		UG/L	26	36	2
MW-99	W99M1A	5/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	60	70	2
MW-99	W99M1D	5/25/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	6.9		UG/L	60	70	2
MW-99	W99M1A	9/29/2000	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	60	70	2
MW-99	W99M1A	1/13/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.2		UG/L	60	70	2
MW-99	W99M1A	6/2/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.4		UG/L	60	70	2
MW-99	W99M1A	10/2/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.2		UG/L	60	70	2
OW-1	WOW-1A	11/15/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10	2
OW-1	WOW-1A	5/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	0	10	2
OW-1	WOW-1D	5/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.5		UG/L	0	10	2
OW-1	OW-1-A	9/4/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	0	10	2
OW-1	OW-1-A	1/16/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.2		UG/L	0	10	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
OW-1	OW-1-A	11/13/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	0	10	2
OW-1	OW-1-A	3/2/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.6		UG/L	0	10	2
OW-1	OW-1-A	9/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3.3		UG/L	0	10	2
OW-2	WOW-2A	11/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	3		UG/L	48.78	58.78	2
OW-2	WOW-2A	5/21/2002	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.2		UG/L	48.78	58.78	2
OW-2	OW-2-A	8/30/2002	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	48.78	58.78	2
OW-2	OW-2-A	1/23/2003	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	8.6		UG/L	48.78	58.78	2
OW-2	OW-2-A	11/13/2003	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	14		UG/L	48.78	58.78	2
OW-2	OW-2-A	3/2/2004	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	16		UG/L	48.78	58.78	2
OW-2	OW-2-A	9/28/2004	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	10		UG/L	48.78	58.78	2
OW-2	OW-2-A	11/21/2005	CIA	8330NX	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4		UG/L	48.78	58.78	2
OW-2	OW-2-A	11/16/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	48.78	58.78	2
OW-2	OW-2-D	11/16/2006	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	4.4		UG/L	48.78	58.78	2
OW-2	OW-2	5/23/2007	CIA	SW8330	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	5		UG/L	48.78	58.78	2
OW-6	WOW-6A	11/14/2001	CIA	8330N	HEXAHYDRO-1,3,5-TRINITRO-1,3,5-T	2.3		UG/L	46.8	56.8	2
ASWPWELL	ASWPWELL	7/20/1999	OTHER	E200.8	LEAD		53	UG/L			15
ASWPWELL	ASWPWELL	12/12/2000	OTHER	IM40PB	LEAD		20.9	UG/L			15
ASWPWELL	ASWPWELL	5/24/2001	OTHER	IM40MB	LEAD		30.4	UG/L			15
MW-2	W02SSA	2/23/1998	CIA	IM40MB	LEAD		20.1	UG/L	0	10	15
MW-45	W45SSA	8/23/2001	L RANGE; FS-12	IM40MB	LEAD		42.2	UG/L	0	10	15
MW-45	W45SSA	12/14/2001	L RANGE; FS-12	IM40MB	LEAD		42.8	UG/L	0	10	15
MW-45	W45SSA	6/9/2003	L RANGE; FS-12	IM40MB	LEAD		619	UG/L	0	10	15
MW-45	W45SSL	6/9/2003	L RANGE; FS-12	IM40MB	LEAD		516	UG/L	0	10	15
MW-45	W45SSA	7/28/2003	L RANGE; FS-12	IM40MB	LEAD		326	UG/L	0	10	15
MW-45	W45SSA	1/21/2004	L RANGE; FS-12	IM40MB	LEAD		50.7	UG/L	0	10	15
MW-45	W45SSA	6/30/2004	L RANGE; FS-12	IM40MBM	LEAD		35.2	UG/L	0	10	15
MW-45	W45SSA	9/29/2004	L RANGE; FS-12	IM40MBM	LEAD		35.7	UG/L	0	10	15
MW-45	W45SSA	1/6/2005	L RANGE; FS-12	IM40MBM	LEAD		24.9	UG/L	0	10	15
MW-45	W45SSX	1/6/2005	L RANGE; FS-12	IM40MBM	LEAD		18.2	UG/L	0	10	15
MW-45	W45SSA	6/6/2005	L RANGE; FS-12	IM40MBM	LEAD		21.4	UG/L	0	10	15
MW-45	W45SSA	9/15/2005	L RANGE; FS-12	IM40MB	LEAD		20	UG/L	0	10	15
MW-45	W45SSD	9/15/2005	L RANGE; FS-12	IM40MB	LEAD		16.4	UG/L	0	10	15

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-7	W07M1A	9/7/1999	CIA	IM40MB	LEAD	40.2		UG/L	135	140	15
MW-7	W07M1D	9/7/1999	CIA	IM40MB	LEAD	18.3		UG/L	135	140	15
MW-45	W45SSA	6/9/2003	L RANGE; FS-12	OC21V	METHYLENE CHLORIDE	5 J		UG/L	0	10	5
MW-45	W45SSA	7/28/2003	L RANGE; FS-12	OC21V	METHYLENE CHLORIDE	8 J		UG/L	0	10	5
MW-2	W02SSA	2/23/1998	CIA	IM40MB	MOLYBDENUM	72.1		UG/L	0	10	40
MW-2	W02SSL	2/23/1998	CIA	IM40MB	MOLYBDENUM	63.3		UG/L	0	10	40
MW-46	W46M2A	3/30/1999	WESTERN BOUNDARY	IM40MB	MOLYBDENUM	48.9		UG/L	56	66	40
MW-46	W46M2L	3/30/1999	WESTERN BOUNDARY	IM40MB	MOLYBDENUM	51		UG/L	56	66	40
MW-47	W47M3A	3/29/1999	OTHER	IM40MB	MOLYBDENUM	43.1		UG/L	21	31	40
MW-47	W47M3L	3/29/1999	OTHER	IM40MB	MOLYBDENUM	40.5		UG/L	21	31	40
MW-52	W52M3A	4/7/1999	OTHER	IM40MB	MOLYBDENUM	72.6		UG/L	59	64	40
MW-52	W52M3L	4/7/1999	OTHER	IM40MB	MOLYBDENUM	67.6		UG/L	59	64	40
MW-52	W52DDA	4/2/1999	OTHER	IM40MB	MOLYBDENUM	51.1		UG/L	218	228	40
MW-52	W52DDL	4/2/1999	OTHER	IM40MB	MOLYBDENUM	48.9		UG/L	218	228	40
MW-53	W53M1A	5/3/1999	OTHER	IM40MB	MOLYBDENUM	122		UG/L	99	109	40
MW-53	W53M1L	5/3/1999	OTHER	IM40MB	MOLYBDENUM	132		UG/L	99	109	40
MW-53	W53M1A	8/30/1999	OTHER	IM40MB	MOLYBDENUM	55.2		UG/L	99	109	40
MW-53	W53M1L	8/30/1999	OTHER	IM40MB	MOLYBDENUM	54.1		UG/L	99	109	40
MW-53	W53M1A	11/5/1999	OTHER	IM40MB	MOLYBDENUM	41.2		UG/L	99	109	40
MW-54	W54SSA	4/30/1999	OTHER	IM40MB	MOLYBDENUM	56.7		UG/L	0	10	40
MW-54	W54SSL	4/30/1999	OTHER	IM40MB	MOLYBDENUM	66.2		UG/L	0	10	40
MW-54	W54SSA	8/27/1999	OTHER	IM40MB	MOLYBDENUM	61.4		UG/L	0	10	40
MW-54	W54M2A	8/27/1999	OTHER	IM40MB	MOLYBDENUM	43.7		UG/L	59	69	40
MW-54	W54M2L	8/27/1999	OTHER	IM40MB	MOLYBDENUM	43.2		UG/L	59	69	40
MW-241	W241M1A	1/31/2005	L RANGE	SW8270	NAPHTHALENE	130		UG/L	2.75	12.75	100
MW-241	W241M1A	11/7/2005	L RANGE	SW8270	NAPHTHALENE	140		UG/L	2.75	12.75	100
MW-241	W241M1D	11/7/2005	L RANGE	SW8270	NAPHTHALENE	160		UG/L	2.75	12.75	100
MW-41	W41M1A	5/18/2000	CIA	8151	PENTACHLOROPHENOL	1.8 J		UG/L	108	118	1
16MW0001	16MW0001-	5/13/2002	CS-18	E314.0	PERCHLORATE	2.7		UG/L			2
16MW0001	16MW0001-	7/12/2002	CS-18	E314.0	PERCHLORATE	4.3		UG/L			2
27MW0031B	27MW0031B-	4/20/2001	LF-1	E314.0	PERCHLORATE	17.7		UG/L			2
27MW0031B	27MW0031B-	7/5/2001	LF-1	E314.0	PERCHLORATE	15.1		UG/L			2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
27MW0031B	27MW0031B-	1/3/2002	LF-1	E314.0	PERCHLORATE	9.3		UG/L			2
27MW0031B	27MW0031B-FD	1/3/2002	LF-1	E314.0	PERCHLORATE	8.8		UG/L			2
27MW0031B	27MW0031B-	3/29/2002	LF-1	E314.0	PERCHLORATE	8.3		UG/L			2
27MW0031B	27MW0031B-	7/17/2002	LF-1	E314.0	PERCHLORATE	5.3		UG/L			2
27MW0031B	27MW0031B-FD	7/17/2002	LF-1	E314.0	PERCHLORATE	5.3		UG/L			2
27MW0031B	27MW0031B-	1/6/2003	LF-1	E314.0	PERCHLORATE	3.7		UG/L			2
27MW0031B	CHPH00019-Q04	8/27/2003	LF-1	E314.0	PERCHLORATE	2.1		UG/L			2
27MW0031B	CHPH10019-Q04	8/27/2003	LF-1	E314.0	PERCHLORATE	2.1		UG/L			2
4036009DC	GLSKRKNK-A	12/20/2002	NW CORNER	E314.0	PERCHLORATE	5.26		UG/L			2
4036009DC	GLSKRKNK-D	12/20/2002	NW CORNER	E314.0	PERCHLORATE	5.51		UG/L			2
4036009DC	GLSKRKNK-A	1/8/2003	NW CORNER	E314.0	PERCHLORATE	6.06		UG/L			2
4036009DC	GLSKRKNK-D	1/8/2003	NW CORNER	E314.0	PERCHLORATE	5.99		UG/L			2
4036009DC	4036009DC-A	9/3/2003	NW CORNER	E314.0	PERCHLORATE	4.15		UG/L			2
4036009DC	4036009DC-A	11/24/2003	NW CORNER	E314.0	PERCHLORATE	4.88		UG/L			2
4036009DC	4036009DC-A	2/17/2004	NW CORNER	E314.0	PERCHLORATE	5.13		UG/L			2
4036009DC	4036009DC-A	5/19/2004	NW CORNER	E314.0	PERCHLORATE	5.36		UG/L			2
4036009DC	4036009DC-D	5/19/2004	NW CORNER	E314.0	PERCHLORATE	5.23		UG/L			2
4036009DC	4036009DC-A	8/18/2004	NW CORNER	E314.0	PERCHLORATE	5.63		UG/L			2
4036009DC	4036009DC-A	12/13/2004	NW CORNER	E314.0	PERCHLORATE	5.03		UG/L			2
4036009DC	4036009DC-A	4/4/2005	NW CORNER	E314.0	PERCHLORATE	4.6 J		UG/L			2
4036009DC	4036009_0805	8/23/2005	NW CORNER	E314.0	PERCHLORATE	3.9		UG/L			2
4036009DC	4036009_1105	11/21/2005	NW CORNER	E314.0	PERCHLORATE	3.6		UG/L			2
58MW0009C	58MW0009C-A	3/11/2005	CS-19	E314.0	PERCHLORATE	2.2		UG/L	41	47	2
58MW0009C	58MW0009C-A	5/19/2005	CS-19	E314.0	PERCHLORATE	2.5 J		UG/L	41	47	2
58MW0009C	58MW0009C-A	1/11/2006	CS-19	E314.0	PERCHLORATE	2.1		UG/L	41	47	2
58MW0015	58MW0015A	4/11/2002	CS-19	E314.0	PERCHLORATE	2.09		UG/L	36	45	2
58MW0015	58MW0015A-A	8/27/2002	CS-19	E314.0	PERCHLORATE	2		UG/L	36	45	2
58MW0015	58MW0015A-A	2/5/2003	CS-19	E314.0	PERCHLORATE	2.5 J		UG/L	36	45	2
58MW0015	58MW0015A-A	5/9/2003	CS-19	E314.0	PERCHLORATE	2.2		UG/L	36	45	2
58MW0015	58MW0015A-A	10/9/2003	CS-19	E314.0	PERCHLORATE	2		UG/L	36	45	2
58MW0015	58MW0015A-A	5/6/2004	CS-19	E314.0	PERCHLORATE	2.1 J		UG/L	36	45	2
90MW0022	90MW0022	5/19/2001	J-3 RANGE	E314.0	PERCHLORATE	2 J		UG/L	72.79	77.79	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
90MW0022	90MW0022	9/5/2001	J-3 RANGE	E314.0	PERCHLORATE	2J		UG/L	72.79	77.79	2
90MW0022	90MW0022-A	5/17/2004	J-3 RANGE	E314.0	PERCHLORATE	3.4		UG/L	72.79	77.79	2
90MW0022	90MW0022-D	5/17/2004	J-3 RANGE	E314.0	PERCHLORATE	3.5		UG/L	72.79	77.79	2
90MW0022	90MW0022-A	9/21/2004	J-3 RANGE	E314.0	PERCHLORATE	4.3		UG/L	72.79	77.79	2
90MW0022	90MW0022-A	11/30/2004	J-3 RANGE	E314.0	PERCHLORATE	4J		UG/L	72.79	77.79	2
90MW0022	90MW0022-A	6/9/2005	J-3 RANGE	E314.0	PERCHLORATE	9.8		UG/L	72.79	77.79	2
90MW0022	90MW0022-A	8/11/2005	J-3 RANGE	E314.0	PERCHLORATE	10.2		UG/L	72.79	77.79	2
90MW0022	90MW0022-A	12/2/2005	J-3 RANGE	E314.0	PERCHLORATE	15.1		UG/L	72.79	77.79	2
90MW0022	90MW0022	9/25/2007	J-3 RANGE	E314.0	PERCHLORATE	6.16		UG/L	72.79	77.79	2
90MW0054	90MW0054AA	1/30/2001	J-3 RANGE	E314.0	PERCHLORATE	9		UG/L	91.83	96.83	2
90MW0054	90MW0054AD	1/30/2001	J-3 RANGE	E314.0	PERCHLORATE	10		UG/L	91.83	96.83	2
90MW0054	90MW0054	10/24/2001	J-3 RANGE	E314.0	PERCHLORATE	27.8		UG/L	91.83	96.83	2
90MW0054	90MW0054	12/13/2001	J-3 RANGE	E314.0	PERCHLORATE	32.1		UG/L	91.83	96.83	2
90MW0054	90MW0054	4/20/2002	J-3 RANGE	E314.0	PERCHLORATE	26.3	J	UG/L	91.83	96.83	2
90MW0054	90MW0054-A	9/12/2002	J-3 RANGE	E314.0	PERCHLORATE	19J		UG/L	91.83	96.83	2
90MW0054	90MW0054-A	12/30/2002	J-3 RANGE	E314.0	PERCHLORATE	17		UG/L	91.83	96.83	2
90MW0054	90MW0054-A	5/1/2003	J-3 RANGE	E314.0	PERCHLORATE	7.5		UG/L	91.83	96.83	2
90MW0054	90MW0054-A	10/4/2003	J-3 RANGE	E314.0	PERCHLORATE	4.3	J	UG/L	91.83	96.83	2
90MW0054	90MW0054-D	10/4/2003	J-3 RANGE	E314.0	PERCHLORATE	4.4	J	UG/L	91.83	96.83	2
90MW0054	90MW0054-A	2/18/2004	J-3 RANGE	E314.0	PERCHLORATE	4.2		UG/L	91.83	96.83	2
90MW0054	90MW0054-A	5/17/2004	J-3 RANGE	E314.0	PERCHLORATE	2.6		UG/L	91.83	96.83	2
90PZ0211	90PZ0211	9/19/2007	J-3 RANGE	E314.0	PERCHLORATE	2.7		UG/L			2
90PZ0211	90PZ0211A-A	9/11/2003	J-3 RANGE	E314.0	PERCHLORATE	2.99		UG/L	76.85	76.85	2
90PZ0211	90PZ0211A-A	5/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5		UG/L	76.85	76.85	2
90PZ0211	90PZ0211A-A	9/23/2004	J-3 RANGE	E314.0	PERCHLORATE	7.4		UG/L	76.85	76.85	2
90PZ0211	90PZ0211A-A	10/21/2005	J-3 RANGE	E314.0	PERCHLORATE	3.1		UG/L	76.85	76.85	2
90PZ0211	90PZ0211B-A	9/11/2003	J-3 RANGE	E314.0	PERCHLORATE	2.94		UG/L	86.85	86.85	2
90PZ0211	90PZ0211B-D	9/11/2003	J-3 RANGE	E314.0	PERCHLORATE	2.97		UG/L	86.85	86.85	2
90PZ0211	90PZ0211B-A	5/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.3		UG/L	86.85	86.85	2
90PZ0211	90PZ0211B-A	9/23/2004	J-3 RANGE	E314.0	PERCHLORATE	8.1		UG/L	86.85	86.85	2
90PZ0211	90PZ0211B-A	6/2/2005	J-3 RANGE	E314.0	PERCHLORATE	2.8		UG/L	86.85	86.85	2
90PZ0211	90PZ0211B-A	10/21/2005	J-3 RANGE	E314.0	PERCHLORATE	2.3		UG/L	86.85	86.85	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
90PZ0211	90PZ0211C-A	9/11/2003	J-3 RANGE	E314.0	PERCHLORATE	3.8		UG/L	96.85	96.85	2
90PZ0211	90PZ0211C-A	5/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7		UG/L	96.85	96.85	2
90PZ0211	90PZ0211C-A	9/23/2004	J-3 RANGE	E314.0	PERCHLORATE	9.4		UG/L	96.85	96.85	2
90WT0013	90WT0013-A	9/8/2003	L RANGE	E314.0	PERCHLORATE	2.8	J	UG/L	0	10	2
MW-101	W101M1A	1/20/2001	CIA	E314.0	PERCHLORATE	3	J	UG/L	27	37	2
MW-114	W114M2A	12/29/2000	DEMO 1	E314.0	PERCHLORATE	300		UG/L	39	49	2
MW-114	W114M2A	3/14/2001	DEMO 1	E314.0	PERCHLORATE	260		UG/L	39	49	2
MW-114	W114M2A	6/19/2001	DEMO 1	E314.0	PERCHLORATE	207		UG/L	39	49	2
MW-114	W114M2A	1/10/2002	DEMO 1	E314.0	PERCHLORATE	127		UG/L	39	49	2
MW-114	W114M2A	5/29/2002	DEMO 1	E314.0	PERCHLORATE	72		UG/L	39	49	2
MW-114	W114M2A	8/9/2002	DEMO 1	E314.0	PERCHLORATE	64		UG/L	39	49	2
MW-114	W114M2A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	71		UG/L	39	49	2
MW-114	W114M2A	5/27/2003	DEMO 1	E314.0	PERCHLORATE	56		UG/L	39	49	2
MW-114	W114M2A	10/1/2003	DEMO 1	E314.0	PERCHLORATE	52	J	UG/L	39	49	2
MW-114	W114M2A	2/9/2004	DEMO 1	E314.0	PERCHLORATE	42.3		UG/L	39	49	2
MW-114	W114M2A	4/19/2004	DEMO 1	E314.0	PERCHLORATE	37.7		UG/L	39	49	2
MW-114	W114M2A	7/30/2004	DEMO 1	E314.0	PERCHLORATE	40.8		UG/L	39	49	2
MW-114	W114M2A	4/13/2005	DEMO 1	E314.0	PERCHLORATE	54		UG/L	39	49	2
MW-114	MW-114M2-	4/18/2006	DEMO 1	E314.0	PERCHLORATE	103		UG/L	39	49	2
MW-114	MW-114M2	4/19/2007	DEMO 1	E314.0	PERCHLORATE	92.7		UG/L	39	49	2
MW-114	W114M1A	12/28/2000	DEMO 1	E314.0	PERCHLORATE	11		UG/L	96	106	2
MW-114	W114M1A	3/14/2001	DEMO 1	E314.0	PERCHLORATE	13		UG/L	96	106	2
MW-114	W114M1A	6/18/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	96	106	2
MW-114	W114M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	22.1		UG/L	96	106	2
MW-114	W114M1A	6/21/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	96	106	2
MW-114	W114M1A	8/9/2002	DEMO 1	E314.0	PERCHLORATE	14		UG/L	96	106	2
MW-114	W114M1A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	11		UG/L	96	106	2
MW-114	W114M1A	5/27/2003	DEMO 1	E314.0	PERCHLORATE	9.6		UG/L	96	106	2
MW-114	W114M1A	10/2/2003	DEMO 1	E314.0	PERCHLORATE	7.7	J	UG/L	96	106	2
MW-114	W114M1A	2/9/2004	DEMO 1	E314.0	PERCHLORATE	13.4		UG/L	96	106	2
MW-114	W114M1A	4/19/2004	DEMO 1	E314.0	PERCHLORATE	9.67		UG/L	96	106	2
MW-114	W114M1A	7/30/2004	DEMO 1	E314.0	PERCHLORATE	4.36		UG/L	96	106	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-114	MW-114M1	4/19/2007	DEMO 1	E314.0	PERCHLORATE	2.91		UG/L	96	106	2
MW-125	W125M1A	2/20/2001	J-3 RANGE	E314.0	PERCHLORATE	3 J		UG/L	182	192	2
MW-127	W127SSA	2/14/2001	J-1 RANGE	E314.0	PERCHLORATE	4 J		UG/L	0	10	2
MW-128	W128SSA	2/14/2001	J-3 RANGE	E314.0	PERCHLORATE	3 J		UG/L	0	10	2
MW-129	W129M3A	8/19/2002	DEMO 1	E314.0	PERCHLORATE	2 J		UG/L	26	36	2
MW-129	W129M2A	3/14/2001	DEMO 1	E314.0	PERCHLORATE	6		UG/L	46	56	2
MW-129	W129M2A	6/20/2001	DEMO 1	E314.0	PERCHLORATE	8		UG/L	46	56	2
MW-129	W129M2A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	6.93 J		UG/L	46	56	2
MW-129	W129M2A	8/19/2002	DEMO 1	E314.0	PERCHLORATE	13		UG/L	46	56	2
MW-129	W129M2A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	16		UG/L	46	56	2
MW-129	W129M2D	11/13/2002	DEMO 1	E314.0	PERCHLORATE	15		UG/L	46	56	2
MW-129	W129M2A	3/24/2003	DEMO 1	E314.0	PERCHLORATE	14 J		UG/L	46	56	2
MW-129	W129M2A	10/2/2003	DEMO 1	E314.0	PERCHLORATE	6.7 J		UG/L	46	56	2
MW-129	W129M2A	2/10/2004	DEMO 1	E314.0	PERCHLORATE	5.13		UG/L	46	56	2
MW-129	W129M2A	4/7/2004	DEMO 1	E314.0	PERCHLORATE	5.27		UG/L	46	56	2
MW-129	W129M2A	8/6/2004	DEMO 1	E314.0	PERCHLORATE	4.74		UG/L	46	56	2
MW-129	W129M2A	4/5/2005	DEMO 1	E314.0	PERCHLORATE	4.5 J		UG/L	46	56	2
MW-129	MW-129M2-	4/19/2006	DEMO 1	E314.0	PERCHLORATE	60.1		UG/L	46	56	2
MW-129	MW-129M2	4/19/2007	DEMO 1	E314.0	PERCHLORATE	15.5		UG/L	46	56	2
MW-129	W129M1A	1/2/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	66	76	2
MW-129	W129M1A	3/14/2001	DEMO 1	E314.0	PERCHLORATE	9		UG/L	66	76	2
MW-129	W129M1A	6/19/2001	DEMO 1	E314.0	PERCHLORATE	6		UG/L	66	76	2
MW-129	W129M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	5.92 J		UG/L	66	76	2
MW-129	W129M1A	4/12/2002	DEMO 1	E314.0	PERCHLORATE	4.63		UG/L	66	76	2
MW-129	W129M1A	11/13/2002	DEMO 1	E314.0	PERCHLORATE	2.2		UG/L	66	76	2
MW-129	W129M1A	3/21/2003	DEMO 1	E314.0	PERCHLORATE	5.9 J		UG/L	66	76	2
MW-129	W129M1A	10/2/2003	DEMO 1	E314.0	PERCHLORATE	8.5 J		UG/L	66	76	2
MW-129	W129M1A	2/10/2004	DEMO 1	E314.0	PERCHLORATE	6.62		UG/L	66	76	2
MW-129	W129M1A	4/7/2004	DEMO 1	E314.0	PERCHLORATE	6.54		UG/L	66	76	2
MW-129	W129M1A	8/6/2004	DEMO 1	E314.0	PERCHLORATE	3.68		UG/L	66	76	2
MW-129	MW-129M1-	4/19/2006	DEMO 1	E314.0	PERCHLORATE	4.34		UG/L	66	76	2
MW-129	MW-129M1	4/18/2007	DEMO 1	E314.0	PERCHLORATE	28 J		UG/L	66	76	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-130	W130SSA	2/14/2001	J-2 RANGE	E314.0	PERCHLORATE	3 J		UG/L	0	10	2
MW-130	W130SSA	6/14/2001	J-2 RANGE	E314.0	PERCHLORATE	3 J		UG/L	0	10	2
MW-130	W130SSD	6/14/2001	J-2 RANGE	E314.0	PERCHLORATE	3 J		UG/L	0	10	2
MW-130	W130SSA	12/13/2001	J-2 RANGE	E314.0	PERCHLORATE	4.21		UG/L	0	10	2
MW-130	W130SSD	12/13/2001	J-2 RANGE	E314.0	PERCHLORATE	4.1		UG/L	0	10	2
MW-130	W130SSA	8/27/2002	J-2 RANGE	E314.0	PERCHLORATE	2.7 J		UG/L	0	10	2
MW-130	W130SSA	3/27/2003	J-2 RANGE	E314.0	PERCHLORATE	3		UG/L	0	10	2
MW-130	W130SSA	11/10/2003	J-2 RANGE	E314.0	PERCHLORATE	2.4		UG/L	0	10	2
MW-130	W130SSA	3/10/2004	J-2 RANGE	E314.0	PERCHLORATE	2.2		UG/L	0	10	2
MW-130	W130SSA	8/2/2004	J-2 RANGE	E314.0	PERCHLORATE	3.6 J		UG/L	0	10	2
MW-130	W130SSA	11/17/2004	J-2 RANGE	E314.0	PERCHLORATE	2.79 J		UG/L	0	10	2
MW-130	W130SSA	3/10/2005	J-2 RANGE	E314.0	PERCHLORATE	3.3		UG/L	0	10	2
MW-130	W130SSA	5/31/2005	J-2 RANGE	E314.0	PERCHLORATE	2.1		UG/L	0	10	2
MW-130	W130SSA	11/5/2005	J-2 RANGE	E314.0	PERCHLORATE	2.6		UG/L	0	10	2
MW-130	W130SSA	2/1/2006	J-2 RANGE	E314.0	PERCHLORATE	3.1		UG/L	0	10	2
MW-130	W130SSD	2/1/2006	J-2 RANGE	E314.0	PERCHLORATE	3.2		UG/L	0	10	2
MW-132	W132SSA	11/9/2000	J-3 RANGE	E314.0	PERCHLORATE	39 J		UG/L	0	10	2
MW-132	W132SSA	2/16/2001	J-3 RANGE	E314.0	PERCHLORATE	65		UG/L	0	10	2
MW-132	W132SSA	6/15/2001	J-3 RANGE	E314.0	PERCHLORATE	75		UG/L	0	10	2
MW-132	W132SSA	12/12/2001	J-3 RANGE	E314.0	PERCHLORATE	27.4		UG/L	0	10	2
MW-132	W132SSA	6/28/2002	J-3 RANGE	E314.0	PERCHLORATE	28		UG/L	0	10	2
MW-132	W132SSA	9/20/2002	J-3 RANGE	E314.0	PERCHLORATE	13 J		UG/L	0	10	2
MW-132	W132SSA	12/10/2002	J-3 RANGE	E314.0	PERCHLORATE	20		UG/L	0	10	2
MW-132	W132SSA	3/27/2003	J-3 RANGE	E314.0	PERCHLORATE	17		UG/L	0	10	2
MW-132	W132SSA	11/4/2003	J-3 RANGE	E314.0	PERCHLORATE	11		UG/L	0	10	2
MW-132	W132SSA	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	17 J		UG/L	0	10	2
MW-132	W132SSA	5/18/2004	J-3 RANGE	E314.0	PERCHLORATE	13		UG/L	0	10	2
MW-132	W132SSA	10/1/2004	J-3 RANGE	E314.0	PERCHLORATE	7.6		UG/L	0	10	2
MW-132	W132SSA	3/9/2005	J-3 RANGE	E314.0	PERCHLORATE	4.5		UG/L	0	10	2
MW-132	W132SSD	3/9/2005	J-3 RANGE	E314.0	PERCHLORATE	4.6		UG/L	0	10	2
MW-132	W132SSA	6/14/2005	J-3 RANGE	E314.0	PERCHLORATE	2.2		UG/L	0	10	2
MW-139	W139M2A	12/29/2000	DEMO 1	E314.0	PERCHLORATE	8		UG/L	70	80	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-139	W139M2A	3/15/2001	DEMO 1	E314.0	PERCHLORATE	11	J	UG/L	70	80	2
MW-139	W139M2A	6/20/2001	DEMO 1	E314.0	PERCHLORATE	3	J	UG/L	70	80	2
MW-139	W139M2A	4/17/2002	DEMO 1	E314.0	PERCHLORATE	2.77		UG/L	70	80	2
MW-139	W139M2A	10/10/2003	DEMO 1	E314.0	PERCHLORATE	13		UG/L	70	80	2
MW-139	W139M2A	8/4/2004	DEMO 1	E314.0	PERCHLORATE	3.5	J	UG/L	70	80	2
MW-139	W139M2A	4/7/2005	DEMO 1	E314.0	PERCHLORATE	2.94		UG/L	70	80	2
MW-139	MW-139M2-	4/13/2006	DEMO 1	E314.0	PERCHLORATE	3.86		UG/L	70	80	2
MW-139	MW-139M1	4/18/2007	DEMO 1	E314.0	PERCHLORATE	2.55	J	UG/L	110	120	2
MW-142	W142M2A	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	2.2	J	UG/L	100	110	2
MW-142	W142M2A	9/3/2004	J-3 RANGE	E314.0	PERCHLORATE	2	J	UG/L	100	110	2
MW-142	W142M2A	11/17/2004	J-3 RANGE	E314.0	PERCHLORATE	2.22	J	UG/L	100	110	2
MW-142	W142M2A	6/3/2005	J-3 RANGE	E314.0	PERCHLORATE	3		UG/L	100	110	2
MW-142	W142M2A	7/21/2005	J-3 RANGE	E314.0	PERCHLORATE	2.1		UG/L	100	110	2
MW-142	W142M2A	12/13/2005	J-3 RANGE	E314.0	PERCHLORATE	2.8		UG/L	100	110	2
MW-142	MW-142M2	9/5/2007	J-3 RANGE	E314.0	PERCHLORATE	37.3	J	UG/L	100	110	2
MW-143	W143M3A	9/6/2002	J-3 RANGE	E314.0	PERCHLORATE	2.3		UG/L	77	82	2
MW-143	W143M3A	11/25/2002	J-3 RANGE	E314.0	PERCHLORATE	2.4		UG/L	77	82	2
MW-143	W143M3A	6/4/2003	J-3 RANGE	E314.0	PERCHLORATE	2.5		UG/L	77	82	2
MW-143	W143M3A	8/28/2003	J-3 RANGE	E314.0	PERCHLORATE	2.4		UG/L	77	82	2
MW-143	W143M3D	8/28/2003	J-3 RANGE	E314.0	PERCHLORATE	2.3		UG/L	77	82	2
MW-143	W143M3A	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	3.1	J	UG/L	77	82	2
MW-143	W143M3D	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	3	J	UG/L	77	82	2
MW-143	W143M3A	5/7/2004	J-3 RANGE	E314.0	PERCHLORATE	12	J	UG/L	77	82	2
MW-143	W143M3D	5/7/2004	J-3 RANGE	E314.0	PERCHLORATE	12	J	UG/L	77	82	2
MW-143	W143M3A	9/20/2004	J-3 RANGE	E314.0	PERCHLORATE	12		UG/L	77	82	2
MW-143	W143M3A	1/11/2005	J-3 RANGE	E314.0	PERCHLORATE	10		UG/L	77	82	2
MW-143	W143M3A	6/13/2005	J-3 RANGE	E314.0	PERCHLORATE	13		UG/L	77	82	2
MW-143	W143M3A	7/28/2005	J-3 RANGE	E314.0	PERCHLORATE	11.3		UG/L	77	82	2
MW-143	W143M3A	12/13/2005	J-3 RANGE	E314.0	PERCHLORATE	15.8		UG/L	77	82	2
MW-143	MW-143M3	9/5/2007	J-3 RANGE	E314.0	PERCHLORATE	8.15	J	UG/L	77	82	2
MW-143	W143M2A	6/2/2003	J-3 RANGE	E314.0	PERCHLORATE	3.6		UG/L	87	92	2
MW-143	W143M2A	8/28/2003	J-3 RANGE	E314.0	PERCHLORATE	3.02		UG/L	87	92	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-143	W143M2A	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	4.4	J	UG/L	87	92	2
MW-143	W143M2A	5/7/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7	J	UG/L	87	92	2
MW-143	W143M2A	9/20/2004	J-3 RANGE	E314.0	PERCHLORATE	7.3		UG/L	87	92	2
MW-143	W143M2A	1/6/2005	J-3 RANGE	E314.0	PERCHLORATE	7.5		UG/L	87	92	2
MW-143	W143M2A	6/13/2005	J-3 RANGE	E314.0	PERCHLORATE	7		UG/L	87	92	2
MW-143	W143M2A	7/28/2005	J-3 RANGE	E314.0	PERCHLORATE	5.8		UG/L	87	92	2
MW-143	W143M2A	12/12/2005	J-3 RANGE	E314.0	PERCHLORATE	9.5		UG/L	87	92	2
MW-143	W143M2D	12/12/2005	J-3 RANGE	E314.0	PERCHLORATE	9.5		UG/L	87	92	2
MW-143	MW-143M2	9/5/2007	J-3 RANGE	E314.0	PERCHLORATE	5.9	J	UG/L	87	92	2
MW-143	W143M1A	12/18/2003	J-3 RANGE	E314.0	PERCHLORATE	2.6	J	UG/L	114	124	2
MW-143	W143M1A	5/7/2004	J-3 RANGE	E314.0	PERCHLORATE	5	J	UG/L	114	124	2
MW-143	W143M1A	9/20/2004	J-3 RANGE	E314.0	PERCHLORATE	5.5		UG/L	114	124	2
MW-143	W143M1A	1/12/2005	J-3 RANGE	E314.0	PERCHLORATE	4		UG/L	114	124	2
MW-143	W143M1A	6/13/2005	J-3 RANGE	E314.0	PERCHLORATE	4.9		UG/L	114	124	2
MW-143	W143M1A	8/19/2005	J-3 RANGE	E314.0	PERCHLORATE	5.2		UG/L	114	124	2
MW-143	W143M1A	12/12/2005	J-3 RANGE	E314.0	PERCHLORATE	5.5		UG/L	114	124	2
MW-158	W158SSA	6/12/2001	J-2 RANGE	E314.0	PERCHLORATE	2	J	UG/L	2	12	2
MW-162	W162M2A	4/18/2002	DEMO 1	E314.0	PERCHLORATE	2.03		UG/L	49.28	59.28	2
MW-162	W162M2A	8/8/2002	DEMO 1	E314.0	PERCHLORATE	2.4	J	UG/L	49.28	59.28	2
MW-162	W162M2D	8/8/2002	DEMO 1	E314.0	PERCHLORATE	2	J	UG/L	49.28	59.28	2
MW-162	W162M2A	3/27/2003	DEMO 1	E314.0	PERCHLORATE	3.5	J	UG/L	49.28	59.28	2
MW-162	W162M2D	3/27/2003	DEMO 1	E314.0	PERCHLORATE	3.4	J	UG/L	49.28	59.28	2
MW-162	W162M2A	10/10/2003	DEMO 1	E314.0	PERCHLORATE	4.4		UG/L	49.28	59.28	2
MW-162	W162M2A	3/1/2004	DEMO 1	E314.0	PERCHLORATE	3.91	J	UG/L	49.28	59.28	2
MW-162	W162M2A	4/16/2004	DEMO 1	E314.0	PERCHLORATE	4.11		UG/L	49.28	59.28	2
MW-162	W162M2A	7/28/2004	DEMO 1	E314.0	PERCHLORATE	6.2		UG/L	49.28	59.28	2
MW-162	W162M2A	12/7/2004	DEMO 1	E314.0	PERCHLORATE	10	J	UG/L	49.28	59.28	2
MW-162	W162M2A	6/21/2005	DEMO 1	E314.0	PERCHLORATE	5.1	J	UG/L	49.28	59.28	2
MW-162	MW-162M2-	12/12/2005	DEMO 1	E314.0	PERCHLORATE	4.6		UG/L	49.28	59.28	2
MW-162	MW-162M2-	4/18/2006	DEMO 1	E314.0	PERCHLORATE	4.33		UG/L	49.28	59.28	2
MW-163	W163SSA	6/14/2001	J-3 RANGE	E314.0	PERCHLORATE	67		UG/L	0	10	2
MW-163	W163SSA	10/10/2001	J-3 RANGE	E314.0	PERCHLORATE	39.6		UG/L	0	10	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-163	W163SSA	2/5/2002	J-3 RANGE	E314.0	PERCHLORATE	17.9		UG/L	0	10	2
MW-163	W163SSA	3/7/2002	J-3 RANGE	E314.0	PERCHLORATE	33.1		UG/L	0	10	2
MW-163	W163SSA	7/2/2002	J-3 RANGE	E314.0	PERCHLORATE	46		UG/L	0	10	2
MW-163	W163SSA	1/8/2003	J-3 RANGE	E314.0	PERCHLORATE	62		UG/L	0	10	2
MW-163	W163SSA	3/27/2003	J-3 RANGE	E314.0	PERCHLORATE	44		UG/L	0	10	2
MW-163	W163SSA	11/4/2003	J-3 RANGE	E314.0	PERCHLORATE	31		UG/L	0	10	2
MW-163	W163SSA	2/13/2004	J-3 RANGE	E314.0	PERCHLORATE	41		UG/L	0	10	2
MW-163	W163SSA	5/11/2004	J-3 RANGE	E314.0	PERCHLORATE	58	J	UG/L	0	10	2
MW-163	W163SSA	10/1/2004	J-3 RANGE	E314.0	PERCHLORATE	28		UG/L	0	10	2
MW-163	W163SSA	3/10/2005	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	0	10	2
MW-163	W163SSA	6/8/2005	J-3 RANGE	E314.0	PERCHLORATE	85	J	UG/L	0	10	2
MW-163	W163SSA	11/9/2005	J-3 RANGE	E314.0	PERCHLORATE	28.7		UG/L	0	10	2
MW-163	W163SSA	3/13/2006	J-3 RANGE	E314.0	PERCHLORATE	33.2		UG/L	0	10	2
MW-165	W165M2A	5/8/2001	DEMO 1	E314.0	PERCHLORATE	122	J	UG/L	46	56	2
MW-165	W165M2A	8/16/2001	DEMO 1	E314.0	PERCHLORATE	102		UG/L	46	56	2
MW-165	W165M2A	1/10/2002	DEMO 1	E314.0	PERCHLORATE	81.2		UG/L	46	56	2
MW-165	W165M2A	4/18/2002	DEMO 1	E314.0	PERCHLORATE	83.5		UG/L	46	56	2
MW-165	W165M2A	8/10/2002	DEMO 1	E314.0	PERCHLORATE	64		UG/L	46	56	2
MW-165	W165M2A	11/26/2002	DEMO 1	E314.0	PERCHLORATE	78		UG/L	46	56	2
MW-165	W165M2A	3/27/2003	DEMO 1	E314.0	PERCHLORATE	110	J	UG/L	46	56	2
MW-165	W165M2A	9/11/2003	DEMO 1	E314.0	PERCHLORATE	57	J	UG/L	46	56	2
MW-165	W165M2D	9/11/2003	DEMO 1	E314.0	PERCHLORATE	58	J	UG/L	46	56	2
MW-165	W165M2A	3/1/2004	DEMO 1	E314.0	PERCHLORATE	50.9	J	UG/L	46	56	2
MW-165	W165M2D	3/1/2004	DEMO 1	E314.0	PERCHLORATE	50.9	J	UG/L	46	56	2
MW-165	W165M2A	4/9/2004	DEMO 1	E314.0	PERCHLORATE	39		UG/L	46	56	2
MW-165	W165M2A	8/6/2004	DEMO 1	E314.0	PERCHLORATE	41.3		UG/L	46	56	2
MW-165	W165M2A	12/7/2004	DEMO 1	E314.0	PERCHLORATE	94	J	UG/L	46	56	2
MW-165	W165M2A	4/14/2005	DEMO 1	E314.0	PERCHLORATE	9.8		UG/L	46	56	2
MW-165	MW-165M2-	12/15/2005	DEMO 1	E314.0	PERCHLORATE	5.92		UG/L	46	56	2
MW-165	MW-165M2-FD	12/15/2005	DEMO 1	E314.0	PERCHLORATE	6.14		UG/L	46	56	2
MW-165	MW-165M2-	4/14/2006	DEMO 1	E314.0	PERCHLORATE	3.89		UG/L	46	56	2
MW-165	MW-165M2	12/28/2006	DEMO 1	E314.0	PERCHLORATE	6.57		UG/L	46	56	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-165	MW-165M2	4/16/2007	DEMO 1	E314.0	PERCHLORATE	5.05		UG/L	46	56	2
MW-165	W165M1A	3/27/2003	DEMO 1	E314.0	PERCHLORATE	4	J	UG/L	106	116	2
MW-165	W165M1A	9/10/2003	DEMO 1	E314.0	PERCHLORATE	2.5		UG/L	106	116	2
MW-165	W165M1A	3/1/2004	DEMO 1	E314.0	PERCHLORATE	3.15	J	UG/L	106	116	2
MW-165	W165M1A	4/9/2004	DEMO 1	E314.0	PERCHLORATE	3.05		UG/L	106	116	2
MW-165	W165M1A	8/5/2004	DEMO 1	E314.0	PERCHLORATE	3.54	J	UG/L	106	116	2
MW-166	W166M3A	7/1/2002	J-1 RANGE	E314.0	PERCHLORATE	2		UG/L	19	29	2
MW-172	W172M2A	6/21/2001	DEMO 1	E314.0	PERCHLORATE	3	J	UG/L	104	114	2
MW-172	W172M2A	9/21/2001	DEMO 1	E314.0	PERCHLORATE	3.94	J	UG/L	104	114	2
MW-172	W172M2A	2/8/2002	DEMO 1	E314.0	PERCHLORATE	5.45		UG/L	104	114	2
MW-172	W172M2A	9/18/2002	DEMO 1	E314.0	PERCHLORATE	7.1		UG/L	104	114	2
MW-172	W172M2A	11/26/2002	DEMO 1	E314.0	PERCHLORATE	6.8		UG/L	104	114	2
MW-172	W172M2A	3/28/2003	DEMO 1	E314.0	PERCHLORATE	6.8	J	UG/L	104	114	2
MW-172	W172M2A	10/15/2003	DEMO 1	E314.0	PERCHLORATE	6.8		UG/L	104	114	2
MW-172	W172M2A	2/10/2004	DEMO 1	E314.0	PERCHLORATE	4.45		UG/L	104	114	2
MW-172	W172M2D	2/10/2004	DEMO 1	E314.0	PERCHLORATE	4.44		UG/L	104	114	2
MW-172	W172M2A	4/19/2004	DEMO 1	E314.0	PERCHLORATE	4.39		UG/L	104	114	2
MW-172	W172M2A	7/28/2004	DEMO 1	E314.0	PERCHLORATE	4.1		UG/L	104	114	2
MW-172	W172M2A	4/5/2005	DEMO 1	E314.0	PERCHLORATE	2.1	J	UG/L	104	114	2
MW-19	W19SSA	8/8/2000	DEMO 1	E314.0	PERCHLORATE	104	J	UG/L	0	10	2
MW-19	W19SSA	12/8/2000	DEMO 1	E314.0	PERCHLORATE	12		UG/L	0	10	2
MW-19	W19SSA	6/18/2001	DEMO 1	E314.0	PERCHLORATE	41		UG/L	0	10	2
MW-19	W19SSA	8/24/2001	DEMO 1	E314.0	PERCHLORATE	8.49		UG/L	0	10	2
MW-19	W19SSA	12/27/2001	DEMO 1	E314.0	PERCHLORATE	18.6	J	UG/L	0	10	2
MW-19	W19SSA	5/29/2002	DEMO 1	E314.0	PERCHLORATE	5.2		UG/L	0	10	2
MW-19	W19SSA	8/7/2002	DEMO 1	E314.0	PERCHLORATE	4.1	J	UG/L	0	10	2
MW-19	W19SSA	9/27/2003	DEMO 1	E314.0	PERCHLORATE	7.8	J	UG/L	0	10	2
MW-19	W19SSA	2/28/2004	DEMO 1	E314.0	PERCHLORATE	2.71	J	UG/L	0	10	2
MW-193	W193M1A	2/20/2002	J-3 RANGE	E314.0	PERCHLORATE	7.02		UG/L	23.8	28.8	2
MW-193	W193M1D	2/20/2002	J-3 RANGE	E314.0	PERCHLORATE	7.3		UG/L	23.8	28.8	2
MW-193	W193M1A	7/11/2002	J-3 RANGE	E314.0	PERCHLORATE	3.5		UG/L	23.8	28.8	2
MW-197	W197M3A	2/12/2002	J-3 RANGE	E314.0	PERCHLORATE	34.1		UG/L	39.4	44.4	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-197	W197M3A	7/18/2002	J-3 RANGE	E314.0	PERCHLORATE	54	J	UG/L	39.4	44.4	2
MW-197	W197M3A	10/30/2002	J-3 RANGE	E314.0	PERCHLORATE	41		UG/L	39.4	44.4	2
MW-197	W197M2A	2/4/2004	J-3 RANGE	E314.0	PERCHLORATE	19		UG/L	59.3	64.3	2
MW-197	W197M2A	4/13/2004	J-3 RANGE	E314.0	PERCHLORATE	23.3		UG/L	59.3	64.3	2
MW-197	W197M2A	5/26/2004	J-3 RANGE	E314.0	PERCHLORATE	20		UG/L	59.3	64.3	2
MW-197	W197M2A	10/5/2004	J-3 RANGE	E314.0	PERCHLORATE	22		UG/L	59.3	64.3	2
MW-197	W197M2A	3/17/2005	J-3 RANGE	E314.0	PERCHLORATE	14		UG/L	59.3	64.3	2
MW-197	W197M2A	6/7/2005	J-3 RANGE	E314.0	PERCHLORATE	11		UG/L	59.3	64.3	2
MW-198	W198M4A	2/21/2002	J-3 RANGE	E314.0	PERCHLORATE	311		UG/L	48.4	53.4	2
MW-198	W198M4A	7/19/2002	J-3 RANGE	E314.0	PERCHLORATE	170	J	UG/L	48.4	53.4	2
MW-198	W198M4A	11/1/2002	J-3 RANGE	E314.0	PERCHLORATE	75.9		UG/L	48.4	53.4	2
MW-198	W198M4A	12/5/2002	J-3 RANGE	E314.0	PERCHLORATE	60	J	UG/L	48.4	53.4	2
MW-198	W198M4A	6/4/2003	J-3 RANGE	E314.0	PERCHLORATE	46		UG/L	48.4	53.4	2
MW-198	W198M4A	11/5/2003	J-3 RANGE	E314.0	PERCHLORATE	100		UG/L	48.4	53.4	2
MW-198	W198M4A	2/5/2004	J-3 RANGE	E314.0	PERCHLORATE	54		UG/L	48.4	53.4	2
MW-198	W198M4A	5/26/2004	J-3 RANGE	E314.0	PERCHLORATE	81.6		UG/L	48.4	53.4	2
MW-198	W198M4A	10/4/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	48.4	53.4	2
MW-198	W198M4A	3/15/2005	J-3 RANGE	E314.0	PERCHLORATE	160		UG/L	48.4	53.4	2
MW-198	W198M4A	6/14/2005	J-3 RANGE	E314.0	PERCHLORATE	110		UG/L	48.4	53.4	2
MW-198	W198M4A	10/20/2005	J-3 RANGE	E314.0	PERCHLORATE	88.7		UG/L	48.4	53.4	2
MW-198	W198M4A	2/28/2006	J-3 RANGE	E314.0	PERCHLORATE	33.5		UG/L	48.4	53.4	2
MW-198	MW-198M4	9/25/2007	J-3 RANGE	E314.0	PERCHLORATE	62.1		UG/L	48.4	53.4	2
MW-198	W198M3A	2/15/2002	J-3 RANGE	E314.0	PERCHLORATE	40.9		UG/L	78.5	83.5	2
MW-198	W198M3A	7/22/2002	J-3 RANGE	E314.0	PERCHLORATE	65	J	UG/L	78.5	83.5	2
MW-198	W198M3A	11/6/2002	J-3 RANGE	E314.0	PERCHLORATE	170		UG/L	78.5	83.5	2
MW-198	W198M3A	12/5/2002	J-3 RANGE	E314.0	PERCHLORATE	200	J	UG/L	78.5	83.5	2
MW-198	W198M3A	6/4/2003	J-3 RANGE	E314.0	PERCHLORATE	310		UG/L	78.5	83.5	2
MW-198	W198M3A	11/5/2003	J-3 RANGE	E314.0	PERCHLORATE	310		UG/L	78.5	83.5	2
MW-198	W198M3D	11/5/2003	J-3 RANGE	E314.0	PERCHLORATE	320		UG/L	78.5	83.5	2
MW-198	W198M3A	2/5/2004	J-3 RANGE	E314.0	PERCHLORATE	260		UG/L	78.5	83.5	2
MW-198	W198M3A	5/27/2004	J-3 RANGE	E314.0	PERCHLORATE	92.9		UG/L	78.5	83.5	2
MW-198	W198M3A	10/4/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	78.5	83.5	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-198	W198M3A	3/15/2005	J-3 RANGE	E314.0	PERCHLORATE	730	J	UG/L	78.5	83.5	2
MW-198	W198M3A	6/14/2005	J-3 RANGE	E314.0	PERCHLORATE	770		UG/L	78.5	83.5	2
MW-198	W198M3A	10/20/2005	J-3 RANGE	E314.0	PERCHLORATE	617		UG/L	78.5	83.5	2
MW-198	W198M3A	2/28/2006	J-3 RANGE	E314.0	PERCHLORATE	217		UG/L	78.5	83.5	2
MW-198	MW-198M3	9/25/2007	J-3 RANGE	E314.0	PERCHLORATE	58.8		UG/L	78.5	83.5	2
MW-198	W198M2A	6/4/2003	J-3 RANGE	E314.0	PERCHLORATE	23		UG/L	98.4	103.4	2
MW-198	W198M2A	11/4/2003	J-3 RANGE	E314.0	PERCHLORATE	54		UG/L	98.4	103.4	2
MW-198	W198M2A	2/5/2004	J-3 RANGE	E314.0	PERCHLORATE	280		UG/L	98.4	103.4	2
MW-198	W198M2A	5/27/2004	J-3 RANGE	E314.0	PERCHLORATE	494		UG/L	98.4	103.4	2
MW-198	W198M2A	10/4/2004	J-3 RANGE	E314.0	PERCHLORATE	120		UG/L	98.4	103.4	2
MW-198	W198M2A	3/15/2005	J-3 RANGE	E314.0	PERCHLORATE	110		UG/L	98.4	103.4	2
MW-198	W198M2A	6/14/2005	J-3 RANGE	E314.0	PERCHLORATE	31		UG/L	98.4	103.4	2
MW-198	W198M2A	11/2/2005	J-3 RANGE	E314.0	PERCHLORATE	413		UG/L	98.4	103.4	2
MW-198	W198M2A	2/27/2006	J-3 RANGE	E314.0	PERCHLORATE	431		UG/L	98.4	103.4	2
MW-198	MW-198M2	9/25/2007	J-3 RANGE	E314.0	PERCHLORATE	299		UG/L	98.4	103.4	2
MW-209	MW-209M2	10/25/2007	CIA	E314.0	PERCHLORATE	2.2	J	UG/L	110	120	2
MW-210	W210M2A	6/6/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	54.69	64.69	2
MW-210	W210M2D	6/6/2002	DEMO 1	E314.0	PERCHLORATE	11		UG/L	54.69	64.69	2
MW-210	W210M2A	10/28/2002	DEMO 1	E314.0	PERCHLORATE	9.93		UG/L	54.69	64.69	2
MW-210	W210M2A	2/28/2003	DEMO 1	E314.0	PERCHLORATE	12	J	UG/L	54.69	64.69	2
MW-210	W210M2A	2/5/2004	DEMO 1	E314.0	PERCHLORATE	19		UG/L	54.69	64.69	2
MW-210	W210M2A	3/11/2004	DEMO 1	E314.0	PERCHLORATE	23		UG/L	54.69	64.69	2
MW-210	W210M2A	5/20/2004	DEMO 1	E314.0	PERCHLORATE	44		UG/L	54.69	64.69	2
MW-210	W210M2D	5/20/2004	DEMO 1	E314.0	PERCHLORATE	43		UG/L	54.69	64.69	2
MW-210	W210M2A	8/5/2004	DEMO 1	E314.0	PERCHLORATE	59	J	UG/L	54.69	64.69	2
MW-210	W210M2A	12/6/2004	DEMO 1	E314.0	PERCHLORATE	56	J	UG/L	54.69	64.69	2
MW-210	W210M2A	6/21/2005	DEMO 1	E314.0	PERCHLORATE	15		UG/L	54.69	64.69	2
MW-210	MW-210M2-	12/15/2005	DEMO 1	E314.0	PERCHLORATE	102		UG/L	54.69	64.69	2
MW-210	MW-210M2-FD	12/15/2005	DEMO 1	E314.0	PERCHLORATE	99		UG/L	54.69	64.69	2
MW-210	MW-210M2-	4/17/2006	DEMO 1	E314.0	PERCHLORATE	95.1		UG/L	54.69	64.69	2
MW-210	MW-210M2	12/28/2006	DEMO 1	E314.0	PERCHLORATE	226		UG/L	54.69	64.69	2
MW-210	MW-210M2	4/17/2007	DEMO 1	E314.0	PERCHLORATE	243		UG/L	54.69	64.69	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-210	MW-210M1-	4/17/2006	DEMO 1	E314.0	PERCHLORATE	4.07		UG/L	99.69	109.69	2
MW-210	MW-210M1	12/28/2006	DEMO 1	E314.0	PERCHLORATE	4.67		UG/L	99.69	109.69	2
MW-210	MW-210M1-D	12/28/2006	DEMO 1	E314.0	PERCHLORATE	4.77		UG/L	99.69	109.69	2
MW-210	MW-210M1	4/17/2007	DEMO 1	E314.0	PERCHLORATE	7.74		UG/L	99.69	109.69	2
MW-211	W211M2A	6/6/2002	DEMO 1	E314.0	PERCHLORATE	3		UG/L	29.7	39.7	2
MW-211	W211M2A	10/29/2002	DEMO 1	E314.0	PERCHLORATE	3.02		UG/L	29.7	39.7	2
MW-211	W211M2A	2/28/2003	DEMO 1	E314.0	PERCHLORATE	3.5		UG/L	29.7	39.7	2
MW-211	W211M2A	4/5/2005	DEMO 1	E314.0	PERCHLORATE	3J		UG/L	29.7	39.7	2
MW-211	W211M1A	2/4/2004	DEMO 1	E314.0	PERCHLORATE	5.6		UG/L	55	65	2
MW-211	W211M1A	3/10/2004	DEMO 1	E314.0	PERCHLORATE	9.8		UG/L	55	65	2
MW-211	W211M1A	5/21/2004	DEMO 1	E314.0	PERCHLORATE	11		UG/L	55	65	2
MW-211	W211M1A	7/30/2004	DEMO 1	E314.0	PERCHLORATE	13		UG/L	55	65	2
MW-211	W211M1A	12/6/2004	DEMO 1	E314.0	PERCHLORATE	33J		UG/L	55	65	2
MW-211	W211M1A	4/5/2005	DEMO 1	E314.0	PERCHLORATE	25J		UG/L	55	65	2
MW-211	W211M1A	8/8/2005	DEMO 1	E314.0	PERCHLORATE	50.6		UG/L	55	65	2
MW-211	W211M1D	8/8/2005	DEMO 1	E314.0	PERCHLORATE	50.8		UG/L	55	65	2
MW-211	MW-211M1-	12/8/2005	DEMO 1	E314.0	PERCHLORATE	64.5		UG/L	55	65	2
MW-211	MW-211M1-	4/10/2006	DEMO 1	E314.0	PERCHLORATE	89.7		UG/L	55	65	2
MW-211	MW-211M1	12/27/2006	DEMO 1	E314.0	PERCHLORATE	133		UG/L	55	65	2
MW-211	MW-211M1	4/9/2007	DEMO 1	E314.0	PERCHLORATE	181		UG/L	55	65	2
MW-215	W215M2A	8/30/2005	J-2 RANGE	E314.0	PERCHLORATE	2		UG/L	98.9	108.9	2
MW-225	W225M3A	8/6/2002	DEMO 1	E314.0	PERCHLORATE	2.9		UG/L	26.48	36.48	2
MW-225	W225M3A	3/15/2004	DEMO 1	E314.0	PERCHLORATE	2.5		UG/L	26.48	36.48	2
MW-225	W225M3A	5/25/2004	DEMO 1	E314.0	PERCHLORATE	2.62		UG/L	26.48	36.48	2
MW-225	W225M3A	8/6/2004	DEMO 1	E314.0	PERCHLORATE	2.1J		UG/L	26.48	36.48	2
MW-225	W225M3D	8/6/2004	DEMO 1	E314.0	PERCHLORATE	2J		UG/L	26.48	36.48	2
MW-225	W225M3A	12/8/2004	DEMO 1	E314.0	PERCHLORATE	3.2J		UG/L	26.48	36.48	2
MW-225	W225M3A	4/6/2005	DEMO 1	E314.0	PERCHLORATE	7.7J		UG/L	26.48	36.48	2
MW-225	W225M3A	8/4/2005	DEMO 1	E314.0	PERCHLORATE	20.8J		UG/L	26.48	36.48	2
MW-225	W225M3D	8/4/2005	DEMO 1	E314.0	PERCHLORATE	20.9J		UG/L	26.48	36.48	2
MW-225	MW-225M3-	12/9/2005	DEMO 1	E314.0	PERCHLORATE	14.8		UG/L	26.48	36.48	2
MW-225	MW-225M3-	4/6/2006	DEMO 1	E314.0	PERCHLORATE	11.3		UG/L	26.48	36.48	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-225	MW-225M3-	8/3/2006	DEMO 1	E314.0	PERCHLORATE	16		UG/L	26.48	36.48	2
MW-225	MW-225M3	12/21/2006	DEMO 1	E314.0	PERCHLORATE	17.6	J	UG/L	26.48	36.48	2
MW-225	MW-225M3	4/11/2007	DEMO 1	E314.0	PERCHLORATE	20.7		UG/L	26.48	36.48	2
MW-232	W232M1A	8/30/2002	J-3 RANGE	E314.0	PERCHLORATE	2.9		UG/L	34.94	39.94	2
MW-232	W232M1A	2/11/2003	J-3 RANGE	E314.0	PERCHLORATE	3.4	J	UG/L	34.94	39.94	2
MW-232	W232M1A	5/12/2003	J-3 RANGE	E314.0	PERCHLORATE	3.9		UG/L	34.94	39.94	2
MW-232	W232M1A	5/12/2003	J-3 RANGE	E314.0	PERCHLORATE	4.01		UG/L	34.94	39.94	2
MW-232	W232M1A-DA	5/12/2003	J-3 RANGE	E314.0	PERCHLORATE	4.32		UG/L	34.94	39.94	2
MW-232	W232M1A	9/16/2004	J-3 RANGE	E314.0	PERCHLORATE	2.6		UG/L	34.94	39.94	2
MW-232	W232M1A	3/9/2005	J-3 RANGE	E314.0	PERCHLORATE	3.3		UG/L	34.94	39.94	2
MW-233	W233M3A	10/3/2002	WESTERN BOUNDARY	E314.0	PERCHLORATE	2.2		UG/L	32.8	42.8	2
MW-233	W233M3A	6/1/2005	WESTERN BOUNDARY	E314.0	PERCHLORATE	2.7	J	UG/L	32.8	42.8	2
MW-233	W233M3A	7/25/2005	WESTERN BOUNDARY	E314.0	PERCHLORATE	2	J	UG/L	32.8	42.8	2
MW-233	W233M3A	5/16/2006	WESTERN BOUNDARY	E314.0	PERCHLORATE	2.8		UG/L	32.8	42.8	2
MW-233	MW-233M3_WB	4/4/2007	WESTERN BOUNDARY	E314.0	PERCHLORATE	2		UG/L	32.8	42.8	2
MW-234	W234M1A	5/12/2004	J-2 RANGE	E314.0	PERCHLORATE	3.6		UG/L	25.3	35.3	2
MW-234	W234M1D	5/12/2004	J-2 RANGE	E314.0	PERCHLORATE	3.6		UG/L	25.3	35.3	2
MW-234	W234M1A	8/2/2004	J-2 RANGE	E314.0	PERCHLORATE	3.2	J	UG/L	25.3	35.3	2
MW-234	W234M1A	10/19/2004	J-2 RANGE	E314.0	PERCHLORATE	2.4	J	UG/L	25.3	35.3	2
MW-234	W234M1A	3/10/2005	J-2 RANGE	E314.0	PERCHLORATE	2		UG/L	25.3	35.3	2
MW-234	W234M1A	5/16/2005	J-2 RANGE	E314.0	PERCHLORATE	2.5	J	UG/L	25.3	35.3	2
MW-234	W234M1A	11/7/2005	J-2 RANGE	E314.0	PERCHLORATE	3.1		UG/L	25.3	35.3	2
MW-234	W234M1A	1/30/2006	J-2 RANGE	E314.0	PERCHLORATE	3.7		UG/L	25.3	35.3	2
MW-234	MW-234M1	10/2/2007	J-2 RANGE	E314.0	PERCHLORATE	2.82	J	UG/L	25.3	35.3	2
MW-237	W237M1A	3/10/2005	J-3 RANGE	E314.0	PERCHLORATE	3.1		UG/L	28.5	38.5	2
MW-237	W237M1A	6/2/2005	J-3 RANGE	E314.0	PERCHLORATE	2.1		UG/L	28.5	38.5	2
MW-243	W243M1A	6/2/2005	J-3 RANGE	E314.0	PERCHLORATE	4.2		UG/L	48.85	58.85	2
MW-243	W243M1A	9/14/2005	J-3 RANGE	E314.0	PERCHLORATE	3		UG/L	48.85	58.85	2
MW-243	W243M1A	12/12/2005	J-3 RANGE	E314.0	PERCHLORATE	4.2		UG/L	48.85	58.85	2
MW-243	MW-243M1	9/7/2007	J-3 RANGE	E314.0	PERCHLORATE	2.84	J	UG/L	48.85	58.85	2
MW-247	W247M2A	1/6/2003	J-3 RANGE	E314.0	PERCHLORATE	5.2		UG/L	102.78	112.78	2
MW-247	W247M2D	1/6/2003	J-3 RANGE	E314.0	PERCHLORATE	5.4		UG/L	102.78	112.78	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-247	W247M2A	3/20/2003	J-3 RANGE	E314.0	PERCHLORATE	5.7		UG/L	102.78	112.78	2
MW-247	W247M2A	6/23/2003	J-3 RANGE	E314.0	PERCHLORATE	5.5		UG/L	102.78	112.78	2
MW-247	W247M2A	4/22/2004	J-3 RANGE	E314.0	PERCHLORATE	4.4		UG/L	102.78	112.78	2
MW-247	W247M2A	5/13/2004	J-3 RANGE	E314.0	PERCHLORATE	4.9		UG/L	102.78	112.78	2
MW-247	W247M2A	10/12/2004	J-3 RANGE	E314.0	PERCHLORATE	3.5 J		UG/L	102.78	112.78	2
MW-247	W247M2A	12/2/2004	J-3 RANGE	E314.0	PERCHLORATE	3.8 J		UG/L	102.78	112.78	2
MW-247	W247M2A	11/11/2005	J-3 RANGE	E314.0	PERCHLORATE	2.7		UG/L	102.78	112.78	2
MW-247	W247M2A	1/16/2006	J-3 RANGE	E314.0	PERCHLORATE	2.3		UG/L	102.78	112.78	2
MW-250	W250M3A	5/19/2004	J-3 RANGE	E314.0	PERCHLORATE	2.1		UG/L	84.85	94.85	2
MW-250	W250M2A	1/6/2003	J-3 RANGE	E314.0	PERCHLORATE	7		UG/L	134.82	144.82	2
MW-250	W250M2A	3/19/2003	J-3 RANGE	E314.0	PERCHLORATE	6.7		UG/L	134.82	144.82	2
MW-250	W250M2A	6/23/2003	J-3 RANGE	E314.0	PERCHLORATE	6.2		UG/L	134.82	144.82	2
MW-250	W250M2A	4/22/2004	J-3 RANGE	E314.0	PERCHLORATE	6.3		UG/L	134.82	144.82	2
MW-250	W250M2A	5/19/2004	J-3 RANGE	E314.0	PERCHLORATE	6.6		UG/L	134.82	144.82	2
MW-250	W250M2A	10/12/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7 J		UG/L	134.82	144.82	2
MW-250	W250M2A	12/2/2004	J-3 RANGE	E314.0	PERCHLORATE	5.7 J		UG/L	134.82	144.82	2
MW-250	W250M2A	6/4/2005	J-3 RANGE	E314.0	PERCHLORATE	5.5 J		UG/L	134.82	144.82	2
MW-250	W250M2A	10/10/2005	J-3 RANGE	E314.0	PERCHLORATE	2.9		UG/L	134.82	144.82	2
MW-250	W250M2A	1/16/2006	J-3 RANGE	E314.0	PERCHLORATE	2.5		UG/L	134.82	144.82	2
MW-250	MW-250M2	9/11/2007	J-3 RANGE	E314.0	PERCHLORATE	4.88		UG/L	134.82	144.82	2
MW-250	W250M1A	1/6/2003	J-3 RANGE	E314.0	PERCHLORATE	3.1		UG/L	174.65	184.65	2
MW-250	W250M1A	3/19/2003	J-3 RANGE	E314.0	PERCHLORATE	2.5		UG/L	174.65	184.65	2
MW-250	W250M1A	4/22/2004	J-3 RANGE	E314.0	PERCHLORATE	2		UG/L	174.65	184.65	2
MW-255	MW-255M2	4/29/2007	DEMO 1	E314.0	PERCHLORATE	2.75 J		UG/L	60.43	70.43	2
MW-258	W258M2A	6/8/2005	DEMO 1	E314.0	PERCHLORATE	4		UG/L	42.2	47.2	2
MW-263	W263M2A	5/22/2003	J-2 RANGE	E314.0	PERCHLORATE	3.71		UG/L	8.66	18.66	2
MW-263	W263M2A	8/25/2003	J-2 RANGE	E314.0	PERCHLORATE	8.7		UG/L	8.66	18.66	2
MW-263	W263M2A	12/22/2003	J-2 RANGE	E314.0	PERCHLORATE	15 J		UG/L	8.66	18.66	2
MW-263	W263M2A	8/2/2004	J-2 RANGE	E314.0	PERCHLORATE	4 J		UG/L	8.66	18.66	2
MW-263	W263M2D	8/2/2004	J-2 RANGE	E314.0	PERCHLORATE	4.3 J		UG/L	8.66	18.66	2
MW-265	W265M3A	5/15/2003	J-1 RANGE	E314.0	PERCHLORATE	4.41		UG/L	72.44	82.44	2
MW-265	W265M3A	12/1/2003	J-1 RANGE	E314.0	PERCHLORATE	9.7		UG/L	72.44	82.44	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-265	W265M3A	3/3/2004	J-1 RANGE	E314.0	PERCHLORATE	10		UG/L	72.44	82.44	2
MW-265	W265M3A	10/5/2004	J-1 RANGE	E314.0	PERCHLORATE	8.9		UG/L	72.44	82.44	2
MW-265	W265M3A	2/16/2005	J-1 RANGE	E314.0	PERCHLORATE	7 J		UG/L	72.44	82.44	2
MW-265	W265M3A	5/16/2005	J-1 RANGE	E314.0	PERCHLORATE	6.4		UG/L	72.44	82.44	2
MW-265	W265M3A	8/31/2005	J-1 RANGE	E314.0	PERCHLORATE	4.6		UG/L	72.44	82.44	2
MW-265	W265M3A	3/21/2006	J-1 RANGE	E314.0	PERCHLORATE	2 J		UG/L	72.44	82.44	2
MW-265	W265M2A	5/15/2003	J-1 RANGE	E314.0	PERCHLORATE	30.4		UG/L	97.6	107.6	2
MW-265	W265M2A	12/1/2003	J-1 RANGE	E314.0	PERCHLORATE	33		UG/L	97.6	107.6	2
MW-265	W265M2A	3/3/2004	J-1 RANGE	E314.0	PERCHLORATE	30		UG/L	97.6	107.6	2
MW-265	W265M2A	9/27/2004	J-1 RANGE	E314.0	PERCHLORATE	23		UG/L	97.6	107.6	2
MW-265	W265M2A	2/16/2005	J-1 RANGE	E314.0	PERCHLORATE	18		UG/L	97.6	107.6	2
MW-265	W265M2A	5/16/2005	J-1 RANGE	E314.0	PERCHLORATE	17		UG/L	97.6	107.6	2
MW-265	W265M2A	8/31/2005	J-1 RANGE	E314.0	PERCHLORATE	23.4		UG/L	97.6	107.6	2
MW-265	W265M2A	1/26/2006	J-1 RANGE	E314.0	PERCHLORATE	29.4		UG/L	97.6	107.6	2
MW-265	W265M2A	3/21/2006	J-1 RANGE	E314.0	PERCHLORATE	30.6 J		UG/L	97.6	107.6	2
MW-265	MW-265M2-	4/17/2007	J-1 RANGE	E314.0	PERCHLORATE	24.6		UG/L	97.6	107.6	2
MW-265	MW-265M2-FD	4/17/2007	J-1 RANGE	E314.0	PERCHLORATE	24.7		UG/L	97.6	107.6	2
MW-267	W267M1A	5/30/2003	WESTERN BOUNDARY	E314.0	PERCHLORATE	2.89		UG/L	18.57	28.57	2
MW-267	W267M1A	6/25/2003	WESTERN BOUNDARY	E314.0	PERCHLORATE	2.8		UG/L	18.57	28.57	2
MW-267	W267M1A	7/30/2003	WESTERN BOUNDARY	E314.0	PERCHLORATE	2.62		UG/L	18.57	28.57	2
MW-270	W270SSA	9/30/2003	NW CORNER	E314.0	PERCHLORATE	2		UG/L	0	10	2
MW-270	W270SSA	2/10/2005	NW CORNER	E314.0	PERCHLORATE	2		UG/L	0	10	2
MW-270	W270SSA	9/1/2005	NW CORNER	E314.0	PERCHLORATE	2.2		UG/L	0	10	2
MW-270	W270SSA	4/11/2006	NW CORNER	E314.0	PERCHLORATE	2		UG/L	0	10	2
MW-270	MW-270S-	4/26/2007	NW CORNER	E314.0	PERCHLORATE	2.3		UG/L	0	10	2
MW-270	W270M1A	6/16/2003	NW CORNER	E314.0	PERCHLORATE	8.9		UG/L	50.89	55.89	2
MW-270	W270M1D	6/16/2003	NW CORNER	E314.0	PERCHLORATE	9.1		UG/L	50.89	55.89	2
MW-270	W270M1A	9/30/2003	NW CORNER	E314.0	PERCHLORATE	11		UG/L	50.89	55.89	2
MW-270	W270M1D	9/30/2003	NW CORNER	E314.0	PERCHLORATE	11		UG/L	50.89	55.89	2
MW-270	W270M1A	1/6/2004	NW CORNER	E314.0	PERCHLORATE	11 J		UG/L	50.89	55.89	2
MW-270	W270M1D	1/6/2004	NW CORNER	E314.0	PERCHLORATE	11 J		UG/L	50.89	55.89	2
MW-270	W270M1A	4/29/2004	NW CORNER	E314.0	PERCHLORATE	8.94		UG/L	50.89	55.89	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-270	W270M1A	9/10/2004	NW CORNER	E314.0	PERCHLORATE	9.7		UG/L	50.89	55.89	2
MW-270	W270M1A	2/10/2005	NW CORNER	E314.0	PERCHLORATE	10.3		UG/L	50.89	55.89	2
MW-270	W270M1A	6/8/2005	NW CORNER	E314.0	PERCHLORATE	13		UG/L	50.89	55.89	2
MW-270	W270M1A	9/1/2005	NW CORNER	E314.0	PERCHLORATE	14.2		UG/L	50.89	55.89	2
MW-270	W270M1A	12/12/2005	NW CORNER	E314.0	PERCHLORATE	14.6		UG/L	50.89	55.89	2
MW-270	W270M1D	12/12/2005	NW CORNER	E314.0	PERCHLORATE	14.5		UG/L	50.89	55.89	2
MW-270	W270M1A	4/11/2006	NW CORNER	E314.0	PERCHLORATE	13.5		UG/L	50.89	55.89	2
MW-270	W270M1A	9/28/2006	NW CORNER	E314.0	PERCHLORATE	9.6		UG/L	50.89	55.89	2
MW-270	MW-270M1-	4/26/2007	NW CORNER	E314.0	PERCHLORATE	9		UG/L	50.89	55.89	2
MW-270	MW-270M1-RD	4/26/2007	NW CORNER	E314.0	PERCHLORATE	9.59		UG/L	50.89	55.89	2
MW-277	W277SSA	7/10/2003	NW CORNER	E314.0	PERCHLORATE	6.68		UG/L	0	10	2
MW-277	W277SSA	12/12/2003	NW CORNER	E314.0	PERCHLORATE	5.27		UG/L	0	10	2
MW-277	W277SSA	1/20/2004	NW CORNER	E314.0	PERCHLORATE	5.2		UG/L	0	10	2
MW-277	W277SSA	2/18/2004	NW CORNER	E314.0	PERCHLORATE	4.06		UG/L	0	10	2
MW-277	W277SSA	3/17/2004	NW CORNER	E314.0	PERCHLORATE	4.18		UG/L	0	10	2
MW-277	W277SSA	4/14/2004	NW CORNER	E314.0	PERCHLORATE	3.74		UG/L	0	10	2
MW-277	W277SSA	5/12/2004	NW CORNER	E314.0	PERCHLORATE	3.49		UG/L	0	10	2
MW-277	W277SSA	6/9/2004	NW CORNER	E314.0	PERCHLORATE	3.36		UG/L	0	10	2
MW-277	W277SSA	7/7/2004	NW CORNER	E314.0	PERCHLORATE	3.14		UG/L	0	10	2
MW-277	W277SSA	8/4/2004	NW CORNER	E314.0	PERCHLORATE	3.09		UG/L	0	10	2
MW-277	W277SSA	9/8/2004	NW CORNER	E314.0	PERCHLORATE	2.9		UG/L	0	10	2
MW-277	W277SSA	10/6/2004	NW CORNER	E314.0	PERCHLORATE	3.3		UG/L	0	10	2
MW-277	W277SSA	11/2/2004	NW CORNER	E314.0	PERCHLORATE	3.11		UG/L	0	10	2
MW-277	W277SSA	12/14/2004	NW CORNER	E314.0	PERCHLORATE	3.03		UG/L	0	10	2
MW-277	W277SSA	2/17/2005	NW CORNER	E314.0	PERCHLORATE	2.1		UG/L	0	10	2
MW-277	W277SSA	3/22/2005	NW CORNER	E314.0	PERCHLORATE	2.09		UG/L	0	10	2
MW-277	W277SSA	8/26/2005	NW CORNER	E314.0	PERCHLORATE	2.3		UG/L	0	10	2
MW-277	W277SSA	9/16/2005	NW CORNER	E314.0	PERCHLORATE	2.5		UG/L	0	10	2
MW-277	W277SSD	9/16/2005	NW CORNER	E314.0	PERCHLORATE	2.5		UG/L	0	10	2
MW-277	W277SSA	10/27/2005	NW CORNER	E314.0	PERCHLORATE	2.5		UG/L	0	10	2
MW-277	W277SSA	12/28/2005	NW CORNER	E314.0	PERCHLORATE	2		UG/L	0	10	2
MW-277	W277SSA	4/10/2006	NW CORNER	E314.0	PERCHLORATE	2		UG/L	0	10	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-277	W277SSA	9/28/2006	NW CORNER	E314.0	PERCHLORATE	3.1		UG/L	0	10	2
MW-277	W277SSD	9/28/2006	NW CORNER	E314.0	PERCHLORATE	2.7		UG/L	0	10	2
MW-277	MW-277S-	4/20/2007	NW CORNER	E314.0	PERCHLORATE	2.1		UG/L	0	10	2
MW-278	W278SSA	7/18/2003	NW CORNER	E314.0	PERCHLORATE	19.3		UG/L	0	10	2
MW-278	W278SSA	6/20/2005	NW CORNER	E314.0	PERCHLORATE	11 J		UG/L	0	10	2
MW-278	W278SSA	7/20/2005	NW CORNER	E314.0	PERCHLORATE	12.4		UG/L	0	10	2
MW-278	W278SSA	8/26/2005	NW CORNER	E314.0	PERCHLORATE	13.8		UG/L	0	10	2
MW-278	W278SSA	9/16/2005	NW CORNER	E314.0	PERCHLORATE	15.4		UG/L	0	10	2
MW-278	W278SSA	10/27/2005	NW CORNER	E314.0	PERCHLORATE	15.8		UG/L	0	10	2
MW-278	W278SSA	12/5/2005	NW CORNER	E314.0	PERCHLORATE	15.6		UG/L	0	10	2
MW-278	W278SSA	12/27/2005	NW CORNER	E314.0	PERCHLORATE	15.4		UG/L	0	10	2
MW-278	W278SSA	12/27/2005	NW CORNER	E314.0	PERCHLORATE	15.8		UG/L	0	10	2
MW-278	W278SSA	4/10/2006	NW CORNER	E314.0	PERCHLORATE	15.9		UG/L	0	10	2
MW-278	W278SSA	9/28/2006	NW CORNER	E314.0	PERCHLORATE	10.5		UG/L	0	10	2
MW-278	MW-278S-	4/23/2007	NW CORNER	E314.0	PERCHLORATE	6.9		UG/L	0	10	2
MW-278	MW-278S-	10/8/2007	NW CORNER	E314.0	PERCHLORATE	5.3		UG/L	0	10	2
MW-278	W278M2A	7/16/2003	NW CORNER	E314.0	PERCHLORATE	2.53		UG/L	9.79	14.79	2
MW-278	W278M2D	7/16/2003	NW CORNER	E314.0	PERCHLORATE	2.45		UG/L	9.79	14.79	2
MW-278	W278M2A	12/3/2003	NW CORNER	E314.0	PERCHLORATE	7.1		UG/L	9.79	14.79	2
MW-278	W278M2D	12/3/2003	NW CORNER	E314.0	PERCHLORATE	7.4		UG/L	9.79	14.79	2
MW-278	W278M2A	1/20/2004	NW CORNER	E314.0	PERCHLORATE	5.4		UG/L	9.79	14.79	2
MW-278	W278M2A	2/19/2004	NW CORNER	E314.0	PERCHLORATE	3.91		UG/L	9.79	14.79	2
MW-278	W278M2A	3/17/2004	NW CORNER	E314.0	PERCHLORATE	3.4		UG/L	9.79	14.79	2
MW-278	W278M2A	4/14/2004	NW CORNER	E314.0	PERCHLORATE	3.02		UG/L	9.79	14.79	2
MW-278	W278M2A	5/12/2004	NW CORNER	E314.0	PERCHLORATE	2.61		UG/L	9.79	14.79	2
MW-278	W278M2A	6/9/2004	NW CORNER	E314.0	PERCHLORATE	2.22		UG/L	9.79	14.79	2
MW-278	W278M2A	5/25/2005	NW CORNER	E314.0	PERCHLORATE	2.1		UG/L	9.79	14.79	2
MW-278	W278M2A	7/20/2005	NW CORNER	E314.0	PERCHLORATE	2.6		UG/L	9.79	14.79	2
MW-278	W278M2D	7/20/2005	NW CORNER	E314.0	PERCHLORATE	2.6		UG/L	9.79	14.79	2
MW-278	W278M2A	12/27/2005	NW CORNER	E314.0	PERCHLORATE	9.2		UG/L	9.79	14.79	2
MW-278	W278M2A	4/6/2006	NW CORNER	E314.0	PERCHLORATE	12.4		UG/L	9.79	14.79	2
MW-278	MW-278M2-	4/23/2007	NW CORNER	E314.0	PERCHLORATE	6.2		UG/L	9.79	14.79	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-278	W278M1A	12/27/2005	NW CORNER	E314.0	PERCHLORATE	2.4		UG/L	25.76	35.76	2
MW-278	W278M1A	4/6/2006	NW CORNER	E314.0	PERCHLORATE	2.6		UG/L	25.76	35.76	2
MW-279	W279SSA	7/30/2003	NW CORNER	E314.0	PERCHLORATE	16.7		UG/L	10	20	2
MW-279	W279SSA	12/10/2003	NW CORNER	E314.0	PERCHLORATE	15.7		UG/L	10	20	2
MW-279	W279SSA	1/20/2004	NW CORNER	E314.0	PERCHLORATE	17		UG/L	10	20	2
MW-279	W279SSA	2/19/2004	NW CORNER	E314.0	PERCHLORATE	11.4		UG/L	10	20	2
MW-279	W279SSA	3/17/2004	NW CORNER	E314.0	PERCHLORATE	11.2		UG/L	10	20	2
MW-279	W279SSA	4/15/2004	NW CORNER	E314.0	PERCHLORATE	9.84		UG/L	10	20	2
MW-279	W279SSA	5/14/2004	NW CORNER	E314.0	PERCHLORATE	11.9		UG/L	10	20	2
MW-279	W279SSA	6/9/2004	NW CORNER	E314.0	PERCHLORATE	11.1		UG/L	10	20	2
MW-279	W279SSA	7/7/2004	NW CORNER	E314.0	PERCHLORATE	10.5		UG/L	10	20	2
MW-279	W279SSA	8/4/2004	NW CORNER	E314.0	PERCHLORATE	13.7		UG/L	10	20	2
MW-279	W279SSA	9/8/2004	NW CORNER	E314.0	PERCHLORATE	15.2		UG/L	10	20	2
MW-279	W279SSA	10/6/2004	NW CORNER	E314.0	PERCHLORATE	19.7		UG/L	10	20	2
MW-279	W279SSA	11/3/2004	NW CORNER	E314.0	PERCHLORATE	20.4		UG/L	10	20	2
MW-279	W279SSA	12/14/2004	NW CORNER	E314.0	PERCHLORATE	23.1		UG/L	10	20	2
MW-279	W279SSA	3/22/2005	NW CORNER	E314.0	PERCHLORATE	26.3		UG/L	10	20	2
MW-279	W279SSA	4/27/2005	NW CORNER	E314.0	PERCHLORATE	17		UG/L	10	20	2
MW-279	W279SSA	5/25/2005	NW CORNER	E314.0	PERCHLORATE	16		UG/L	10	20	2
MW-279	W279SSA	6/20/2005	NW CORNER	E314.0	PERCHLORATE	13		UG/L	10	20	2
MW-279	W279SSA	7/19/2005	NW CORNER	E314.0	PERCHLORATE	16.3		UG/L	10	20	2
MW-279	W279SSA	8/26/2005	NW CORNER	E314.0	PERCHLORATE	21.1		UG/L	10	20	2
MW-279	W279SSA	9/16/2005	NW CORNER	E314.0	PERCHLORATE	24.4		UG/L	10	20	2
MW-279	W279SSA	10/27/2005	NW CORNER	E314.0	PERCHLORATE	23.9		UG/L	10	20	2
MW-279	W279SSD	10/27/2005	NW CORNER	E314.0	PERCHLORATE	23.9		UG/L	10	20	2
MW-279	W279SSA	12/5/2005	NW CORNER	E314.0	PERCHLORATE	20.4		UG/L	10	20	2
MW-279	W279SSA	12/28/2005	NW CORNER	E314.0	PERCHLORATE	9.6		UG/L	10	20	2
MW-279	W279SSA	12/28/2005	NW CORNER	E314.0	PERCHLORATE	9.5		UG/L	10	20	2
MW-279	W279SSA	4/10/2006	NW CORNER	E314.0	PERCHLORATE	10.4		UG/L	10	20	2
MW-279	W279SSA	9/28/2006	NW CORNER	E314.0	PERCHLORATE	9.2		UG/L	10	20	2
MW-279	MW-279S-	4/24/2007	NW CORNER	E314.0	PERCHLORATE	2.6		UG/L	10	20	2
MW-279	MW-279S-RD	4/24/2007	NW CORNER	E314.0	PERCHLORATE	2.61		UG/L	10	20	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-279	MW-279S-	10/11/2007	NW CORNER	E314.0	PERCHLORATE	13		UG/L	10	20	2
MW-279	W279M2A	7/30/2003	NW CORNER	E314.0	PERCHLORATE	6.06		UG/L	26.8	31.8	2
MW-279	W279M2D	7/30/2003	NW CORNER	E314.0	PERCHLORATE	6.15		UG/L	26.8	31.8	2
MW-279	W279M2A	12/10/2003	NW CORNER	E314.0	PERCHLORATE	2.92		UG/L	26.8	31.8	2
MW-279	W279M2A	2/19/2004	NW CORNER	E314.0	PERCHLORATE	3.22		UG/L	26.8	31.8	2
MW-279	W279M2A	3/17/2004	NW CORNER	E314.0	PERCHLORATE	3.9		UG/L	26.8	31.8	2
MW-279	W279M2D	3/17/2004	NW CORNER	E314.0	PERCHLORATE	3.9		UG/L	26.8	31.8	2
MW-279	W279M2A	4/14/2004	NW CORNER	E314.0	PERCHLORATE	4.03		UG/L	26.8	31.8	2
MW-279	W279M2D	4/14/2004	NW CORNER	E314.0	PERCHLORATE	4.04		UG/L	26.8	31.8	2
MW-279	W279M2A	5/12/2004	NW CORNER	E314.0	PERCHLORATE	4.51		UG/L	26.8	31.8	2
MW-279	W279M2A	6/9/2004	NW CORNER	E314.0	PERCHLORATE	4.95		UG/L	26.8	31.8	2
MW-279	W279M2A	7/7/2004	NW CORNER	E314.0	PERCHLORATE	4.84		UG/L	26.8	31.8	2
MW-279	W279M2D	7/7/2004	NW CORNER	E314.0	PERCHLORATE	4.87		UG/L	26.8	31.8	2
MW-279	W279M2A	8/4/2004	NW CORNER	E314.0	PERCHLORATE	4.99		UG/L	26.8	31.8	2
MW-279	W279M2A	9/8/2004	NW CORNER	E314.0	PERCHLORATE	4.5		UG/L	26.8	31.8	2
MW-279	W279M2D	9/8/2004	NW CORNER	E314.0	PERCHLORATE	4.63		UG/L	26.8	31.8	2
MW-279	W279M2A	10/6/2004	NW CORNER	E314.0	PERCHLORATE	5.12		UG/L	26.8	31.8	2
MW-279	W279M2A	11/2/2004	NW CORNER	E314.0	PERCHLORATE	5.26		UG/L	26.8	31.8	2
MW-279	W279M2A	12/14/2004	NW CORNER	E314.0	PERCHLORATE	5.67		UG/L	26.8	31.8	2
MW-279	W279M2A	2/17/2005	NW CORNER	E314.0	PERCHLORATE	6.26		UG/L	26.8	31.8	2
MW-279	W279M2A	5/25/2005	NW CORNER	E314.0	PERCHLORATE	14		UG/L	26.8	31.8	2
MW-279	W279M2A	7/19/2005	NW CORNER	E314.0	PERCHLORATE	10.3		UG/L	26.8	31.8	2
MW-279	W279M2A	4/10/2006	NW CORNER	E314.0	PERCHLORATE	13.9		UG/L	26.8	31.8	2
MW-279	MW-279M2-	4/24/2007	NW CORNER	E314.0	PERCHLORATE	12		UG/L	26.8	31.8	2
MW-279	W279M1A	7/30/2003	NW CORNER	E314.0	PERCHLORATE	2.66		UG/L	37.4	47.4	2
MW-279	W279M1A	12/10/2003	NW CORNER	E314.0	PERCHLORATE	2.24		UG/L	37.4	47.4	2
MW-279	W279M1A	2/18/2004	NW CORNER	E314.0	PERCHLORATE	3.31		UG/L	37.4	47.4	2
MW-279	W279M1A	3/17/2004	NW CORNER	E314.0	PERCHLORATE	4.6		UG/L	37.4	47.4	2
MW-279	W279M1A	4/14/2004	NW CORNER	E314.0	PERCHLORATE	6.15		UG/L	37.4	47.4	2
MW-279	W279M1A	5/12/2004	NW CORNER	E314.0	PERCHLORATE	5.17		UG/L	37.4	47.4	2
MW-279	W279M1A	6/9/2004	NW CORNER	E314.0	PERCHLORATE	5.05		UG/L	37.4	47.4	2
MW-279	W279M1D	6/9/2004	NW CORNER	E314.0	PERCHLORATE	5.14		UG/L	37.4	47.4	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-279	W279M1A	7/7/2004	NW CORNER	E314.0	PERCHLORATE	4.63		UG/L	37.4	47.4	2
MW-279	W279M1A	8/4/2004	NW CORNER	E314.0	PERCHLORATE	4.61		UG/L	37.4	47.4	2
MW-279	W279M1A	9/8/2004	NW CORNER	E314.0	PERCHLORATE	3.76		UG/L	37.4	47.4	2
MW-279	W279M1A	10/6/2004	NW CORNER	E314.0	PERCHLORATE	3.95		UG/L	37.4	47.4	2
MW-279	W279M1A	11/2/2004	NW CORNER	E314.0	PERCHLORATE	3.87		UG/L	37.4	47.4	2
MW-279	W279M1A	12/14/2004	NW CORNER	E314.0	PERCHLORATE	3.54		UG/L	37.4	47.4	2
MW-279	W279M1A	5/25/2005	NW CORNER	E314.0	PERCHLORATE	3.8		UG/L	37.4	47.4	2
MW-279	W279M1A	7/19/2005	NW CORNER	E314.0	PERCHLORATE	4		UG/L	37.4	47.4	2
MW-279	W279M1A	4/10/2006	NW CORNER	E314.0	PERCHLORATE	8.1		UG/L	37.4	47.4	2
MW-279	MW-279M1-	4/24/2007	NW CORNER	E314.0	PERCHLORATE	3.1		UG/L	37.4	47.4	2
MW-283	W283M1A	6/17/2005	NW CORNER	E314.0	PERCHLORATE	2.5		UG/L	29.12	39.12	2
MW-283	W283M1D	6/17/2005	NW CORNER	E314.0	PERCHLORATE	2.7		UG/L	29.12	39.12	2
MW-283	W283M1A	9/19/2005	NW CORNER	E314.0	PERCHLORATE	3.8		UG/L	29.12	39.12	2
MW-283	W283M1D	9/19/2005	NW CORNER	E314.0	PERCHLORATE	3.8		UG/L	29.12	39.12	2
MW-283	W283M1A	1/9/2006	NW CORNER	E314.0	PERCHLORATE	3.7		UG/L	29.12	39.12	2
MW-283	W283M1A	4/11/2006	NW CORNER	E314.0	PERCHLORATE	3.8		UG/L	29.12	39.12	2
MW-283	W283M1A	10/9/2006	NW CORNER	E314.0	PERCHLORATE	3.3		UG/L	29.12	39.12	2
MW-283	MW-283M1-	4/26/2007	NW CORNER	E314.0	PERCHLORATE	3		UG/L	29.12	39.12	2
MW-283	MW-283M1-	10/16/2007	NW CORNER	E314.0	PERCHLORATE	2.3		UG/L	29.12	39.12	2
MW-284	W284M2A	9/12/2003	NW CORNER	E314.0	PERCHLORATE	3.04		UG/L	21.2	31.2	2
MW-284	W284M2A	12/2/2003	NW CORNER	E314.0	PERCHLORATE	2.89		UG/L	21.2	31.2	2
MW-284	W284M2A	3/10/2004	NW CORNER	E314.0	PERCHLORATE	3.3		UG/L	21.2	31.2	2
MW-284	W284M2A	8/26/2004	NW CORNER	E314.0	PERCHLORATE	3.1	J	UG/L	21.2	31.2	2
MW-284	W284M2A	2/15/2005	NW CORNER	E314.0	PERCHLORATE	3.4		UG/L	21.2	31.2	2
MW-284	W284M2A	6/10/2005	NW CORNER	E314.0	PERCHLORATE	4		UG/L	21.2	31.2	2
MW-284	W284M2D	6/10/2005	NW CORNER	E314.0	PERCHLORATE	4.2		UG/L	21.2	31.2	2
MW-284	W284M2A	9/19/2005	NW CORNER	E314.0	PERCHLORATE	4.1		UG/L	21.2	31.2	2
MW-284	W284M2A	1/3/2006	NW CORNER	E314.0	PERCHLORATE	4.2		UG/L	21.2	31.2	2
MW-284	W284M2A	10/9/2006	NW CORNER	E314.0	PERCHLORATE	4.9		UG/L	21.2	31.2	2
MW-284	MW-284M2-	4/25/2007	NW CORNER	E314.0	PERCHLORATE	5.1		UG/L	21.2	31.2	2
MW-284	MW-284M2-FD	4/25/2007	NW CORNER	E314.0	PERCHLORATE	5.2		UG/L	21.2	31.2	2
MW-284	MW-284M2-RD	4/25/2007	NW CORNER	E314.0	PERCHLORATE	5.31		UG/L	21.2	31.2	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-284	MW-284M2-	10/11/2007	NW CORNER	E314.0	PERCHLORATE	5.5		UG/L	21.2	31.2	2
MW-284	MW-284M2-FD	10/11/2007	NW CORNER	E314.0	PERCHLORATE	5.6		UG/L	21.2	31.2	2
MW-286	W286M2A	12/2/2003	J-1 RANGE	E314.0	PERCHLORATE	2.13		UG/L	81.42	91.42	2
MW-286	W286M2A	1/14/2005	J-1 RANGE	E314.0	PERCHLORATE	2		UG/L	81.42	91.42	2
MW-286	W286M2A	6/13/2005	J-1 RANGE	E314.0	PERCHLORATE	6.4		UG/L	81.42	91.42	2
MW-286	W286M2A	9/29/2005	J-1 RANGE	E314.0	PERCHLORATE	7.6		UG/L	81.42	91.42	2
MW-286	W286M2A	1/23/2006	J-1 RANGE	E314.0	PERCHLORATE	6.8		UG/L	81.42	91.42	2
MW-286	W286M2A	3/20/2006	J-1 RANGE	E314.0	PERCHLORATE	7	J	UG/L	81.42	91.42	2
MW-286	MW-286M2-	4/13/2007	J-1 RANGE	E314.0	PERCHLORATE	5.1		UG/L	81.42	91.42	2
MW-287	W287SSA	3/23/2004	NW CORNER	E314.0	PERCHLORATE	2.2		UG/L	0	10	2
MW-289	MW-289M2-	9/18/2003	J-2 RANGE	E314.0	PERCHLORATE	140		UG/L	59.7	69.7	2
MW-289	MW-289M2-FD	9/18/2003	J-2 RANGE	E314.0	PERCHLORATE	140		UG/L	59.7	69.7	2
MW-289	MW-289M2-	3/31/2004	J-2 RANGE	E314.0	PERCHLORATE	110		UG/L	59.7	69.7	2
MW-289	MW-289M2-	7/29/2004	J-2 RANGE	E314.0	PERCHLORATE	63		UG/L	59.7	69.7	2
MW-289	MW-289M2-FD	7/29/2004	J-2 RANGE	E314.0	PERCHLORATE	64		UG/L	59.7	69.7	2
MW-289	W289M2A	2/17/2005	J-2 RANGE	E314.0	PERCHLORATE	50	J	UG/L	59.7	69.7	2
MW-289	W289M2A	5/31/2005	J-2 RANGE	E314.0	PERCHLORATE	17		UG/L	59.7	69.7	2
MW-289	W289M2A	8/22/2005	J-2 RANGE	E314.0	PERCHLORATE	14.8		UG/L	59.7	69.7	2
MW-289	W289M2A	2/3/2006	J-2 RANGE	E314.0	PERCHLORATE	12.5		UG/L	59.7	69.7	2
MW-289	W289M2A	9/20/2006	J-2 RANGE	E314.0	PERCHLORATE	7.4		UG/L	59.7	69.7	2
MW-289	MW-289M2	10/11/2007	J-2 RANGE	E314.0	PERCHLORATE	3.66		UG/L	59.7	69.7	2
MW-289	MW-289M1-	9/18/2003	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L	203	213	2
MW-289	MW-289M1-	3/31/2004	J-2 RANGE	E314.0	PERCHLORATE	6.9		UG/L	203	213	2
MW-289	MW-289M1-	7/29/2004	J-2 RANGE	E314.0	PERCHLORATE	9.2		UG/L	203	213	2
MW-289	W289M1A	2/16/2005	J-2 RANGE	E314.0	PERCHLORATE	8.2	J	UG/L	203	213	2
MW-289	W289M1A	5/31/2005	J-2 RANGE	E314.0	PERCHLORATE	5.5		UG/L	203	213	2
MW-289	W289M1A	8/23/2005	J-2 RANGE	E314.0	PERCHLORATE	3.5		UG/L	203	213	2
MW-289	W289M1A	2/3/2006	J-2 RANGE	E314.0	PERCHLORATE	2.5		UG/L	203	213	2
MW-289	W289M1A	9/20/2006	J-2 RANGE	E314.0	PERCHLORATE	2.6		UG/L	203	213	2
MW-289	W289M1D	9/20/2006	J-2 RANGE	E314.0	PERCHLORATE	2.7		UG/L	203	213	2
MW-293	MW-293M2-	2/26/2004	J-2 RANGE	E314.0	PERCHLORATE	44		UG/L	90.22	100.22	2
MW-293	MW-293M2-FD	2/26/2004	J-2 RANGE	E314.0	PERCHLORATE	44		UG/L	90.22	100.22	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-293	MW-293M2-	7/15/2004	J-2 RANGE	E314.0	PERCHLORATE	43		UG/L	90.22	100.22	2
MW-293	MW-293M2-	11/19/2004	J-2 RANGE	E314.0	PERCHLORATE	52		UG/L	90.22	100.22	2
MW-293	W293M2A	11/4/2005	J-2 RANGE	E314.0	PERCHLORATE	35.3		UG/L	90.22	100.22	2
MW-293	W293M2D	11/4/2005	J-2 RANGE	E314.0	PERCHLORATE	35.2		UG/L	90.22	100.22	2
MW-293	W293M2A	1/18/2006	J-2 RANGE	E314.0	PERCHLORATE	41.1		UG/L	90.22	100.22	2
MW-293	W293M2D	1/18/2006	J-2 RANGE	E314.0	PERCHLORATE	40.3		UG/L	90.22	100.22	2
MW-293	W293M2A	9/18/2006	J-2 RANGE	E314.0	PERCHLORATE	28.9		UG/L	90.22	100.22	2
MW-293	MW-293M2	10/1/2007	J-2 RANGE	E314.0	PERCHLORATE	8.38	J	UG/L	90.22	100.22	2
MW-295	W295M1A	1/14/2004	J-3 RANGE	E314.0	PERCHLORATE	2.1		UG/L	49.5	59.5	2
MW-295	W295M1D	1/14/2004	J-3 RANGE	E314.0	PERCHLORATE	2.15		UG/L	49.5	59.5	2
MW-295	MW-295M1	3/7/2007	J-3 RANGE	E314.0	PERCHLORATE	2.04		UG/L	49.5	59.5	2
MW-295	MW-295M1	9/7/2007	J-3 RANGE	E314.0	PERCHLORATE	2.64	J	UG/L	49.5	59.5	2
MW-297	W297SSA	12/23/2003	NW CORNER	E314.0	PERCHLORATE	2.53		UG/L	0.32	10.32	2
MW-297	W297SSA	3/23/2004	NW CORNER	E314.0	PERCHLORATE	2.4		UG/L	0.32	10.32	2
MW-297	W297SSA	5/25/2005	NW CORNER	E314.0	PERCHLORATE	2.2		UG/L	0.32	10.32	2
MW-297	W297M1A	3/23/2004	NW CORNER	E314.0	PERCHLORATE	2		UG/L	20.28	30.28	2
MW-297	W297M1A	4/10/2006	NW CORNER	E314.0	PERCHLORATE	2.1		UG/L	20.28	30.28	2
MW-297	MW-297M1-	4/25/2007	NW CORNER	E314.0	PERCHLORATE	2.6		UG/L	20.28	30.28	2
MW-300	MW-300M2-	3/3/2004	J-2 RANGE	E314.0	PERCHLORATE	51		UG/L	94.38	104.38	2
MW-300	MW-300M2-	7/7/2004	J-2 RANGE	E314.0	PERCHLORATE	41		UG/L	94.38	104.38	2
MW-300	MW-300M2-FD	7/7/2004	J-2 RANGE	E314.0	PERCHLORATE	41		UG/L	94.38	104.38	2
MW-300	MW-300M2-	11/4/2004	J-2 RANGE	E314.0	PERCHLORATE	57		UG/L	94.38	104.38	2
MW-300	MW-300M2-FD	11/4/2004	J-2 RANGE	E314.0	PERCHLORATE	57		UG/L	94.38	104.38	2
MW-300	W300M2A	6/13/2005	J-2 RANGE	E314.0	PERCHLORATE	74		UG/L	94.38	104.38	2
MW-300	W300M2A	10/11/2005	J-2 RANGE	E314.0	PERCHLORATE	85.2		UG/L	94.38	104.38	2
MW-300	W300M2A	1/30/2006	J-2 RANGE	E314.0	PERCHLORATE	115		UG/L	94.38	104.38	2
MW-300	W300M2A	9/25/2006	J-2 RANGE	E314.0	PERCHLORATE	113		UG/L	94.38	104.38	2
MW-300	MW-300M2	10/10/2007	J-2 RANGE	E314.0	PERCHLORATE	60.8	J	UG/L	94.38	104.38	2
MW-301	W301SSA	2/25/2004	NW CORNER	E314.0	PERCHLORATE	2.75		UG/L	1.32	11.32	2
MW-301	W301SSA	5/21/2004	NW CORNER	E314.0	PERCHLORATE	2.3		UG/L	1.32	11.32	2
MW-301	W301SSA	8/12/2004	NW CORNER	E314.0	PERCHLORATE	3.1		UG/L	1.32	11.32	2
MW-301	W301SSA	12/7/2005	NW CORNER	E314.0	PERCHLORATE	2		UG/L	1.32	11.32	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-302	MW-302M2-	3/9/2004	J-2 RANGE	E314.0	PERCHLORATE	6.9		UG/L	85	95	2
MW-302	MW-302M2-FD	3/9/2004	J-2 RANGE	E314.0	PERCHLORATE	7		UG/L	85	95	2
MW-302	MW-302M2-	7/12/2004	J-2 RANGE	E314.0	PERCHLORATE	9.3		UG/L	85	95	2
MW-302	MW-302M2-	11/15/2004	J-2 RANGE	E314.0	PERCHLORATE	11		UG/L	85	95	2
MW-302	W302M2A	2/3/2006	J-2 RANGE	E314.0	PERCHLORATE	17.1		UG/L	85	95	2
MW-302	W302M2A	9/19/2006	J-2 RANGE	E314.0	PERCHLORATE	15		UG/L	85	95	2
MW-303	MW-303M3-	3/25/2004	J-1 RANGE	E314.0	PERCHLORATE	2.2		UG/L	27	37	2
MW-303	MW-303M2-	3/30/2004	J-1 RANGE	E314.0	PERCHLORATE	31		UG/L	122	132	2
MW-303	MW-303M2-	8/12/2004	J-1 RANGE	E314.0	PERCHLORATE	29		UG/L	122	132	2
MW-303	MW-303M2-	12/15/2004	J-1 RANGE	E314.0	PERCHLORATE	20		UG/L	122	132	2
MW-303	W303M2A	6/7/2005	J-1 RANGE	E314.0	PERCHLORATE	19		UG/L	122	132	2
MW-303	W303M2A	8/30/2005	J-1 RANGE	E314.0	PERCHLORATE	13.5		UG/L	122	132	2
MW-303	W303M2A	12/2/2005	J-1 RANGE	E314.0	PERCHLORATE	10.1		UG/L	122	132	2
MW-303	W303M2A	3/15/2006	J-1 RANGE	E314.0	PERCHLORATE	10.7		UG/L	122	132	2
MW-303	W303M2A	10/30/2006	J-1 RANGE	E314.0	PERCHLORATE	5.4		UG/L	122	132	2
MW-303	MW-303M2-	4/19/2007	J-1 RANGE	E314.0	PERCHLORATE	5		UG/L	122	132	2
MW-303	MW-303M2-FD	4/19/2007	J-1 RANGE	E314.0	PERCHLORATE	5.5		UG/L	122	132	2
MW-303	MW-303M2-	10/5/2007	J-1 RANGE	E314.0	PERCHLORATE	3.3		UG/L	122	132	2
MW-303	MW-303M2-FD	10/5/2007	J-1 RANGE	E314.0	PERCHLORATE	3.6		UG/L	122	132	2
MW-305	MW-305M1-	3/9/2004	J-2 RANGE	E314.0	PERCHLORATE	36		UG/L	99.82	109.82	2
MW-305	MW-305M1-	7/6/2004	J-2 RANGE	E314.0	PERCHLORATE	34		UG/L	99.82	109.82	2
MW-305	MW-305M1-	11/3/2004	J-2 RANGE	E314.0	PERCHLORATE	34		UG/L	99.82	109.82	2
MW-305	W305M1A	6/17/2005	J-2 RANGE	E314.0	PERCHLORATE	26		UG/L	99.82	109.82	2
MW-305	W305M1D	6/17/2005	J-2 RANGE	E314.0	PERCHLORATE	26		UG/L	99.82	109.82	2
MW-305	W305M1A	11/4/2005	J-2 RANGE	E314.0	PERCHLORATE	24.9		UG/L	99.82	109.82	2
MW-305	W305M1A	1/18/2006	J-2 RANGE	E314.0	PERCHLORATE	27.3		UG/L	99.82	109.82	2
MW-305	W305M1D	1/18/2006	J-2 RANGE	E314.0	PERCHLORATE	27.9		UG/L	99.82	109.82	2
MW-305	W305M1A	10/2/2006	J-2 RANGE	E314.0	PERCHLORATE	21.7		UG/L	99.82	109.82	2
MW-305	MW-305M1	9/27/2007	J-2 RANGE	E314.0	PERCHLORATE	10.7		UG/L	99.82	109.82	2
MW-307	MW-307M3-	4/27/2004	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L	17.8	27.82	2
MW-307	MW-307M3-	10/25/2004	J-2 RANGE	E314.0	PERCHLORATE	24		UG/L	17.8	27.82	2
MW-307	MW-307M3-	2/22/2005	J-2 RANGE	E314.0	PERCHLORATE	21		UG/L	17.8	27.82	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-307	W307M3A	10/19/2005	J-2 RANGE	E314.0	PERCHLORATE	12.8		UG/L	17.8	27.82	2
MW-307	W307M3A	1/30/2006	J-2 RANGE	E314.0	PERCHLORATE	10.1		UG/L	17.8	27.82	2
MW-307	W307M3A	3/27/2006	J-2 RANGE	E314.0	PERCHLORATE	12		UG/L	17.8	27.82	2
MW-307	W307M3D	3/27/2006	J-2 RANGE	E314.0	PERCHLORATE	11.9		UG/L	17.8	27.82	2
MW-307	W307M3A	9/28/2006	J-2 RANGE	E314.0	PERCHLORATE	14.9		UG/L	17.8	27.82	2
MW-307	MW-307M3-	4/11/2007	J-2 RANGE	E314.0	PERCHLORATE	25.3		UG/L	17.8	27.82	2
MW-307	MW-307M3-FD	4/11/2007	J-2 RANGE	E314.0	PERCHLORATE	25		UG/L	17.8	27.82	2
MW-307	MW-307M3-	9/26/2007	J-2 RANGE	E314.0	PERCHLORATE	25		UG/L	17.8	27.82	2
MW-309	W309SSA	6/10/2005	NW CORNER	E314.0	PERCHLORATE	3.7		UG/L	0	10	2
MW-309	W309SSA	8/25/2005	NW CORNER	E314.0	PERCHLORATE	3.9		UG/L	0	10	2
MW-309	W309SSA	12/13/2005	NW CORNER	E314.0	PERCHLORATE	3.4		UG/L	0	10	2
MW-309	W309SSA	3/27/2006	NW CORNER	E314.0	PERCHLORATE	2.6		UG/L	0	10	2
MW-309	W309SSA	10/9/2006	NW CORNER	E314.0	PERCHLORATE	2.1		UG/L	0	10	2
MW-309	W309M1A	9/15/2004	NW CORNER	E314.0	PERCHLORATE	3.72		UG/L	31.91	41.91	2
MW-309	W309M1A	6/10/2005	NW CORNER	E314.0	PERCHLORATE	4.2		UG/L	31.91	41.91	2
MW-309	W309M1A	8/25/2005	NW CORNER	E314.0	PERCHLORATE	4.1		UG/L	31.91	41.91	2
MW-309	W309M1A	12/13/2005	NW CORNER	E314.0	PERCHLORATE	3		UG/L	31.91	41.91	2
MW-309	W309M1A	3/27/2006	NW CORNER	E314.0	PERCHLORATE	2.6		UG/L	31.91	41.91	2
MW-309	MW-309M1-FD	4/25/2007	NW CORNER	E314.0	PERCHLORATE	2.5	J	UG/L	31.91	41.91	2
MW-31	W31SSA	8/9/2000	DEMO 1	E314.0	PERCHLORATE	43	J	UG/L	13	18	2
MW-31	W31SSA	12/8/2000	DEMO 1	E314.0	PERCHLORATE	30		UG/L	13	18	2
MW-31	W31SSA	5/2/2001	DEMO 1	E314.0	PERCHLORATE	20	J	UG/L	13	18	2
MW-31	W31SSA	8/24/2001	DEMO 1	E314.0	PERCHLORATE	16.2		UG/L	13	18	2
MW-31	W31SSA	1/4/2002	DEMO 1	E314.0	PERCHLORATE	12.5		UG/L	13	18	2
MW-31	W31SSA	5/29/2002	DEMO 1	E314.0	PERCHLORATE	12		UG/L	13	18	2
MW-31	W31SSA	8/7/2002	DEMO 1	E314.0	PERCHLORATE	7.2	J	UG/L	13	18	2
MW-31	W31SSA	11/15/2002	DEMO 1	E314.0	PERCHLORATE	4.9		UG/L	13	18	2
MW-31	W31SSA	3/28/2003	DEMO 1	E314.0	PERCHLORATE	10		UG/L	13	18	2
MW-31	W31SSA	9/27/2003	DEMO 1	E314.0	PERCHLORATE	4.6		UG/L	13	18	2
MW-31	W31SSD	9/27/2003	DEMO 1	E314.0	PERCHLORATE	5.3		UG/L	13	18	2
MW-31	W31SSA	2/28/2004	DEMO 1	E314.0	PERCHLORATE	7.77	J	UG/L	13	18	2
MW-31	W31SSA	5/11/2004	DEMO 1	E314.0	PERCHLORATE	5.02		UG/L	13	18	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-31	W31SSA	10/27/2004	DEMO 1	E314.0	PERCHLORATE	4.7	J	UG/L	13	18	2
MW-31	W31SSA	4/30/2005	DEMO 1	E314.0	PERCHLORATE	4.6		UG/L	13	18	2
MW-31	W31M1A	8/9/2000	DEMO 1	E314.0	PERCHLORATE	46	J	UG/L	28	38	2
MW-31	W31MMA	5/23/2001	DEMO 1	E314.0	PERCHLORATE	19		UG/L	28	38	2
MW-31	W31MMA	4/22/2002	DEMO 1	E314.0	PERCHLORATE	2.98	J	UG/L	28	38	2
MW-31	W31MMD	4/22/2002	DEMO 1	E314.0	PERCHLORATE	3.04	J	UG/L	28	38	2
MW-31	W31MMA	8/7/2002	DEMO 1	E314.0	PERCHLORATE	10	J	UG/L	28	38	2
MW-31	W31MMA	11/15/2002	DEMO 1	E314.0	PERCHLORATE	5.2		UG/L	28	38	2
MW-31	W31MMA	9/27/2003	DEMO 1	E314.0	PERCHLORATE	2.9		UG/L	28	38	2
MW-31	W31MMA	10/27/2004	DEMO 1	E314.0	PERCHLORATE	7.44	J	UG/L	28	38	2
MW-31	W31MMA	4/30/2005	DEMO 1	E314.0	PERCHLORATE	16		UG/L	28	38	2
MW-31	MW-31M-	4/13/2006	DEMO 1	E314.0	PERCHLORATE	2.68		UG/L	28	38	2
MW-310	MW-310M1-	4/23/2004	J-2 RANGE	E314.0	PERCHLORATE	16		UG/L	86	96	2
MW-310	MW-310M1-	8/23/2004	J-2 RANGE	E314.0	PERCHLORATE	15		UG/L	86	96	2
MW-310	MW-310M1-	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	17		UG/L	86	96	2
MW-310	MW-310M1-FD	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	18		UG/L	86	96	2
MW-310	W310M1A	6/16/2005	J-2 RANGE	E314.0	PERCHLORATE	13		UG/L	86	96	2
MW-310	W310M1A	11/7/2005	J-2 RANGE	E314.0	PERCHLORATE	9.4		UG/L	86	96	2
MW-310	W310M1A	1/31/2006	J-2 RANGE	E314.0	PERCHLORATE	7.3		UG/L	86	96	2
MW-310	W310M1A	4/3/2006	J-2 RANGE	E314.0	PERCHLORATE	4.9		UG/L	86	96	2
MW-310	W310M1A	9/28/2006	J-2 RANGE	E314.0	PERCHLORATE	8.5		UG/L	86	96	2
MW-310	W310M1D	9/28/2006	J-2 RANGE	E314.0	PERCHLORATE	8.4		UG/L	86	96	2
MW-310	MW-310M1-	4/10/2007	J-2 RANGE	E314.0	PERCHLORATE	8.6		UG/L	86	96	2
MW-310	MW-310M1-	9/25/2007	J-2 RANGE	E314.0	PERCHLORATE	13		UG/L	86	96	2
MW-313	MW-313M2-	6/29/2004	J-2 RANGE	E314.0	PERCHLORATE	8.2		UG/L	93	103	2
MW-313	MW-313M2-	10/25/2004	J-2 RANGE	E314.0	PERCHLORATE	9.1		UG/L	93	103	2
MW-313	MW-313M2-	2/23/2005	J-2 RANGE	E314.0	PERCHLORATE	7.7		UG/L	93	103	2
MW-313	MW-313M2-FD	2/23/2005	J-2 RANGE	E314.0	PERCHLORATE	7.6		UG/L	93	103	2
MW-313	W313M2A	10/27/2005	J-2 RANGE	E314.0	PERCHLORATE	3.5		UG/L	93	103	2
MW-313	W313M2A	2/3/2006	J-2 RANGE	E314.0	PERCHLORATE	4.1		UG/L	93	103	2
MW-313	W313M2A	3/8/2006	J-2 RANGE	E314.0	PERCHLORATE	5		UG/L	93	103	2
MW-313	W313M2A	9/21/2006	J-2 RANGE	E314.0	PERCHLORATE	7.5		UG/L	93	103	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-313	MW-313M2	3/20/2007	J-2 RANGE	E314.0	PERCHLORATE	3.92		UG/L	93	103	2
MW-313	MW-313M2	10/5/2007	J-2 RANGE	E314.0	PERCHLORATE	5.72	J	UG/L	93	103	2
MW-319	MW-319M2-	5/11/2004	J-2 RANGE	E314.0	PERCHLORATE	2.6		UG/L	72	82	2
MW-319	MW-319M2-	9/14/2004	J-2 RANGE	E314.0	PERCHLORATE	3.7		UG/L	72	82	2
MW-319	MW-319M2-FD	9/14/2004	J-2 RANGE	E314.0	PERCHLORATE	3.7		UG/L	72	82	2
MW-319	MW-319M2-	1/19/2005	J-2 RANGE	E314.0	PERCHLORATE	3.2		UG/L	72	82	2
MW-319	W319M2A	10/12/2005	J-2 RANGE	E314.0	PERCHLORATE	3.2		UG/L	72	82	2
MW-319	W319M2A	2/1/2006	J-2 RANGE	E314.0	PERCHLORATE	2.5		UG/L	72	82	2
MW-319	W319M2A	3/30/2006	J-2 RANGE	E314.0	PERCHLORATE	3		UG/L	72	82	2
MW-319	W319M2D	3/30/2006	J-2 RANGE	E314.0	PERCHLORATE	2.9		UG/L	72	82	2
MW-319	MW-319M2-	4/11/2007	J-2 RANGE	E314.0	PERCHLORATE	3.5		UG/L	72	82	2
MW-319	MW-319M1-	5/24/2004	J-2 RANGE	E314.0	PERCHLORATE	2.8		UG/L	107.25	117.25	2
MW-319	MW-319M1-	9/14/2004	J-2 RANGE	E314.0	PERCHLORATE	2.8		UG/L	107.25	117.25	2
MW-319	MW-319M1-	1/19/2005	J-2 RANGE	E314.0	PERCHLORATE	2.3		UG/L	107.25	117.25	2
MW-32	W32SSA	1/29/2003	DEMO 1	E314.0	PERCHLORATE	2.1		UG/L	50	55	2
MW-32	W32SSA	11/18/2003	DEMO 1	E314.0	PERCHLORATE	2	J	UG/L	50	55	2
MW-32	W32MMA	1/29/2003	DEMO 1	E314.0	PERCHLORATE	2.3		UG/L	65	75	2
MW-32	W32MMD	1/29/2003	DEMO 1	E314.0	PERCHLORATE	2.3		UG/L	65	75	2
MW-32	W32MMA	3/31/2003	DEMO 1	E314.0	PERCHLORATE	2.5		UG/L	65	75	2
MW-32	W32MMA	11/18/2003	DEMO 1	E314.0	PERCHLORATE	2.6	J	UG/L	65	75	2
MW-32	W32MMD	11/18/2003	DEMO 1	E314.0	PERCHLORATE	2.8	J	UG/L	65	75	2
MW-32	W32MMA	3/4/2004	DEMO 1	E314.0	PERCHLORATE	3.93		UG/L	65	75	2
MW-32	W32MMA	4/21/2004	DEMO 1	E314.0	PERCHLORATE	4.14		UG/L	65	75	2
MW-32	W32MMA	8/4/2004	DEMO 1	E314.0	PERCHLORATE	4.21		UG/L	65	75	2
MW-32	W32MMD	8/4/2004	DEMO 1	E314.0	PERCHLORATE	4.03		UG/L	65	75	2
MW-32	W32DDA	11/18/2003	DEMO 1	E314.0	PERCHLORATE	2.2	J	UG/L	85	90	2
MW-32	W32DDA	3/10/2004	DEMO 1	E314.0	PERCHLORATE	2.2	J	UG/L	85	90	2
MW-32	W32DDA	4/21/2004	DEMO 1	E314.0	PERCHLORATE	2.35		UG/L	85	90	2
MW-32	W32DDA	8/3/2004	DEMO 1	E314.0	PERCHLORATE	4.78		UG/L	85	90	2
MW-321	MW-321M1-	6/14/2004	J-2 RANGE	E314.0	PERCHLORATE	3.5		UG/L	70	80	2
MW-321	MW-321M1-	10/14/2004	J-2 RANGE	E314.0	PERCHLORATE	4.5		UG/L	70	80	2
MW-321	MW-321M1-	2/11/2005	J-2 RANGE	E314.0	PERCHLORATE	5.2		UG/L	70	80	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-321	W321M1A	11/22/2005	J-2 RANGE	E314.0	PERCHLORATE	2.8		UG/L	70	80	2
MW-321	W321M1A	1/31/2006	J-2 RANGE	E314.0	PERCHLORATE	2.1		UG/L	70	80	2
MW-323	W323SSA	4/19/2004	NW CORNER	E314.0	PERCHLORATE	3.14		UG/L	0	10	2
MW-323	W323SSA	7/27/2004	NW CORNER	E314.0	PERCHLORATE	2.78		UG/L	0	10	2
MW-323	W323SSA	6/15/2005	NW CORNER	E314.0	PERCHLORATE	3.6		UG/L	0	10	2
MW-323	W323SSA	7/20/2005	NW CORNER	E314.0	PERCHLORATE	3		UG/L	0	10	2
MW-324	MW-324M1-	10/20/2004	J-2 RANGE	E314.0	PERCHLORATE	2.2		UG/L	111.85	121.85	2
MW-324	MW-324M1-FD	10/20/2004	J-2 RANGE	E314.0	PERCHLORATE	2.3		UG/L	111.85	121.85	2
MW-324	MW-324M1-	2/23/2005	J-2 RANGE	E314.0	PERCHLORATE	2.2		UG/L	111.85	121.85	2
MW-326	MW-326M2-	6/30/2004	J-1 RANGE	E314.0	PERCHLORATE	21		UG/L	75	85	2
MW-326	MW-326M2-	10/29/2004	J-1 RANGE	E314.0	PERCHLORATE	18		UG/L	75	85	2
MW-326	MW-326M2-	4/11/2005	J-1 RANGE	E314.0	PERCHLORATE	16		UG/L	75	85	2
MW-326	W326M2A	11/18/2005	J-1 RANGE	E314.0	PERCHLORATE	12.4		UG/L	75	85	2
MW-326	W326M2A	1/27/2006	J-1 RANGE	E314.0	PERCHLORATE	12.3		UG/L	75	85	2
MW-326	W326M2A	3/22/2006	J-1 RANGE	E314.0	PERCHLORATE	12.5	J	UG/L	75	85	2
MW-326	MW-326M2-	4/18/2007	J-1 RANGE	E314.0	PERCHLORATE	10.1		UG/L	75	85	2
MW-329	MW-329M2-	4/7/2005	J-3 RANGE	E314.0	PERCHLORATE	2.1		UG/L	124.75	134.75	2
MW-33	W33MMA	8/8/2002	DEMO 1	E314.0	PERCHLORATE	2.1	J	UG/L	65	75	2
MW-33	W33DDA	4/23/2002	DEMO 1	E314.0	PERCHLORATE	2.02		UG/L	85	90	2
MW-33	W33DDA	8/8/2002	DEMO 1	E314.0	PERCHLORATE	2	J	UG/L	85	90	2
MW-33	W33DDA	11/15/2002	DEMO 1	E314.0	PERCHLORATE	2.2		UG/L	85	90	2
MW-33	W33DDD	11/15/2002	DEMO 1	E314.0	PERCHLORATE	2.2		UG/L	85	90	2
MW-33	W33DDA	2/6/2003	DEMO 1	E314.0	PERCHLORATE	3		UG/L	85	90	2
MW-33	MW-33D-	4/14/2006	DEMO 1	E314.0	PERCHLORATE	2.02		UG/L	85	90	2
MW-335	MW-335M1-	4/9/2007	J-2 RANGE	E314.0	PERCHLORATE	5.5		UG/L	145.2	155.2	2
MW-339	MW-339M1-	8/20/2004	J-2 RANGE	E314.0	PERCHLORATE	5.6		UG/L	125	135	2
MW-339	MW-339M1-	12/20/2004	J-2 RANGE	E314.0	PERCHLORATE	5.2		UG/L	125	135	2
MW-339	MW-339M1-	4/18/2005	J-2 RANGE	E314.0	PERCHLORATE	3.5		UG/L	125	135	2
MW-339	W339M1A	11/7/2005	J-2 RANGE	E314.0	PERCHLORATE	3.6		UG/L	125	135	2
MW-339	W339M1D	11/7/2005	J-2 RANGE	E314.0	PERCHLORATE	2.8		UG/L	125	135	2
MW-339	W339M1A	1/31/2006	J-2 RANGE	E314.0	PERCHLORATE	2.7		UG/L	125	135	2
MW-339	W339M1A	4/4/2006	J-2 RANGE	E314.0	PERCHLORATE	2.8		UG/L	125	135	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-339	MW-339M1-	4/11/2007	J-2 RANGE	E314.0	PERCHLORATE	3.6		UG/L	125	135	2
MW-34	W34M2A	8/10/2000	DEMO 1	E314.0	PERCHLORATE	56	J	UG/L	53	63	2
MW-34	W34M2A	12/18/2000	DEMO 1	E314.0	PERCHLORATE	34		UG/L	53	63	2
MW-34	W34M2A	5/1/2001	DEMO 1	E314.0	PERCHLORATE	28	J	UG/L	53	63	2
MW-34	W34M2A	7/30/2001	DEMO 1	E314.0	PERCHLORATE	16.2		UG/L	53	63	2
MW-34	W34M2A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	5.85	J	UG/L	53	63	2
MW-34	W34M2A	4/24/2002	DEMO 1	E314.0	PERCHLORATE	19.6		UG/L	53	63	2
MW-34	W34M2A	8/20/2002	DEMO 1	E314.0	PERCHLORATE	17		UG/L	53	63	2
MW-34	W34M2A	11/15/2002	DEMO 1	E314.0	PERCHLORATE	14		UG/L	53	63	2
MW-34	W34M2A	3/24/2003	DEMO 1	E314.0	PERCHLORATE	10	J	UG/L	53	63	2
MW-34	W34M2A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	7.3		UG/L	53	63	2
MW-34	W34M2A	3/5/2004	DEMO 1	E314.0	PERCHLORATE	7.02		UG/L	53	63	2
MW-34	W34M2A	5/14/2004	DEMO 1	E314.0	PERCHLORATE	5.23		UG/L	53	63	2
MW-34	W34M2A	8/5/2004	DEMO 1	E314.0	PERCHLORATE	5.87	J	UG/L	53	63	2
MW-34	W34M2A	4/21/2005	DEMO 1	E314.0	PERCHLORATE	3.9		UG/L	53	63	2
MW-34	MW-34M2-	4/18/2006	DEMO 1	E314.0	PERCHLORATE	6.13		UG/L	53	63	2
MW-34	MW-34M2	4/25/2007	DEMO 1	E314.0	PERCHLORATE	2.05		UG/L	53	63	2
MW-34	W34M1A	12/18/2000	DEMO 1	E314.0	PERCHLORATE	109		UG/L	73	83	2
MW-34	W34M1A	5/5/2001	DEMO 1	E314.0	PERCHLORATE	46		UG/L	73	83	2
MW-34	W34M1A	7/31/2001	DEMO 1	E314.0	PERCHLORATE	30.8		UG/L	73	83	2
MW-34	W34M1D	7/31/2001	DEMO 1	E314.0	PERCHLORATE	31.4		UG/L	73	83	2
MW-34	W34M1A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	17.7		UG/L	73	83	2
MW-34	W34M1A	4/24/2002	DEMO 1	E314.0	PERCHLORATE	7.9		UG/L	73	83	2
MW-34	W34M1A	8/20/2002	DEMO 1	E314.0	PERCHLORATE	7.1	J	UG/L	73	83	2
MW-34	W34M1D	8/20/2002	DEMO 1	E314.0	PERCHLORATE	7.3		UG/L	73	83	2
MW-34	W34M1A	11/15/2002	DEMO 1	E314.0	PERCHLORATE	8		UG/L	73	83	2
MW-34	W34M1A	3/24/2003	DEMO 1	E314.0	PERCHLORATE	8	J	UG/L	73	83	2
MW-34	W34M1A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	6.9		UG/L	73	83	2
MW-34	W34M1A	3/5/2004	DEMO 1	E314.0	PERCHLORATE	3.43		UG/L	73	83	2
MW-34	W34M1A	5/14/2004	DEMO 1	E314.0	PERCHLORATE	5.28		UG/L	73	83	2
MW-34	W34M1A	8/5/2004	DEMO 1	E314.0	PERCHLORATE	3.32	J	UG/L	73	83	2
MW-34	W34M1A	4/21/2005	DEMO 1	E314.0	PERCHLORATE	3.1		UG/L	73	83	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-34	MW-34M1-	4/18/2006	DEMO 1	E314.0	PERCHLORATE	7.35		UG/L	73	83	2
MW-341	W341M4A	8/31/2004	DEMO 1	E314.0	PERCHLORATE	14.7		UG/L	22.66	27.66	2
MW-341	W341M3A	8/18/2004	DEMO 1	E314.0	PERCHLORATE	2.95		UG/L	50.66	60.66	2
MW-341	W341M3A	12/10/2004	DEMO 1	E314.0	PERCHLORATE	15.5		UG/L	50.66	60.66	2
MW-341	W341M3A	4/18/2005	DEMO 1	E314.0	PERCHLORATE	40 J		UG/L	50.66	60.66	2
MW-341	W341M3A	8/8/2005	DEMO 1	E314.0	PERCHLORATE	20		UG/L	50.66	60.66	2
MW-341	MW-341M3-	12/8/2005	DEMO 1	E314.0	PERCHLORATE	7.52		UG/L	50.66	60.66	2
MW-341	MW-341M3 -	4/7/2006	DEMO 1	E314.0	PERCHLORATE	4.66		UG/L	50.66	60.66	2
MW-341	MW-341M3	12/27/2006	DEMO 1	E314.0	PERCHLORATE	2.64		UG/L	50.66	60.66	2
MW-343	MW-343M1-	11/22/2004	J-3 RANGE	E314.0	PERCHLORATE	2.9		UG/L	122	132	2
MW-343	MW-343M1-	3/23/2005	J-3 RANGE	E314.0	PERCHLORATE	2.3		UG/L	122	132	2
MW-343	MW-343M1-	7/18/2005	J-3 RANGE	E314.0	PERCHLORATE	3.5		UG/L	122	132	2
MW-343	W343M1A	1/10/2006	J-3 RANGE	E314.0	PERCHLORATE	3.6		UG/L	122	132	2
MW-343	W343M1A	6/6/2006	J-3 RANGE	E314.0	PERCHLORATE	5.4 J		UG/L	122	132	2
MW-343	MW-343M1	9/14/2007	J-3 RANGE	E314.0	PERCHLORATE	5.39 J		UG/L	122	132	2
MW-344	MW-344S-FD	4/24/2007	NW CORNER	E314.0	PERCHLORATE	2.2		UG/L	0	8.07	2
MW-346	MW-346M3-	5/18/2005	J-1 RANGE	E314.0	PERCHLORATE	8.5		UG/L	60	70	2
MW-346	MW-346M2-	12/9/2004	J-1 RANGE	E314.0	PERCHLORATE	3		UG/L	90	100	2
MW-346	MW-346M2-	4/13/2005	J-1 RANGE	E314.0	PERCHLORATE	5.8		UG/L	90	100	2
MW-346	MW-346M2-FD	4/13/2005	J-1 RANGE	E314.0	PERCHLORATE	5.9		UG/L	90	100	2
MW-346	MW-346M2-	8/15/2005	J-1 RANGE	E314.0	PERCHLORATE	11		UG/L	90	100	2
MW-346	W346M2A	1/27/2006	J-1 RANGE	E314.0	PERCHLORATE	25.9		UG/L	90	100	2
MW-346	MW-346M1-	12/9/2004	J-1 RANGE	E314.0	PERCHLORATE	2.8		UG/L	130	140	2
MW-346	MW-346M1-	4/14/2005	J-1 RANGE	E314.0	PERCHLORATE	5.2		UG/L	130	140	2
MW-346	MW-346M1-	8/15/2005	J-1 RANGE	E314.0	PERCHLORATE	6.5		UG/L	130	140	2
MW-346	W346M1A	1/27/2006	J-1 RANGE	E314.0	PERCHLORATE	10.4		UG/L	130	140	2
MW-346	W346M1A	3/15/2006	J-1 RANGE	E314.0	PERCHLORATE	11.8		UG/L	130	140	2
MW-346	MW-346M1-	4/17/2007	J-1 RANGE	E314.0	PERCHLORATE	25		UG/L	130	140	2
MW-348	MW-348M2-	11/3/2004	J-2 RANGE	E314.0	PERCHLORATE	38		UG/L	89.54	99.54	2
MW-348	MW-348M2-	3/23/2005	J-2 RANGE	E314.0	PERCHLORATE	61		UG/L	89.54	99.54	2
MW-348	MW-348M2-	7/19/2005	J-2 RANGE	E314.0	PERCHLORATE	51.6		UG/L	89.54	99.54	2
MW-348	W348M2A	2/2/2006	J-2 RANGE	E314.0	PERCHLORATE	43		UG/L	89.54	99.54	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-348	W348M2A	9/27/2006	J-2 RANGE	E314.0	PERCHLORATE	25		UG/L	89.54	99.54	2
MW-35	W35M1A	5/4/2001	DEMO 1	E314.0	PERCHLORATE	4 J	UG/L	68	78		2
MW-35	W35M1A	8/3/2001	DEMO 1	E314.0	PERCHLORATE	5.4		UG/L	68	78	2
MW-35	W35M1A	12/21/2001	DEMO 1	E314.0	PERCHLORATE	6.34 J	UG/L	68	78		2
MW-35	W35M1A	4/24/2002	DEMO 1	E314.0	PERCHLORATE	6.44 J	UG/L	68	78		2
MW-35	W35M1A	8/19/2002	DEMO 1	E314.0	PERCHLORATE	5		UG/L	68	78	2
MW-35	W35M1A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	4.2		UG/L	68	78	2
MW-35	W35M1A	4/8/2003	DEMO 1	E314.0	PERCHLORATE	3.9		UG/L	68	78	2
MW-35	W35M1A	8/25/2004	DEMO 1	E314.0	PERCHLORATE	3.5 J	UG/L	68	78		2
MW-36	W36M2D	1/8/2002	DEMO 1	E314.0	PERCHLORATE	2.16		UG/L	54	64	2
MW-36	W36M2A	4/24/2002	DEMO 1	E314.0	PERCHLORATE	3.44		UG/L	54	64	2
MW-36	W36M2A	8/8/2002	DEMO 1	E314.0	PERCHLORATE	4 J	UG/L	54	64		2
MW-36	W36M2A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	4.2 J	UG/L	54	64		2
MW-36	W36M2A	3/25/2003	DEMO 1	E314.0	PERCHLORATE	3.7 J	UG/L	54	64		2
MW-36	W36M2A	11/12/2003	DEMO 1	E314.0	PERCHLORATE	4.8		UG/L	54	64	2
MW-36	W36M2A	3/3/2004	DEMO 1	E314.0	PERCHLORATE	3.13		UG/L	54	64	2
MW-36	W36M2D	3/3/2004	DEMO 1	E314.0	PERCHLORATE	3.09		UG/L	54	64	2
MW-36	W36M2A	8/3/2004	DEMO 1	E314.0	PERCHLORATE	2.9 J	UG/L	54	64		2
MW-36	W36M2A	4/21/2005	DEMO 1	E314.0	PERCHLORATE	5.3		UG/L	54	64	2
MW-36	MW-36M2-	4/18/2006	DEMO 1	E314.0	PERCHLORATE	2.29		UG/L	54	64	2
MW-366	MW-366M3-	3/15/2005	J-2 RANGE	E314.0	PERCHLORATE	2.3		UG/L	49.6	59.6	2
MW-368	MW-368M2-	6/30/2005	J-2 RANGE	E314.0	PERCHLORATE	39.8 J	UG/L	99.5	109.5		2
MW-368	MW-368M2-FD	6/30/2005	J-2 RANGE	E314.0	PERCHLORATE	40 J	UG/L	99.5	109.5		2
MW-368	MW-368M2-	10/28/2005	J-2 RANGE	E314.0	PERCHLORATE	50.8		UG/L	99.5	109.5	2
MW-368	MW-368M2-FD	10/28/2005	J-2 RANGE	E314.0	PERCHLORATE	51.5		UG/L	99.5	109.5	2
MW-368	MW-368M2-	2/24/2006	J-2 RANGE	E314.0	PERCHLORATE	55.6		UG/L	99.5	109.5	2
MW-368	W368M2A	3/28/2006	J-2 RANGE	E314.0	PERCHLORATE	50.8		UG/L	99.5	109.5	2
MW-368	W368M2A	10/10/2006	J-2 RANGE	E314.0	PERCHLORATE	42.5		UG/L	99.5	109.5	2
MW-368	MW-368M2-	4/12/2007	J-2 RANGE	E314.0	PERCHLORATE	53		UG/L	99.5	109.5	2
MW-368	MW-368M2-FD	4/12/2007	J-2 RANGE	E314.0	PERCHLORATE	50.5		UG/L	99.5	109.5	2
MW-368	MW-368M2-	9/26/2007	J-2 RANGE	E314.0	PERCHLORATE	58		UG/L	99.5	109.5	2
MW-368	MW-368M2-FD	9/26/2007	J-2 RANGE	E314.0	PERCHLORATE	57		UG/L	99.5	109.5	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-368	MW-368M1-	6/30/2005	J-2 RANGE	E314.0	PERCHLORATE	15.8	J	UG/L	133.85	143.85	2
MW-368	MW-368M1-	10/28/2005	J-2 RANGE	E314.0	PERCHLORATE	19.3		UG/L	133.85	143.85	2
MW-368	MW-368M1-	2/24/2006	J-2 RANGE	E314.0	PERCHLORATE	15.9		UG/L	133.85	143.85	2
MW-368	W368M1A	3/27/2006	J-2 RANGE	E314.0	PERCHLORATE	14.1		UG/L	133.85	143.85	2
MW-368	MW-368M1-	4/12/2007	J-2 RANGE	E314.0	PERCHLORATE	38.6		UG/L	133.85	143.85	2
MW-370	MW-370M2-	7/11/2005	J-1 RANGE	E314.0	PERCHLORATE	7.9		UG/L	93	103	2
MW-370	MW-370M2-FD	7/11/2005	J-1 RANGE	E314.0	PERCHLORATE	8		UG/L	93	103	2
MW-370	MW-370M2-	11/7/2005	J-1 RANGE	E314.0	PERCHLORATE	10		UG/L	93	103	2
MW-370	MW-370M2-	3/7/2006	J-1 RANGE	E314.0	PERCHLORATE	11.3		UG/L	93	103	2
MW-370	MW-370M2-FD	3/7/2006	J-1 RANGE	E314.0	PERCHLORATE	11.5		UG/L	93	103	2
MW-370	W370M2A	3/20/2006	J-1 RANGE	E314.0	PERCHLORATE	11.8	J	UG/L	93	103	2
MW-370	W370M2A	11/1/2006	J-1 RANGE	E314.0	PERCHLORATE	16.3		UG/L	93	103	2
MW-370	MW-370M2-	4/13/2007	J-1 RANGE	E314.0	PERCHLORATE	19.6		UG/L	93	103	2
MW-370	MW-370M2-FD	4/13/2007	J-1 RANGE	E314.0	PERCHLORATE	20.6		UG/L	93	103	2
MW-370	MW-370M2-	10/1/2007	J-1 RANGE	E314.0	PERCHLORATE	38		UG/L	93	103	2
MW-38	W38M3A	11/19/2003	CIA	E314.0	PERCHLORATE	2.3		UG/L	52	62	2
MW-38	W38M3A	2/26/2004	CIA	E314.0	PERCHLORATE	2.3		UG/L	52	62	2
MW-38	W38M3A	4/26/2004	CIA	E314.0	PERCHLORATE	2.1		UG/L	52	62	2
MW-38	W38M3A	11/4/2004	CIA	E314.0	PERCHLORATE	2.7		UG/L	52	62	2
MW-38	W38M3A	2/18/2005	CIA	E314.0	PERCHLORATE	3.1	J	UG/L	52	62	2
MW-38	W38M3A	5/13/2005	CIA	E314.0	PERCHLORATE	2.8		UG/L	52	62	2
MW-38	W38M3A	10/25/2005	CIA	E314.0	PERCHLORATE	3		UG/L	52	62	2
MW-38	W38M3A	1/17/2006	CIA	E314.0	PERCHLORATE	3.2		UG/L	52	62	2
MW-38	W38M3D	1/17/2006	CIA	E314.0	PERCHLORATE	3.2		UG/L	52	62	2
MW-38	W38M3A	4/26/2006	CIA	E314.0	PERCHLORATE	3.4		UG/L	52	62	2
MW-38	W38M3A	11/27/2006	CIA	E314.0	PERCHLORATE	3.3		UG/L	52	62	2
MW-38	MW-38M3	5/11/2007	CIA	E314.0	PERCHLORATE	3.8		UG/L	52	62	2
MW-38	MW-38M3	5/11/2007	CIA	E314.0	PERCHLORATE	3.3		UG/L	52	62	2
MW-393	W393M1A	10/10/2006	J-2 RANGE	E314.0	PERCHLORATE	2.6		UG/L	180.42	190.42	2
MW-393	MW-393M1-	4/9/2007	J-2 RANGE	E314.0	PERCHLORATE	2.8		UG/L	180.42	190.42	2
MW-393	MW-393M1-FD	4/9/2007	J-2 RANGE	E314.0	PERCHLORATE	2.9		UG/L	180.42	190.42	2
MW-393	MW-393M1-	9/21/2007	J-2 RANGE	E314.0	PERCHLORATE	3.7		UG/L	180.42	190.42	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-66	W66SSA	9/21/2001	NW CORNER	E314.0	PERCHLORATE	2.2J		UG/L	7	17	2
MW-66	W66SSA	7/1/2002	NW CORNER	E314.0	PERCHLORATE	2		UG/L	7	17	2
MW-66	W66SSA	8/9/2002	NW CORNER	E314.0	PERCHLORATE	2.9		UG/L	7	17	2
MW-66	W66SSD	8/9/2002	NW CORNER	E314.0	PERCHLORATE	2.3		UG/L	7	17	2
MW-66	W66SSA	1/30/2003	NW CORNER	E314.0	PERCHLORATE	3J		UG/L	7	17	2
MW-66	W66SSA	4/3/2003	NW CORNER	E314.0	PERCHLORATE	2.5		UG/L	7	17	2
MW-66	W66SSA	2/23/2004	NW CORNER	E314.0	PERCHLORATE	3.2J		UG/L	7	17	2
MW-66	W66SSA	5/10/2004	NW CORNER	E314.0	PERCHLORATE	3J		UG/L	7	17	2
MW-66	W66SSA	8/31/2004	NW CORNER	E314.0	PERCHLORATE	2.7J		UG/L	7	17	2
MW-66	W66M2A	2/23/2004	NW CORNER	E314.0	PERCHLORATE	2.3J		UG/L	22	32	2
MW-66	W66M2D	2/23/2004	NW CORNER	E314.0	PERCHLORATE	2.3J		UG/L	22	32	2
MW-73	W73SSD	12/19/2000	DEMO 1	E314.0	PERCHLORATE	6		UG/L	0	10	2
MW-73	W73SSA	6/14/2001	DEMO 1	E314.0	PERCHLORATE	10		UG/L	0	10	2
MW-73	W73SSA	1/11/2002	DEMO 1	E314.0	PERCHLORATE	3.3		UG/L	0	10	2
MW-73	W73SSA	9/27/2003	DEMO 1	E314.0	PERCHLORATE	3.9		UG/L	0	10	2
MW-73	W73SSA	2/28/2004	DEMO 1	E314.0	PERCHLORATE	3J		UG/L	0	10	2
MW-73	W73SSA	6/1/2004	DEMO 1	E314.0	PERCHLORATE	2.46J		UG/L	0	10	2
MW-75	W75M2A	5/9/2001	DEMO 1	E314.0	PERCHLORATE	9J		UG/L	34	44	2
MW-75	W75M2D	5/9/2001	DEMO 1	E314.0	PERCHLORATE	9J		UG/L	34	44	2
MW-75	W75M2A	8/9/2001	DEMO 1	E314.0	PERCHLORATE	6.24		UG/L	34	44	2
MW-75	W75M2A	1/7/2002	DEMO 1	E314.0	PERCHLORATE	4.08		UG/L	34	44	2
MW-75	W75M2A	4/25/2002	DEMO 1	E314.0	PERCHLORATE	4.89		UG/L	34	44	2
MW-75	W75M2A	8/19/2002	DEMO 1	E314.0	PERCHLORATE	2.8		UG/L	34	44	2
MW-75	W75M2D	8/19/2002	DEMO 1	E314.0	PERCHLORATE	3.2		UG/L	34	44	2
MW-75	W75M2A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	3.6J		UG/L	34	44	2
MW-75	W75M2A	3/26/2003	DEMO 1	E314.0	PERCHLORATE	6.8J		UG/L	34	44	2
MW-75	W75M2A	12/4/2003	DEMO 1	E314.0	PERCHLORATE	4.2		UG/L	34	44	2
MW-75	W75M2A	2/25/2004	DEMO 1	E314.0	PERCHLORATE	3.08		UG/L	34	44	2
MW-75	W75M2D	2/25/2004	DEMO 1	E314.0	PERCHLORATE	2.84		UG/L	34	44	2
MW-75	W75M2A	4/7/2004	DEMO 1	E314.0	PERCHLORATE	2.59		UG/L	34	44	2
MW-75	W75M2D	4/7/2004	DEMO 1	E314.0	PERCHLORATE	2.46		UG/L	34	44	2
MW-76	W76SSA	12/7/2000	DEMO 1	E314.0	PERCHLORATE	5		UG/L	18	28	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-76	W76SSA	5/7/2001	DEMO 1	E314.0	PERCHLORATE	7		UG/L	18	28	2
MW-76	W76SSA	8/10/2001	DEMO 1	E314.0	PERCHLORATE	13.3		UG/L	18	28	2
MW-76	W76SSA	12/28/2001	DEMO 1	E314.0	PERCHLORATE	41.2		UG/L	18	28	2
MW-76	W76SSA	4/24/2002	DEMO 1	E314.0	PERCHLORATE	175		UG/L	18	28	2
MW-76	W76SSA	8/20/2002	DEMO 1	E314.0	PERCHLORATE	88		UG/L	18	28	2
MW-76	W76SSA	11/18/2002	DEMO 1	E314.0	PERCHLORATE	26	J	UG/L	18	28	2
MW-76	W76SSA	9/27/2003	DEMO 1	E314.0	PERCHLORATE	19		UG/L	18	28	2
MW-76	W76SSA	2/24/2004	DEMO 1	E314.0	PERCHLORATE	19.1		UG/L	18	28	2
MW-76	W76SSA	4/21/2004	DEMO 1	E314.0	PERCHLORATE	11.3		UG/L	18	28	2
MW-76	W76SSA	8/11/2004	DEMO 1	E314.0	PERCHLORATE	2.11		UG/L	18	28	2
MW-76	W76SSA	4/13/2005	DEMO 1	E314.0	PERCHLORATE	3.2	J	UG/L	18	28	2
MW-76	MW-76S	4/23/2007	DEMO 1	E314.0	PERCHLORATE	2.58		UG/L	18	28	2
MW-76	W76M2A	12/6/2000	DEMO 1	E314.0	PERCHLORATE	11		UG/L	38	48	2
MW-76	W76M2A	5/7/2001	DEMO 1	E314.0	PERCHLORATE	17		UG/L	38	48	2
MW-76	W76M2A	8/13/2001	DEMO 1	E314.0	PERCHLORATE	22.1		UG/L	38	48	2
MW-76	W76M2D	8/13/2001	DEMO 1	E314.0	PERCHLORATE	22.5		UG/L	38	48	2
MW-76	W76M2A	1/7/2002	DEMO 1	E314.0	PERCHLORATE	126		UG/L	38	48	2
MW-76	W76M2A	4/24/2002	DEMO 1	E314.0	PERCHLORATE	174		UG/L	38	48	2
MW-76	W76M2A	8/19/2002	DEMO 1	E314.0	PERCHLORATE	250		UG/L	38	48	2
MW-76	W76M2A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	290		UG/L	38	48	2
MW-76	W76M2A	3/26/2003	DEMO 1	E314.0	PERCHLORATE	500	J	UG/L	38	48	2
MW-76	W76M2D	3/26/2003	DEMO 1	E314.0	PERCHLORATE	500	J	UG/L	38	48	2
MW-76	W76M2A	12/3/2003	DEMO 1	E314.0	PERCHLORATE	210		UG/L	38	48	2
MW-76	W76M2A	2/24/2004	DEMO 1	E314.0	PERCHLORATE	115		UG/L	38	48	2
MW-76	W76M2A	4/22/2004	DEMO 1	E314.0	PERCHLORATE	93.1		UG/L	38	48	2
MW-76	W76M2A	8/11/2004	DEMO 1	E314.0	PERCHLORATE	57.2		UG/L	38	48	2
MW-76	W76M2A	4/13/2005	DEMO 1	E314.0	PERCHLORATE	25	J	UG/L	38	48	2
MW-76	MW-76M2-	4/19/2006	DEMO 1	E314.0	PERCHLORATE	3.5		UG/L	38	48	2
MW-76	W76M1A	5/7/2001	DEMO 1	E314.0	PERCHLORATE	8		UG/L	58	68	2
MW-76	W76M1A	8/13/2001	DEMO 1	E314.0	PERCHLORATE	16		UG/L	58	68	2
MW-76	W76M1A	12/28/2001	DEMO 1	E314.0	PERCHLORATE	30.6		UG/L	58	68	2
MW-76	W76M1A	4/24/2002	DEMO 1	E314.0	PERCHLORATE	15.3		UG/L	58	68	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-76	W76M1A	8/19/2002	DEMO 1	E314.0	PERCHLORATE	3.1		UG/L	58	68	2
MW-76	W76M1A	11/18/2002	DEMO 1	E314.0	PERCHLORATE	11 J		UG/L	58	68	2
MW-76	W76M1A	3/25/2003	DEMO 1	E314.0	PERCHLORATE	200 J		UG/L	58	68	2
MW-76	W76M1A	9/27/2003	DEMO 1	E314.0	PERCHLORATE	97 J		UG/L	58	68	2
MW-76	W76M1A	2/24/2004	DEMO 1	E314.0	PERCHLORATE	16.4		UG/L	58	68	2
MW-76	W76M1A	4/21/2004	DEMO 1	E314.0	PERCHLORATE	17.9		UG/L	58	68	2
MW-76	W76M1A	8/11/2004	DEMO 1	E314.0	PERCHLORATE	47.3		UG/L	58	68	2
MW-77	W77M2A	12/6/2000	DEMO 1	E314.0	PERCHLORATE	28		UG/L	38	48	2
MW-77	W77M2A	5/10/2001	DEMO 1	E314.0	PERCHLORATE	16 J		UG/L	38	48	2
MW-77	W77M2A	8/10/2001	DEMO 1	E314.0	PERCHLORATE	13.9		UG/L	38	48	2
MW-77	W77M2A	12/26/2001	DEMO 1	E314.0	PERCHLORATE	12.3		UG/L	38	48	2
MW-77	W77M2A	4/24/2002	DEMO 1	E314.0	PERCHLORATE	8.01		UG/L	38	48	2
MW-77	W77M2A	8/7/2002	DEMO 1	E314.0	PERCHLORATE	7.2 J		UG/L	38	48	2
MW-77	W77M2A	11/19/2002	DEMO 1	E314.0	PERCHLORATE	7.2		UG/L	38	48	2
MW-77	W77M2A	3/26/2003	DEMO 1	E314.0	PERCHLORATE	5.4 J		UG/L	38	48	2
MW-77	W77M2A	9/27/2003	DEMO 1	E314.0	PERCHLORATE	9.1		UG/L	38	48	2
MW-77	W77M2A	2/12/2004	DEMO 1	E314.0	PERCHLORATE	5.32		UG/L	38	48	2
MW-77	W77M2A	4/5/2004	DEMO 1	E314.0	PERCHLORATE	5.7 J		UG/L	38	48	2
MW-77	W77M2A	7/28/2004	DEMO 1	E314.0	PERCHLORATE	5.1		UG/L	38	48	2
MW-77	W77M2D	7/28/2004	DEMO 1	E314.0	PERCHLORATE	5.1		UG/L	38	48	2
MW-77	W77M2A	4/20/2005	DEMO 1	E314.0	PERCHLORATE	7		UG/L	38	48	2
MW-77	MW-77M2-	4/20/2006	DEMO 1	E314.0	PERCHLORATE	7.08		UG/L	38	48	2
MW-77	MW-77M2	4/23/2007	DEMO 1	E314.0	PERCHLORATE	2.64		UG/L	38	48	2
MW-78	W78M2A	12/6/2000	DEMO 1	E314.0	PERCHLORATE	19		UG/L	38	48	2
MW-78	W78M2A	5/10/2001	DEMO 1	E314.0	PERCHLORATE	9 J		UG/L	38	48	2
MW-78	W78M2A	8/15/2001	DEMO 1	E314.0	PERCHLORATE	11.4		UG/L	38	48	2
MW-78	W78M2A	12/28/2001	DEMO 1	E314.0	PERCHLORATE	4.43		UG/L	38	48	2
MW-78	W78M2A	4/25/2002	DEMO 1	E314.0	PERCHLORATE	4.75		UG/L	38	48	2
MW-78	W78M2A	8/20/2002	DEMO 1	E314.0	PERCHLORATE	6.3 J		UG/L	38	48	2
MW-78	W78M2A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	8.7		UG/L	38	48	2
MW-78	W78M2A	3/27/2003	DEMO 1	E314.0	PERCHLORATE	4.7 J		UG/L	38	48	2
MW-78	W78M2A	12/4/2003	DEMO 1	E314.0	PERCHLORATE	11		UG/L	38	48	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-78	W78M2A	2/24/2004	DEMO 1	E314.0	PERCHLORATE	8.34		UG/L	38	48	2
MW-78	W78M2D	2/24/2004	DEMO 1	E314.0	PERCHLORATE	8.18	J	UG/L	38	48	2
MW-78	W78M2A	4/6/2004	DEMO 1	E314.0	PERCHLORATE	8.2		UG/L	38	48	2
MW-78	W78M2A	8/12/2004	DEMO 1	E314.0	PERCHLORATE	6.48		UG/L	38	48	2
MW-78	W78M2A	4/20/2005	DEMO 1	E314.0	PERCHLORATE	3.5		UG/L	38	48	2
MW-78	W78M1A	4/25/2002	DEMO 1	E314.0	PERCHLORATE	2.07		UG/L	58	68	2
MW-78	W78M1A	8/20/2002	DEMO 1	E314.0	PERCHLORATE	4.6	J	UG/L	58	68	2
MW-78	W78M1D	8/20/2002	DEMO 1	E314.0	PERCHLORATE	3	J	UG/L	58	68	2
MW-78	W78M1A	11/20/2002	DEMO 1	E314.0	PERCHLORATE	4.1		UG/L	58	68	2
MW-78	W78M1A	3/26/2003	DEMO 1	E314.0	PERCHLORATE	4.9	J	UG/L	58	68	2
MW-78	W78M1A	12/4/2003	DEMO 1	E314.0	PERCHLORATE	5.3		UG/L	58	68	2
MW-78	W78M1A	2/23/2004	DEMO 1	E314.0	PERCHLORATE	4.83		UG/L	58	68	2
MW-78	W78M1A	4/6/2004	DEMO 1	E314.0	PERCHLORATE	4.37		UG/L	58	68	2
MW-78	W78M1A	8/11/2004	DEMO 1	E314.0	PERCHLORATE	2.84		UG/L	58	68	2
MW-78	W78M1A	4/20/2005	DEMO 1	E314.0	PERCHLORATE	2.1		UG/L	58	68	2
MW-80	W80M1A	4/4/2002	WESTERN BOUNDARY	E314.0	PERCHLORATE	2.26	J	UG/L	86	96	2
MW-87	MW-87M1	10/23/2007	CIA	E314.0	PERCHLORATE	2.8		UG/L	62	72	2
MW-88	MW-88M2	10/19/2007	CIA	E314.0	PERCHLORATE	2.5		UG/L	72	82	2
MW-88	MW-88M2_FD	10/19/2007	CIA	E314.0	PERCHLORATE	2.6		UG/L	72	82	2
MW-89	W89M2A	9/13/2005	CIA	E314.0	PERCHLORATE	2.2		UG/L	72	82	2
MW-89	W89M2A	11/2/2006	CIA	E314.0	PERCHLORATE	4.4		UG/L	72	82	2
MW-89	MW-89M2	10/23/2007	CIA	E314.0	PERCHLORATE	5.5		UG/L	72	82	2
MW-91	W91SSA	1/20/2001	CIA	E314.0	PERCHLORATE	5	J	UG/L	0	10	2
MW-91	W91SSA	10/9/2001	CIA	E314.0	PERCHLORATE	3.22	J	UG/L	0	10	2
MW-91	W91SSA	12/20/2001	CIA	E314.0	PERCHLORATE	3.83	J	UG/L	0	10	2
MW-91	W91SSA	5/20/2002	CIA	E314.0	PERCHLORATE	4		UG/L	0	10	2
MW-91	W91SSA	1/31/2003	CIA	E314.0	PERCHLORATE	2.8	J	UG/L	0	10	2
MW-91	W91SSA	5/21/2003	CIA	E314.0	PERCHLORATE	2.9		UG/L	0	10	2
MW-91	W91SSA	2/20/2004	CIA	E314.0	PERCHLORATE	2	J	UG/L	0	10	2
MW-93	W93M2A	1/20/2001	CIA	E314.0	PERCHLORATE	2	J	UG/L	16	26	2
MW-93	W93M1A	1/20/2001	CIA	E314.0	PERCHLORATE	3	J	UG/L	56	66	2
MW-93	W93M1D	1/20/2001	CIA	E314.0	PERCHLORATE	2	J	UG/L	56	66	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
OW-1	WOW-1A	11/15/2001	CIA	E314.0	PERCHLORATE	2.92		UG/L	0	10	2
OW-1	WOW-1A	5/21/2002	CIA	E314.0	PERCHLORATE	2.07	J	UG/L	0	10	2
OW-1	WOW-1D	5/21/2002	CIA	E314.0	PERCHLORATE	2.15	J	UG/L	0	10	2
OW-1	OW-1-A	1/16/2003	CIA	E314.0	PERCHLORATE	3.2		UG/L	0	10	2
RS003P	RS003P-A	2/22/2005	J-2 RANGE	E314.0	PERCHLORATE	2.1		UG/L			2
RSNW03	RSNW03-A	7/7/2004	NW CORNER	E314.0	PERCHLORATE	2.01	J	UG/L			2
RSNW03	RSNW03-A	9/9/2004	NW CORNER	E314.0	PERCHLORATE	2.07		UG/L			2
15MW0002	15MW0002	4/8/1999	J-2 RANGE	IM40MB	SODIUM	37600		UG/L	0	10	20000
90WT0010	90WT0010	6/5/2000	FS-12	IM40MB	SODIUM	23600		UG/L	2	12	20000
90WT0010	90WT0010-L	6/5/2000	FS-12	IM40MB	SODIUM	24200		UG/L	2	12	20000
90WT0015	90WT0015	4/23/1999	FS-12	IM40MB	SODIUM	34300		UG/L	0	10	20000
ASPWELL	ASPWELL	7/20/1999	OTHER	A3111B	SODIUM	33000	J	UG/L			20000
ASPWELL	ASPWELL	10/13/1999	OTHER	A3111B	SODIUM	38000		UG/L			20000
ASPWELL	ASPWELL	5/24/2001	OTHER	IM40MB	SODIUM	24900		UG/L			20000
ASPWELL	ASPWELL	9/27/2001	OTHER	A3111B	SODIUM	21000		UG/L			20000
ASPWELL	ASPWELL	9/27/2001	OTHER	IM40MB	SODIUM	22600		UG/L			20000
ASPWELL	ASPWELL	12/19/2001	OTHER	IM40MB	SODIUM	28500		UG/L			20000
ASPWELL	ASPWELL-A	10/13/2004	OTHER	IM40MBM	SODIUM	29700		UG/L			20000
ASPWELL	ASPWELL-A	10/13/2004	OTHER	E200.7	SODIUM	29000		UG/L			20000
BHW215083	BHW215083B-A	11/16/2005	OTHER	IM40MBM	SODIUM	371000		UG/L	16.95	26.95	20000
BHW215083	BHW215083D-A	11/17/2005	OTHER	IM40MBM	SODIUM	63800		UG/L	80.05	90.05	20000
MW-144	W144SSA	6/18/2001	J-3 RANGE	IM40MB	SODIUM	77200		UG/L	5	15	20000
MW-144	W144SSA	9/6/2002	J-3 RANGE	IM40MB	SODIUM	43000		UG/L	5	15	20000
MW-144	W144SSA	11/25/2002	J-3 RANGE	IM40MB	SODIUM	28100		UG/L	5	15	20000
MW-144	W144SSA	10/16/2003	J-3 RANGE	IM40MB	SODIUM	31400		UG/L	5	15	20000
MW-144	W144SSA	12/18/2003	J-3 RANGE	IM40MB	SODIUM	27800		UG/L	5	15	20000
MW-145	W145SSA	2/12/2001	J-3 RANGE	IM40MB	SODIUM	37000		UG/L	0	10	20000
MW-145	W145SSA	6/20/2001	J-3 RANGE	IM40MB	SODIUM	73600		UG/L	0	10	20000
MW-145	W145SSA	6/28/2002	J-3 RANGE	IM40MB	SODIUM	53300		UG/L	0	10	20000
MW-145	W145SSA	12/2/2002	J-3 RANGE	IM40MB	SODIUM	24100		UG/L	0	10	20000
MW-145	W145SSA	11/4/2003	J-3 RANGE	IM40MB	SODIUM	77200		UG/L	0	10	20000
MW-148	W148SSA	10/18/2001	L RANGE	IM40MB	SODIUM	23500		UG/L	0	10	20000

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-148	W148SSA	12/18/2003	L RANGE	IM40MB	SODIUM	27800		UG/L	0	10	20000
MW-16	W16SSA	11/17/1997	DEMO 2	IM40	SODIUM	20900		UG/L	0	10	20000
MW-16	W16SSL	11/17/1997	DEMO 2	IM40	SODIUM	20400		UG/L	0	10	20000
MW-187	W187DDA	1/23/2002	J-1 RANGE	IM40MB	SODIUM	25300		UG/L	199.5	209.5	20000
MW-187	W187DDX	1/23/2002	J-1 RANGE	IM40MB	SODIUM	25200		UG/L	199.5	209.5	20000
MW-187	W187DDA	7/11/2002	J-1 RANGE	IM40MB	SODIUM	27100		UG/L	199.5	209.5	20000
MW-187	W187DDA	10/17/2002	J-1 RANGE	IM40MB	SODIUM	25300		UG/L	199.5	209.5	20000
MW-187	W187DDA	7/7/2003	J-1 RANGE	IM40MB	SODIUM	22700		UG/L	199.5	209.5	20000
MW-187	W187DDA	11/21/2003	J-1 RANGE	IM40MB	SODIUM	24200		UG/L	199.5	209.5	20000
MW-187	W187DDA	3/5/2004	J-1 RANGE	IM40MB	SODIUM	24100		UG/L	199.5	209.5	20000
MW-2	W02SSA	2/23/1998	CIA	IM40MB	SODIUM	27200		UG/L	0	10	20000
MW-2	W02SSL	2/23/1998	CIA	IM40MB	SODIUM	26300		UG/L	0	10	20000
MW-2	W02SSA	2/1/1999	CIA	IM40MB	SODIUM	20300		UG/L	0	10	20000
MW-2	W02SSL	2/1/1999	CIA	IM40MB	SODIUM	20100		UG/L	0	10	20000
MW-2	W02DDA	11/19/1997	CIA	IM40	SODIUM	21500		UG/L	218	223	20000
MW-2	W02DDL	11/19/1997	CIA	IM40	SODIUM	22600		UG/L	218	223	20000
MW-21	W21SSA	10/24/1997	OTHER	IM40	SODIUM	24000		UG/L	0	10	20000
MW-21	W21SSL	10/24/1997	OTHER	IM40	SODIUM	24200		UG/L	0	10	20000
MW-21	W21SSA	11/15/2000	OTHER	IM40MB	SODIUM	22500		UG/L	0	10	20000
MW-21	W21SSA	12/20/2001	OTHER	IM40MB	SODIUM	26400		UG/L	0	10	20000
MW-21	W21SSA	10/2/2003	OTHER	IM40MB	SODIUM	20200		UG/L	0	10	20000
MW-21	W21SSA	1/23/2004	OTHER	IM40MB	SODIUM	31600		UG/L	0	10	20000
MW-46	W46SSA	8/25/1999	WESTERN BOUNDARY	IM40MB	SODIUM	20600		UG/L	0	10	20000
MW-46	W46SSA	6/15/2000	WESTERN BOUNDARY	IM40MB	SODIUM	32200		UG/L	0	10	20000
MW-46	W46SSA	9/12/2000	WESTERN BOUNDARY	IM40MB	SODIUM	31300		UG/L	0	10	20000
MW-46	W46SSA	11/17/2000	WESTERN BOUNDARY	IM40MB	SODIUM	22500	J	UG/L	0	10	20000
MW-46	W46M2A	3/30/1999	WESTERN BOUNDARY	IM40MB	SODIUM	23300		UG/L	56	66	20000
MW-46	W46M2L	3/30/1999	WESTERN BOUNDARY	IM40MB	SODIUM	24400		UG/L	56	66	20000
MW-54	W54SSA	8/27/1999	OTHER	IM40MB	SODIUM	33300		UG/L	0	10	20000
MW-57	W57M3A	10/7/2002	J-2 RANGE	IM40MB	SODIUM	21500		UG/L	31	41	20000
MW-57	W57M3A	10/18/2005	J-2 RANGE	IM40MBM	SODIUM	22100		UG/L	31	41	20000
MW-57	W57M2A	12/21/1999	J-2 RANGE	IM40MB	SODIUM	23500		UG/L	62	72	20000

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-57	W57M2A	3/22/2000	J-2 RANGE	IM40MB	SODIUM	24500		UG/L	62	72	20000
MW-57	W57M2A	6/30/2000	J-2 RANGE	IM40MB	SODIUM	25900		UG/L	62	72	20000
MW-57	W57M2A	8/29/2000	J-2 RANGE	IM40MB	SODIUM	23200		UG/L	62	72	20000
MW-57	W57M1A	12/14/1999	J-2 RANGE	IM40MB	SODIUM	23700		UG/L	102	112	20000
MW-57	W57M1A	3/7/2000	J-2 RANGE	IM40MB	SODIUM	20900		UG/L	102	112	20000
MW-57	W57M1A	7/5/2000	J-2 RANGE	IM40MB	SODIUM	22200		UG/L	102	112	20000
MW-57	W57M1A	8/29/2000	J-2 RANGE	IM40MB	SODIUM	20100		UG/L	102	112	20000
MW-57	W57M1A	9/14/2004	J-2 RANGE	IM40MBM	SODIUM	21800		UG/L	102	112	20000
SDW261160	WG160L	1/7/1998	OTHER	IM40MB	SODIUM	20600		UG/L	10	20	20000
SDW261160	WG160A	1/13/1999	OTHER	IM40MB	SODIUM	27200		UG/L	10	20	20000
SDW261160	WG160L	1/13/1999	OTHER	IM40MB	SODIUM	28200		UG/L	10	20	20000
MW-187	W187DDA	2/11/2002	J-1 RANGE	VPHMA	TERT-BUTYL METHYL ETHER	30		UG/L	199.5	209.5	20
03MW0007A	03MW0007A	4/13/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	6		UG/L	21	26	5
03MW0014A	03MW0014A	4/13/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	8		UG/L	38	43	5
03MW0020	03MW0020	4/14/1999	CS-10	OC21V	TETRACHLOROETHYLENE(PCE)	12		UG/L	36	41	5
03MW0006	03MW0006	4/15/1999	CS-10	IM40MB	THALLIUM	2.6 J		UG/L	0	10	2
03MW0022A	03MW0022A	4/16/1999	CS-10	IM40MB	THALLIUM	3.9		UG/L	71	76	2
03MW0027A	03MW0027A	4/14/1999	CS-10	IM40MB	THALLIUM	2 J		UG/L	64	69	2
11MW0004	11MW0004	4/16/1999	OTHER	IM40MB	THALLIUM	2.3 J		UG/L	0	10	2
27MW0020Z	27MW0020Z	4/16/1999	LF-1	IM40MB	THALLIUM	2.7 J		UG/L	98	103	2
58MW0008E	H7C040115018X	3/3/1997	CS-19	C200.7	THALLIUM	6.5 J		UG/L			2
58MW0011D	H7D290122025X	4/28/1997	CS-19	C200.7	THALLIUM	3.9 J		UG/L	49.5	54.5	2
90MW0038	90MW0038	4/21/1999	L RANGE	IM40MB	THALLIUM	4.4 J		UG/L	29	34	2
90WT0010	WF10XA	1/16/1998	FS-12	IM40MB	THALLIUM	6.5 J		UG/L	2	12	2
LRWS1-4	WL14XA	1/6/1999	OTHER	IM40MB	THALLIUM	5.2 J		UG/L	107	117	2
MW-1	W01SSA	9/7/1999	CIA	IM40MB	THALLIUM	2.9 J		UG/L	0	10	2
MW-127	W127SSA	11/15/2000	J-1 RANGE	IM40MB	THALLIUM	2.4 J		UG/L	0	10	2
MW-132	W132SSA	2/16/2001	J-3 RANGE	IM40MB	THALLIUM	2.1 J		UG/L	0	10	2
MW-145	W145SSA	10/18/2001	J-3 RANGE	IM40MB	THALLIUM	4.8 J		UG/L	0	10	2
MW-148	W148SSA	12/2/2002	L RANGE	IM40MB	THALLIUM	3.8 J		UG/L	0	10	2
MW-150	W150SSA	3/7/2001	PHASE 2b	IM40MB	THALLIUM	2.2 J		UG/L	1	11	2
MW-18	W18SSA	3/12/1999	J-2 RANGE	IM40MB	THALLIUM	2.3 J		UG/L	0	10	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-19	W19SSA	9/10/1999	DEMO 1	IM40MB	THALLIUM	3.8	J	UG/L	0	10	2
MW-19	W19SSA	8/24/2001	DEMO 1	IM40MB	THALLIUM	4.2	J	UG/L	0	10	2
MW-19	W19DDL	2/11/1999	DEMO 1	IM40MB	THALLIUM	3.1	J	UG/L	254	259	2
MW-191	W191M1A	7/25/2002	J-1 RANGE	IM40MB	THALLIUM	6.3		UG/L	25.2	30.2	2
MW-2	W02DDD	8/2/2000	CIA	IM40MB	THALLIUM	4.9	J	UG/L	218	223	2
MW-21	W21SSA	10/24/1997	OTHER	IM40	THALLIUM	6.9	J	UG/L	0	10	2
MW-21	W21M2A	11/1/1999	OTHER	IM40MB	THALLIUM	4	J	UG/L	58	68	2
MW-23	W23SSA	9/14/1999	PHASE 2b	IM40MB	THALLIUM	4.7	J	UG/L	0	10	2
MW-25	W25SSA	9/14/1999	CIA	IM40MB	THALLIUM	5.3	J	UG/L	0	10	2
MW-3	W03DDA	12/20/2000	CIA	IM40MB	THALLIUM	3.3		UG/L	219	224	2
MW-35	W35SSA	12/18/2000	DEMO 1	IM40MB	THALLIUM	2.9	J	UG/L	0	10	2
MW-37	W37M2A	12/29/1999	CIA	IM40MB	THALLIUM	4.9	J	UG/L	26	36	2
MW-38	W38M4A	8/18/1999	CIA	IM40MB	THALLIUM	2.8	J	UG/L	14	24	2
MW-38	W38M2A	5/11/1999	CIA	IM40MB	THALLIUM	4.9	J	UG/L	69	79	2
MW-38	W38DDA	8/22/2001	CIA	IM40MB	THALLIUM	3	J	UG/L	124	134	2
MW-39	W39M1A	12/21/2000	CIA	IM40MB	THALLIUM	4		UG/L	84	94	2
MW-41	W41M2A	4/2/1999	CIA	IM40MB	THALLIUM	2.5	J	UG/L	67	77	2
MW-42	W42M2A	11/19/1999	CIA	IM40MB	THALLIUM	4	J	UG/L	118	128	2
MW-44	W44SSA	8/24/2001	CIA	IM40MB	THALLIUM	3	J	UG/L	0	10	2
MW-45	W45SSA	5/26/1999	L RANGE; FS-12	IM40MB	THALLIUM	3	J	UG/L	0	10	2
MW-45	W45SSA	8/31/2000	L RANGE; FS-12	IM40MB	THALLIUM	4.4	J	UG/L	0	10	2
MW-46	W46M1A	5/16/2000	WESTERN BOUNDARY	IM40MB	THALLIUM	5.3	J	UG/L	103	113	2
MW-46	W46DDA	11/2/1999	WESTERN BOUNDARY	IM40MB	THALLIUM	5.1	J	UG/L	136	146	2
MW-47	W47M3A	8/25/1999	OTHER	IM40MB	THALLIUM	3.2	J	UG/L	21	31	2
MW-47	W47M3A	5/31/2000	OTHER	IM40MB	THALLIUM	5	J	UG/L	21	31	2
MW-47	W47M2A	3/26/1999	WESTERN BOUNDARY	IM40MB	THALLIUM	3.2	J	UG/L	38	48	2
MW-47	W47M2A	8/25/1999	WESTERN BOUNDARY	IM40MB	THALLIUM	4	J	UG/L	38	48	2
MW-47	W47M2A	5/30/2000	WESTERN BOUNDARY	IM40MB	THALLIUM	4.5	J	UG/L	38	48	2
MW-47	W47M1A	8/24/1999	WESTERN BOUNDARY	IM40MB	THALLIUM	2.6	J	UG/L	75	85	2
MW-48	W48M3A	2/28/2000	J-2 RANGE	IM40MB	THALLIUM	4.2	J	UG/L	31	41	2
MW-48	W48DAA	6/26/2000	J-2 RANGE	IM40MB	THALLIUM	4.7	J	UG/L	121	131	2
MW-49	W49SSA	11/19/1999	J-2 RANGE	IM40MB	THALLIUM	4.7	J	UG/L	0	10	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-49	W49M3D	6/27/2000	J-2 RANGE	IM40MB	THALLIUM	4.3	J	UG/L	31	41	2
MW-50	W50M1A	5/15/2000	CIA	IM40MB	THALLIUM	6.2	J	UG/L	89	99	2
MW-51	W51M3A	8/25/1999	CIA	IM40MB	THALLIUM	4.3	J	UG/L	28	38	2
MW-52	W52SSA	8/26/1999	OTHER	IM40MB	THALLIUM	3.6	J	UG/L	0	10	2
MW-52	W52SSA	11/18/1999	OTHER	IM40MB	THALLIUM	4.3	J	UG/L	0	10	2
MW-52	W52SSA	5/23/2000	OTHER	IM40MB	THALLIUM	4.7	J	UG/L	0	10	2
MW-52	W52M3L	4/7/1999	OTHER	IM40MB	THALLIUM	3.6	J	UG/L	59	64	2
MW-52	W52DDA	4/2/1999	OTHER	IM40MB	THALLIUM	2.8	J	UG/L	218	228	2
MW-52	W52DDL	4/2/1999	OTHER	IM40MB	THALLIUM	2.6	J	UG/L	218	228	2
MW-52	W52DDA	8/30/1999	OTHER	IM40MB	THALLIUM	3.8	J	UG/L	218	228	2
MW-53	W53M1A	11/5/1999	OTHER	IM40MB	THALLIUM	3.4	J	UG/L	99	109	2
MW-54	W54SSA	11/8/1999	OTHER	IM40MB	THALLIUM	7.4	J	UG/L	0	10	2
MW-54	W54SSA	6/6/2000	OTHER	IM40MB	THALLIUM	4.6	J	UG/L	0	10	2
MW-54	W54SSA	11/15/2000	OTHER	IM40MB	THALLIUM	3.1	J	UG/L	0	10	2
MW-54	W54M1A	8/30/1999	OTHER	IM40MB	THALLIUM	2.8	J	UG/L	79	89	2
MW-54	W54M1A	11/5/1999	OTHER	IM40MB	THALLIUM	3.9	J	UG/L	79	89	2
MW-55	W55M1A	8/31/1999	OTHER	IM40MB	THALLIUM	2.5	J	UG/L	89	99	2
MW-56	W56SSA	9/5/2000	J-2 RANGE	IM40MB	THALLIUM	4	J	UG/L	1	11	2
MW-56	W56M3A	9/5/2000	J-2 RANGE	IM40MB	THALLIUM	6.1	J	UG/L	31	41	2
MW-56	W56M3D	9/5/2000	J-2 RANGE	IM40MB	THALLIUM	4.4	J	UG/L	31	41	2
MW-57	W57M2A	3/22/2000	J-2 RANGE	IM40MB	THALLIUM	4.1	J	UG/L	62	72	2
MW-58	W58SSA	5/11/2000	J-1 RANGE	IM40MB	THALLIUM	7.3	J	UG/L	0	10	2
MW-58	W58SSA	12/20/2000	J-1 RANGE	IM40MB	THALLIUM	2	J	UG/L	0	10	2
MW-61	W61SSA	8/22/2001	PHASE 2b	IM40MB	THALLIUM	3.7	J	UG/L	0	10	2
MW-64	W64M1A	2/7/2000	GUN & MORTAR	IM40MB	THALLIUM	4.1	J	UG/L	38	48	2
MW-7	W07M2L	2/5/1998	CIA	IM40MB	THALLIUM	6.6	J	UG/L	65	70	2
MW-7	W07M2A	2/24/1999	CIA	IM40MB	THALLIUM	4.4	J	UG/L	65	70	2
MW-7	W07MMA	2/23/1999	CIA	IM40MB	THALLIUM	4.1	J	UG/L	135	140	2
MW-7	W07M1A	9/7/1999	CIA	IM40MB	THALLIUM	26.2		UG/L	135	140	2
MW-7	W07M1D	9/7/1999	CIA	IM40MB	THALLIUM	12.7		UG/L	135	140	2
MW-72	W72SSA	5/27/1999	SAR	IM40MB	THALLIUM	4		UG/L	0	10	2
MW-73	W73SSA	12/19/2000	DEMO 1	IM40MB	THALLIUM	4.3		UG/L	0	10	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
MW-73	W73SSD	12/19/2000	DEMO 1	IM40MB	THALLIUM	2 J		UG/L	0	10	2
MW-83	W83SSA	1/13/2000	WESTERN BOUNDARY	IM40MB	THALLIUM	3.6 J		UG/L	0	10	2
MW-84	W84SSA	10/21/1999	WESTERN BOUNDARY	IM40MB	THALLIUM	3.2 J		UG/L	17	27	2
MW-84	W84M3A	8/27/2001	WESTERN BOUNDARY	IM40MB	THALLIUM	5 J		UG/L	42	52	2
MW-84	W84DDA	8/23/2001	WESTERN BOUNDARY	IM40MB	THALLIUM	4 J		UG/L	153	163	2
MW-94	W94M2A	1/11/2001	CIA	IM40MB	THALLIUM	2 J		UG/L	16	26	2
MW-94	W94M2A	10/2/2001	CIA	IM40MB	THALLIUM	2.3 J		UG/L	16	26	2
PPAWSMW-1	PPAWSMW-1	6/22/1999	OTHER	IM40MB	THALLIUM	3.1 J		UG/L	0	10	2
SMR-2	WSMR2A	3/25/1999	J-2 RANGE	IM40MB	THALLIUM	2 J		UG/L	19	29	2
MW-45	W45SSA	11/16/1999	L RANGE; FS-12	OC21V	TOLUENE	1000		UG/L	0	10	1000
MW-45	W45SSA	5/29/2000	L RANGE; FS-12	OC21V	TOLUENE	1100		UG/L	0	10	1000
MW-45	W45SSA	12/27/2000	L RANGE; FS-12	OC21V	TOLUENE	1300		UG/L	0	10	1000
MW-45	W45SSA	12/14/2001	L RANGE; FS-12	OC21V	TOLUENE	1300		UG/L	0	10	1000
27MW0017B	27MW0017B	4/30/1999	LF-1; GUN & MORTAR	OC21V	VINYL CHLORIDE	2		UG/L	21	26	2
95-15A	W9515A	10/17/1997	NW CORNER	IM40	ZINC	7210		UG/L	74.71	84.71	2000
95-15A	W9515L	10/17/1997	NW CORNER	IM40	ZINC	4620		UG/L	74.71	84.71	2000
LRMW0003	WL31XA	10/21/1997	OTHER	IM40	ZINC	2480		UG/L	69.68	94.68	2000
LRMW0003	WL31XL	10/21/1997	OTHER	IM40	ZINC	2410		UG/L	69.68	94.68	2000
LRWS4-1	WL41XA	11/24/1997	J-2 RANGE	IM40	ZINC	3220		UG/L	66	91	2000
LRWS4-1	WL41XL	11/24/1997	J-2 RANGE	IM40	ZINC	3060		UG/L	66	91	2000
LRWS5-1	WL51DL	11/25/1997	PHASE 2b	IM40	ZINC	4410		UG/L	66	91	2000
LRWS5-1	WL51XA	11/25/1997	PHASE 2b	IM40	ZINC	4510		UG/L	66	91	2000
LRWS5-1	WL51XD	11/25/1997	PHASE 2b	IM40	ZINC	4390		UG/L	66	91	2000
LRWS5-1	WL51XL	11/25/1997	PHASE 2b	IM40	ZINC	3900		UG/L	66	91	2000
LRWS5-1	WL51XA	1/25/1999	PHASE 2b	IM40MB	ZINC	3980		UG/L	66	91	2000
LRWS5-1	WL51XL	1/25/1999	PHASE 2b	IM40MB	ZINC	3770		UG/L	66	91	2000
LRWS6-1	WL61XA	11/17/1997	OTHER	IM40	ZINC	3480		UG/L	184	199	2000
LRWS6-1	WL61XL	11/17/1997	OTHER	IM40	ZINC	2600		UG/L	184	199	2000
LRWS6-1	WL61XA	1/28/1999	OTHER	IM40MB	ZINC	2240		UG/L	184	199	2000
LRWS6-1	WL61XL	1/28/1999	OTHER	IM40MB	ZINC	2200		UG/L	184	199	2000
LRWS7-1	WL71XA	11/21/1997	J-2 RANGE	IM40	ZINC	4320		UG/L	186	201	2000
LRWS7-1	WL71XL	11/21/1997	J-2 RANGE	IM40	ZINC	3750		UG/L	186	201	2000

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 4
VALIDATED DETECTS EXCEEDING MCLs OR HEALTH ADVISORY LIMITS
1997 THROUGH NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
LRWS7-1	WL71XA	1/22/1999	J-2 RANGE	IM40MB	ZINC	4160		UG/L	186	201	2000
LRWS7-1	WL71XL	1/22/1999	J-2 RANGE	IM40MB	ZINC	4100		UG/L	186	201	2000
XX95-14	W9514A	9/28/1999	WESTERN BOUNDARY	IM40MB	ZINC	2430		UG/L	90	100	2000

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area

TABLE 5
VALIDATED DETECTS BELOW MCLs OR HEALTH ADVISORY
LIMITS NOT PREVIOUSLY DETECTED
DATA RECEIVED NOVEMBER 2007

WELL/LOCID	SAMPLE ID	SAMPLED	AOC	METHOD	ANALYTE	CONC.	FLAG	UNITS	BWTS	BWTE	DW LIMIT
90MW0022	90MW0022	9/25/2007	J-3 RANGE	SW8330	OCTAHYDRO-1,3,5,7-TETRANITRO-1,	1.42		UG/L	72.79	77.79	400
MW-23	MW-23M1	10/25/2007	CIA	E314.0	PERCHLORATE	0.71	J	UG/L	103	113	2
MW-330	MW-330M2-FD	10/9/2007	J-2 RANGE	E314.0	PERCHLORATE	0.35	J	UG/L	109	119	2

BWTS = DEPTH BELOW WATER TABLE, START DEPTH, MEASURED IN FEET

BWTE = DEPTH BELOW WATER TABLE, END DEPTH, MEASURED IN FEET

DW LIMIT = EITHER THE MCL OR LOWEST HEALTH ADVISORY CONCENTRATION (CHILD, ADULT OR LIFETIME)

J = ESTIMATED DETECT

AOC = Area of Concern

CIA = Central Impact Area